

Sales Adviser: Vehicle Data Code Inquiry

Stock#: **1706**

VIN: **1FUJA6CV58LY36580**

CURRIE TRUCK CENTRE
PO BOX 20150
2 CURRIE DRIVE
BARRIE , ON L4M 6E9
CAN

705 734-1953

SALES CONTACTS:

GLEN SAGE

EMAIL: glens@currietruckcentre.com

<u>Description</u>	<u>Value</u>
PRICE LEVEL INFORMATION	
COLUMBIA PRL-030 (EFF:1/10/06)	
GENERAL APPLICATION INFORMATION	
TRACTOR/TRAILER CONFIGURATION	
DOMICILED, CANADA (OTHER THAN QUEBEC)	
LINEHAUL/LONG HAUL SERVICE	
GENERAL FREIGHT BUSINESS SEGMENT	
NO BODY SPECIFIED	
VAN TRAILER	
SINGLE (1) TRAILER	
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN	
TRANSIT, IS SPENT ON PAVED ROADS	
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO	
ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA	
D SURFACE	
MAXIMUM 8% EXPECTED GRADE	
GENERAL FREIGHT COMMODITY	
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	92.913 IN
EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5 IN
EXPECTED MAXIMUM TRAILER DIP ANGLE	4 DEG
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	16 IN
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	65.97 IN
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	69 IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	89.032 MPH
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.901 IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.571 IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES	
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000 LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000 LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0 LBS

RATED MAXIMUM VEHICLE CAPACITY – GVWR

52000 LBS

BASE MODEL

COLUMBIA CL120 CONVENTIONAL CHASSIS
2008 MODEL YEAR SPECIFIED
FREIGHTLINER LEVEL I WARRANTY
SET BACK AXLE - TRACTOR
LH PRIMARY STEERING LOCATION

ENGINE

MBE4000-450 12.8L 450 HP @ 1900 RPM, 200
0 GOV RPM, 1650 LB/FT @ 1200 RPM
2007 EPA/CARB EMISSION CERTIFICATION
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
OVER THE ROAD REGENERATION AND DASH MOUN
TED REGENERATION REQUEST SWITCH
FUNCTION LOCKOUT PASSWORD
NONE
MIN CRUISE CONTROL MPH
ROAD SPEED LIMIT MPH
DDC/MBE IDLE TIMER SHUTDOWN ENABLE - N
DDC/MBE PTO SHUTDOWN DISABLE
DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - N
ENG SPD LIMIT @ VEH STANDSTILL
AUTO FAN ACTIVATION ON PTO - DISABLE
NONE
PTO THROTTLE OVERRIDE - DISABLE
MBE - PTO DISABLE W/SRV BRK-V.13 & UP
PTO DROPOUT ON CLUTCH - YES
ONE (1) REMOTE PTO SET SPEED
THROTTLE OVERRIDE IN PTO MAX ENGINE SPD
PTO FUNCTION - ENABLE
PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW
PTO RPM INCREMENT
MIN RPM FOR PTO
MAX RPM FOR PTO
TRANSMISSION TOP GEAR MINUS ONE RATIO
PROGRESSIVE SHIFTING ENABLE - N
SERVICE BRAKE ACTIVATES RETARDER - OFF
SET PTO MAXIMUM ENGINE TORQUE
RES PTO MAXIMUM ENGINE TORQUE
DDC COOLANT LEVEL INPUT - DUAL LVL FLT
DDC A/C INPUT - ACTIVE OPEN
DDC TRANS NEUTRAL INPUT - DISABLE
DDC SNGL SPD/TWO SPD LOW
DDC TWO SPEED/PWM FAN
PTO SET SPEED WITH CRUISE RES SWITCH
ENABLE ENGINE BRAKE ON CRUISE - N
DDC ENG BRK CFG - COMP&EXH OR JK/TRBO
MIN CRUISE OVRSPD BRAKE LOW
MIN CRUISE OVRSPD BRAKE HIGH
AUTO FAN ACTIVATION ON ENG BRAKE-DISABLE
ENGINE RETARDER MINIMUM VEHICLE SPEED

FAN TYPE - MBE - HORTON/KYSOR

ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL
SIX PIECE VALVE COVER
LOWER WINDSHIELD AIR INTAKE WITH DONALDS
ON AIR CLEANER MOUNTED IN ENGINE COMPART
MENT
DR 12V 160 AMP 36-SI QUADRAMOUNT PAD ALT
ERNATOR WITH REMOTE BATTERY VOLT SENSE
(4) ALLIANCE MODEL 1231, GROUP 31, 12 VO
LT MAINTENANCE FREE 4400 CCA THREADED ST
UD BATTERIES
PLASTIC BATTERY BOX MOUNTED BETWEEN RAIL
S
BATTERY BOX(ES) MOUNTED IN RAIL BACK OF
CAB
FRAME GROUND RETURN FOR BATTERY CABLES
PLASTIC BATTERY BOX COVER
BATTERY SHUTOFF SWITCH(ES) IN CAB MOUNTE
D OUTBOARD OF DRIVER SEAT
DELCO REMY/SURE POWER LOW VOLTAGE BATTER
Y DISCONNECT AT 12.3 VOLTS FOR ISOLATED
CIRCUITS WITH ONE MINUTE ALARM
EATON FULLER 15-1/2" DAMPENED CERAMIC SO
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO
FT-RATE
TORQUE LIMITING CLUTCH BRAKE
ZERK FITTINGS WITH EXTENSION HOSES AT CL
UTCH RELEASE BEARING AND X-SHAFT
WABCO 15.5 CFM AIR COMPRESSOR
STEEL AIR COMPRESSOR DISCHARGE LINE WITH
INTEGRAL QUICK CONNECT SYSTEM CHARGING
VALVE AND ST4 SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT
ECTION SYSTEM
MERCEDES BENZ PREMIUM HPE COMPRESSION/TU
RBO BRAKE WITH (1) ON/OFF AND (1) LOW/ME
DIUM/HIGH BRAKING SWITCH
RH INBOARD FRAME MOUNTED HORIZONTAL AFTE
RTREATMENT DEVICE WITH RH BACK OF CAB FR
AME MOUNTED VERTICAL TAILPIPE ROUTED OVE
R FRAME
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIG
HT
CHROME UPPER STACK(S)
RH CURVED VERTICAL TAILPIPE BACK OF CAB
FRAME MOUNTED ROUTED OVER FRAME
STAINLESS STEEL AFTERTREATMENT DEVICE/MU
FFLER/TAILPIPE SHIELD
HORTON DRIVEMASTER ON/OFF FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
H, NON ENGINE MOUNTED
MBE FUEL FILTER

FULL FLOW OIL FILTER
PENRAY NEED RELEASE WATER FILTER
1625 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-
CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES
CONSTANT TENSION HOSE CLAMPS FOR COOLANT
HOSES
NO RADIATOR DRAINCOCK
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED
UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
DELCO 12V 39MT HD/OCP STARTER WITH THERM
AL PROTECTION AND INTEGRATED MAGNETIC SW
ITCH

TRANSMISSION & EQUIPMENT

EATON FULLER RTLO-16913A TRANSMISSION
PAINTED SHIFT LEVER, SOLID LINKAGE
CAST IRON CLUTCH HOUSING
WATER TO OIL TRANSMISSION COOLER, IN RAD
IATOR END TANK
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI
ON FILL AND DRAIN, AXLE(S) FILL AND DRAI
N

FRONT AXLE, SUSPENSION & EQUIPMENT

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR 15X4 Q+ CAM FRONT BRAKES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT O
IL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
STANDARD KING PIN BUSHINGS
TRW THP-60 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING RESER
VOIR
12,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS - FRONT
SUSPENSION
FRONT SHOCK ABSORBERS

REAR AXLE, SUSPENSION & EQUIPMENT

ART-40.0-4 40,000# R-SERIES TANDEM REAR

AXLE

3.73 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
STANDARD REAR AXLE SHAFT HOLES
18N MERITOR MAIN DRIVELINE WITH FULL ROUND YOKES
17T MERITOR INTERAXLE DRIVELINE WITH HALF ROUND YOKES
INTERAXLE AND/OR DIFFERENTIAL LOCKOUT WITH INDICATOR LIGHT
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
CAM BRAKE AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES
SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK ADJUSTERS
AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION
AIRLINER HIGH POSITION RIDE HEIGHT
AXLE SEATS WITH RETAINERS
51" AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT, GAUGE AND BUZZER
SINGLE AIR REAR SUSPENSION LEVELING VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

BRAKE SYSTEM

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S)
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR, 12" TRAILER LEADS
18" STAINLESS STEEL SLIDE BAR WITH SPRING TYPE TRAILER AIR HOSE HANGER
COMBINATION GLAD HANDS AND LIGHT PLUG HOLDER INBOARD ON LH CAB SIDE EXTENDER

SWITCH AND INDICATOR LIGHT FOR PRIMARY RECEPTACLE CENTER PIN, LABELED 'TRLR-AUX'
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER CENTER BACK OF CAB
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE
12' DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12" TRACTOR, 12" TRAILER LEADS

FRAME & WHEELBASE

5800MM (228") WHEELBASE
11/32"X3-1/2"X10-3/16" STEEL FRAME (8.73MMX258.8MM/.344"X10.19") 120KSI
1450MM (57") REAR FRAME OVERHANG
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
FLANGED TAPERED END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
HEAVY DUTY SUSPENSION CROSSMEMBER
STANDARD REARMOST CROSSMEMBER

CHASSIS EQUIPMENT

LH AND RH BACK OF CAB ACCESS
21" (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS
PAINTED AERODYNAMIC BUMPER
CENTER STEP RECESSED IN BUMPER
REMOVABLE FRONT TOW HOOKS STORED ON CHASSIS FRAME
BUMPER MOUNTING FOR (3) LICENSE PLATES
BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS
OMIT STANDARD MUDFLAPS
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL
PLASTIC QUARTER FENDERS WITH LOGO

FIFTH WHEEL & EQUIPMENT

HOLLAND SIMPLEX SE TAPERLOC 24.0" AIR SLIDE FIFTH WHEEL - 4" SLIDE INCREMENTS
5TH WHEEL 406MM(16.0")AHEAD OF SUSP C/L
NO 5TH WHEEL SLIDE STOP(S)
197MM (7.75") FIFTH WHEEL HEIGHT
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"
DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL
LH FIFTH WHEEL RELEASE

FUEL TANK(S) & EQUIPMENT

150 GALLON/567 LITER ALUMINUM FUEL TANK

- RH
150 GALLON/567 LITER ALUMINUM FUEL TANK
- LH
NO HYDRAULIC OIL TANK
23" DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU
LIC TANK(S) WITH PAINTED BANDS
FUEL TANK(S) FORWARD
PLAIN STEP FINISH
FUEL TANK CAP(S)
ALLIANCE FUEL FILTER/WATER SEPARATOR WIT
H PRIMER PUMP
EQUIFLO INBOARD FUEL SYSTEM
REINFORCED NYLON FUEL HOSE

TIRES

MICHELIN XZA3 11R22.5 14 PLY RADIAL FRON
T TIRES
MICHELIN XDA HT 11R22.5 14 PLY RADIAL RE
AR TIRES
HUBS
CONMET PRE-SET BEARING ALUMINUM FRONT HU
BS
CONMET PRE-SET BEARING ALUMINUM REAR HUB
S

WHEELS

ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A
LUMINUM FRONT WHEELS
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A
LUMINUM REAR WHEELS
POLISHED FRONT WHEELS; OUTSIDE ONLY
POLISHED REAR WHEELS; OUTSIDE OF OUTER W
HEELS ONLY

CAB EXTERIOR

120" CONVENTIONAL CAB
70" RAISED ROOF SLEEPER CAB
TRIM TABS, RAISED ROOF CABS
CAB/SLEEPER SIDE EXTENDERS - 102" WITH B
LACK FLEXIBLE ENDS 11/7
WHEEL TO WHEEL FRAME SIDE FAIRINGS WITH
LH AND RH BOLTED PANELS WITH PLAIN STEPS
22" LH AND RH BAGGAGE DOORS WITH INTERIO
R PULL CABLE
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR
ILLE
LH AND RH INTERIOR GRAB HANDLES
CHROME GRILLE WITH INTEGRAL SURROUND
SHEET MOLDED COMPOUND HOOD
HOOD AND TUNNEL/FIREWALL PREMIUM NOISE A

BATEMENT AND INSULATION
SINGLE 14" ROUND HADLEY AIR HORN UNDER L
H DECK
SINGLE ELECTRIC HORN
SINGLE HORN SHIELD
DOOR LOCKS AND IGNITION SWITCH KEYED THE
SAME
INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH
CHROME BEZEL
FREIGHTLINER LED MARKER LIGHTS INTEGRAL
WITH EXTERIOR SUN VISOR
4" ROUND CLEAR FOG LIGHTS RECESSED IN BU
MPER
DAYTIME RUNNING LIGHTS
FREIGHTLINER LED FLANGE MOUNTED STOP/TAI
L/TURN LIGHTS WITH SEPARATE INCANDESCENT
BACKUP LIGHTS
STANDARD FRONT TURN SIGNAL LAMPS
(2) CHROME SWIVEL UTILITY LIGHTS MOUNTED
LH AND RH HIGH OUTBOARD ON SIDE EXTENDE
RS
DUAL BRIGHT FINISH HEATED AERODYNAMIC MI
RRORS WITH INTEGRAL CONVEX AND DUAL AXIS
LH AND RH REMOTE
DOOR MOUNTED MIRRORS
102" EQUIPMENT WIDTH
LH AND RH CONVEX MIRRORS INTEGRAL WITH P
RIMARY MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
(2) PAINTED SLEEPER VENTS, LH AND RH
ONE PIECE FIBERGLASS EXTERIOR SUN VISOR
TINTED DOOR GLASS LH AND RH WITH TINTED
OPERATING WING WINDOWS
RH ELECTRIC AND LH MANUAL WINDOWS
TINTED AND SCREENED TIP-OUT WINDOWS
ON EACH SIDE OF ROOF CAP
LOWER RH DOOR WINDOW
2-PIECE TINTED CURVED BONDED WINDSHIELD
8 LITER WINDSHIELD WASHER RESERVOIR WITH
OUT FLUID LEVEL INDICATOR

CAB INTERIOR

OPAL GRAY HERITAGE CLOTH INTERIOR
VINYL/CARPET DOOR TRIM WITH ADDITIONAL A
RCTIC SEAL PACKAGE
VINYL/CARPET DOOR TRIM WITH ADDITIONAL A
RCTIC SEAL PACKAGE
CAB BLACK FLOOR MATS WITH PREMIUM NOISE
ABATEMENT AND INSULATION
SLEEPER COLOR COORDINATED CARPET WITH PR
EMIUM NOISE ABATEMENT AND INSULATION
FULL UNDER BUNK/BAGGAGE COMPARTMENT LINE

R WITH BLACK MATS, PREMIUM NOISE ABATEMENT/INSULATION AND REMOVABLE PARTITIONS
DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE
LH LOWER SHORT REFRIGERATOR CABINET WITH DRAWER
RH LOWER TALL CLOSET WITH NET/FABRIC RETAINER
LH UPPER TALL STORAGE CABINET WITH 3 REMOVABLE SHELVES AND NET/FABRIC RETAINER
RH UPPER STORAGE CABINET (TALL) WITH 1 REMOVABLE SHELF, NET/FABRIC RETAINER AND TELEVISION CABINET
FORWARD ROOF MOUNTED CONSOLE
FORWARD WASTE BIN MOUNTED BENEATH THE DASH
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
LIFTABLE LOWER BUNK - 40" WIDE
FOLDABLE UPPER BUNK
TENT STYLE BUNK RESTRAINT FOR LOWER BUNK
DIGITAL FLUSH MOUNTED ALARM CLOCK IN SLEEPER WITH ANALOG CLOCK IN OVERHEAD CONSOLE
(2) CUP HOLDERS LH AND RH DASH
2-1/2 LB. FIRE EXTINGUISHER
FIRST AID KIT
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL
HVAC DUCTING WITH MAIN FRESH AIR FILTER
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
AUXILIARY HEATER/AIR CONDITIONER IN SLEEPER WITH CONSTANT TEMPERATURE WITH WEBAS TO AIR TOP 2000 AIR HEATER
STANDARD HEATER PLUMBING
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR
RADIATOR MOUNTED AIR CONDITIONER CONDENSER
BINARY CONTROL, R-134A
CAB AND SLEEPER PREMIUM NOISE ABATEMENT AND INSULATION
AUTO SELF-RESET CIRCUIT BREAKERS AND FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS
DOOR ACTIVATED DOME/RED MAP LIGHT, OVER EACH DOOR
(1) UPPER AND (1) LOWER BUNK READING LIGHTS WITH SWITCHES AND (2) DOME LIGHTS, (1) WITH DASH SWITCH AND (1) WITH BUNK SWITCH
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS

SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS
(2) 12 VOLT POWER OUTLETS IN SLEEPER PANEL AND TV SHELF
CAB PRIVACY CURTAIN
TUNDRA MODEL T-18 BUILT-IN REFRIGERATOR
TRIANGULAR REFLECTORS WITH FLARES
EZYRIDER HIGH BACK AIR SUSPENSION DRIVER SEAT WITH ADJUSTABLE LUMBAR SUPPORT
EZYRIDER HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH ADJUSTABLE LUMBAR SUPPORT
BLACK VINYL SUSPENSION COVER FOR AIR DRIVER AND PASSENGER SEATS
DUAL DRIVER AND PASSENGER SEAT ARMRESTS
GRAY MORDURA CLOTH DRIVER SEAT COVER
GRAY MORDURA CLOTH PASSENGER SEAT COVER
3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS
SLEEPER CURTAIN
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
4-SPOKE 18" (450MM) STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN VISORS WITH DRIVER SIDE VANITY MIRROR

CONTROLS & INSTRUMENTS

COLUMBIA STANDARD GAUGE PACKAGE
BRIGHT ARGENT FINISH GAUGE BEZELS
WOODGRAIN DRIVER INSTRUMENT PANEL
WOODGRAIN CENTER INSTRUMENT PANEL
LOW AIR PRESSURE LIGHT AND BUZZER
(1) SINGLE BRAKE APPLICATION AIR GAUGE
2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED OUTBOARD LH SEAT
2" ELECTRIC FUEL GAUGE
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
2" TRANSMISSION OIL TEMPERATURE GAUGE
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
ELECTRIC ENGINE OIL PRESSURE GAUGE

OVERHEAD INSTRUMENT PANEL
QUALCOMM MCT/IMCT/OMNIVISION SYSTEM ANTE
NNA MOUNTING BRACKET OR INTEGRAL SHELF O
NLY FOR CUSTOMER INSTALLED OUTDOOR ANTEN
NA UNIT
DELPHI AM/FM/WB PREMIUM RADIO WITH CD
DASH MOUNTED RADIO
(4) RADIO SPEAKERS: (1) COAXIAL IN EACH
DOOR AND (2) COAXIALS IN SLEEPER
COBRA 29LTDST FACTORY INSTALLED CB RADIO
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
WITH FACE PLATE
MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNT
ED ANTENNA SYSTEM
TELEVISION ANTENNA
ELECTRONIC KPH SPEEDOMETER WITH SECONDAR
Y MPH SCALE, WITHOUT ODOMETER
ELECTRONIC 3000 RPM TACHOMETER
IGNITION SWITCH CONTROLLED ENGINE STOP
ONE EXTRA SWITCH IN DASH WITH INDICATOR
LAMP AND WIRE TO CHASSIS AT BACK OF CAB/
SLEEPER
BW TRACTOR PROTECTION VALVE
TRAILER BRAKE VALVE, HAND CONTROL
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
IVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
ITH DELAY
MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR
ATE INTERRUPTER FOR CLEARANCE LIGHTS
TWO VALVE PARKING BRAKE SYSTEM WITH WARN
ING INDICATOR
GROTE TURN SIGNAL SWITCH WITH DIMMER
12 BULB 25 AMP HEAVY DUTY ELECTRONIC FLA
SHER

PAINT

PAINT: ONE SOLID COLOR
CAB COLOR A: N0225EA
WHITE ELITE SS
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
CHASSIS SIDE FAIRINGS PAINTED SAME AS
LOWER CAB SECTION OR FENDER
BUMPER PAINTED SAME AS FENDERS/LOWER
SECTION OF CAB
SUNVISOR PAINTED SAME AS CAB COLOR A