

Sales Adviser: Vehicle Data Code Inquiry

STOCK#: 1712

VIN:1FUJF6CKX8DY43476

CURRIE TRUCK CENTRE
PO BOX 20150
2 CURRIE DRIVE
BARRIE , ON L4M 6E9
CAN

705 734-1953

SALES CONTACTS:

GLEN SAGE

EMAIL: glens@currietruckcentre.com

Description

GENERAL APPLICATION INFORMATION
TRACTOR/TRAILER CONFIGURATION
DOMICILED, CANADA (OTHER THAN QUEBEC)
LINEHAUL/LONG HAUL SERVICE
INDIVIDUAL BUSINESS SEGMENT
NO BODY SPECIFIED
VAN TRAILER
SINGLE (1) TRAILER
TERRAIN/DUTY: 100% (ALL) OF THE TIME,
IN TRANSIT, IS SPENT ON PAVED ROADS
SMOOTH CONCRETE OR ASPHALT PAVEMENT -
MOST SEVERE IN-TRANSIT (BETWEEN SITES)
ROAD SURFACE
MAXIMUM 8% EXPECTED GRADE
GENERAL FREIGHT COMMODITY
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)
EXPECTED MAXIMUM TRAILER SWING RADIUS
EXPECTED MAXIMUM TRAILER DIP ANGLE
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES

Value

92.1	IN
62.5	IN
4	DEG
20	IN
63.58	IN
75	IN
93.483	MPH
37.901	IN
39.571	IN

CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY - GVWR	52000	LBS

BASE MODEL

CLASSIC CONVENTIONAL CHASSIS
 2008 MODEL YEAR SPECIFIED
 FREIGHTLINER LEVEL I WARRANTY
 SET FORWARD AXLE - TRACTOR
 LH PRIMARY STEERING LOCATION

ENGINE

DDC 60-14.0L 470 HP @ 1800 RPM, 2100 GOV
 RPM, 1650 LB/FT @ 1200 RPM
 2007 EPA/CARB EMISSION CERTIFICATION
 FUNCTION LOCKOUT PASSWORD
 NONE
 MIN CRUISE CONTROL MPH
 ROAD SPEED LIMIT MPH
 DDC/MBE IDLE TIMER SHUTDOWN ENABLE - Y
 DDC/MBE PTO SHUTDOWN ENABLE
 DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - Y
 IDLE TIME MINUTES
 ENG SPD LIMIT @ VEH STANDSTILL
 AUTO FAN ACTIVATION ON PTO - DISABLE
 PTO THROTTLE OVERRIDE - ENABLE
 MBE - PTO DISABLE W/SRV BRK-V.13 & UP
 PTO DROPOUT ON CLUTCH - YES
 ONE (1) REMOTE PTO SET SPEED
 THROTTLE OVERRIDE IN PTO MAX ENGINE SPD
 PTO SET SPEED #1
 MBE PTO FUNCTION-ON W/PARK BRAKE
 PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW
 PTO RPM INCREMENT
 MIN RPM FOR PTO
 MAX RPM FOR PTO
 TRANSMISSION TOP GEAR MINUS ONE RATIO
 PROGRESSIVE SHIFTING ENABLE - N
 SERVICE BRAKE ACTIVATES RETARDER - OFF
 SET PTO MAXIMUM ENGINE TORQUE
 RES PTO MAXIMUM ENGINE TORQUE
 DDC COOLANT LEVEL INPUT - DUAL LVL FLT
 DDC A/C INPUT - ACTIVE OPEN
 DDC TRANS NEUTRAL INPUT - DISABLE
 DDC SNGL SPD/TWO SPD LOW
 DDC TWO SPEED/PWM FAN
 PTO SET SPEED WITH CRUISE RES SWITCH
 ENABLE ENGINE BRAKE ON CRUISE - Y
 DDC ENG BRK CFG - COMP&EXH OR JK/TRBO

MIN CRUISE OVRSPD BRAKE LOW
MIN CRUISE OVRSPD BRAKE HIGH
AUTO FAN ACTIVATION ON ENG BRAKE-DISABLE
ENGINE RETARDER MINIMUM VEHICLE SPEED
FAN TYPE - MBE - HORTON/KYSOR

ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL
TWO PIECE VALVE COVER
DUAL POLISHED STAINLESS STEEL 13" DONALD
SON COWL MOUNTED AIR CLEANERS WITH POLIS
HED STAINLESS STEEL BANDS
DR 12V 160 AMP 36-SI QUADRAMOUNT PAD ALT
ERNATOR WITH REMOTE BATTERY VOLT SENSE
(4) ALLIANCE MODEL 1231, GROUP 31, 12 VO
LT MAINTENANCE FREE 4400 CCA THREADED ST
UD BATTERIES
BATTERY BOX WITH ALUMINUM COVER MOUNTED
LONG SIDE TO RAIL, CAB WIDTH
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE
BACK OF CAB
FRAME GROUND RETURN FOR BATTERY CABLES
POLISHED DIAMOND PLATE BATTERY BOX COVER
BATTERY SHUTOFF SWITCH AT BATTERY BOX
DELCO REMY/SURE POWER LOW VOLTAGE BATTER
Y DISCONNECT AT 12.3 VOLTS FOR ISOLATED
CIRCUITS WITH ONE MINUTE ALARM
EATON FULLER 15-1/2" DAMPENED CERAMIC SO
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO
FT-RATE
TORQUE LIMITING CLUTCH BRAKE
ZERK FITTINGS WITH EXTENSION HOSES AT CL
UTCH RELEASE BEARING AND X-SHAFT
BW MODEL BA-921 15.9 CFM SINGLE CYLINDER
COMPRESSOR WITH SAFETY VALVE
STEEL AIR COMPRESSOR DISCHARGE LINE WITH
INTEGRAL QUICK CONNECT SYSTEM CHARGING
VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT
ECTION SYSTEM
JACOBS COMPRESSION BRAKE
RH INBOARD FRAME MOUNTED HORIZONTAL AFTE
RTREATMENT DEVICE WITH DUAL B-PILLAR MOU
NTED VERTICAL TAILPIPES
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
OVER THE ROAD REGENERATION AND DASH MOUN
TED REGENERATION REQUEST SWITCH
FLEXIBLE STAINLESS STEEL EXHAUST PIPING
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIG
HT
CHROME UPPER STACK(S)

DUAL CURVED VERTICAL TAILPIPES B-PILLAR
MOUNTED
DUAL STAINLESS STEEL MUFFLER/TAILOPIPE SH
IELDS
HORTON DRIVEMASTER ON/OFF FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
H, NON ENGINE MOUNTED
OMIT PRIMARY FUEL FILTER
FULL FLOW OIL FILTER
PENRAY NEED RELEASE WATER FILTER
1500 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-
CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES
CONSTANT TENSION HOSE CLAMPS FOR COOLANT
HOSES
NO RADIATOR DRAINCOCK
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED
UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
DELCO 12V 42MT/OCP 450 SERIES STARTER WI
TH THERMAL PROTECTION

TRANSMISSION & EQUIPMENT

EATON FULLER RTLO-16913A TRANSMISSION
CHROMED SHIFT LEVER, SOLID LINKAGE
CAST IRON CLUTCH HOUSING
WATER TO OIL TRANSMISSION COOLER - IN RA
DIATOR END TANK
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI
ON FILL AND DRAIN, AXLE(S) FILL AND DRAI
N
TRANSMISSION REAR SUPPORT LEAF SPRING

FRONT AXLE, SUSPENSION & EQUIPMENT

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR LX500 15X4 Q+ EXTENDED LUBE CAM
FRONT BRAKES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT O
IL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR EXTENDED LUBE AUTOMATIC FRONT SL
ACK ADJUSTERS

TRW THP-60 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING RESERVOIR
12,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
FRONT SHOCK ABSORBERS

REAR AXLE, SUSPENSION & EQUIPMENT

ART-40.0-4 40,000# R-SERIES TANDEM REAR AXLE
3.73 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
STANDARD REAR AXLE SHAFT HOLES
18N MERITOR MAIN DRIVELINE WITH FULL ROUND YOKES
17T MERITOR INTERAXLE DRIVELINE WITH HALF ROUND YOKES
INTERAXLE AND/OR DIFFERENTIAL LOCKOUT WITH INDICATOR LIGHT
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES
MERITOR LX500 16.5X7 Q+ EXTENDED LUBE STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
CAM BRAKE AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
MERITOR EXTENDED LUBE AUTOMATIC REAR SLACK ADJUSTERS
AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION
AIRLINER HIGH POSITION RIDE HEIGHT
AXLE CLAMPING GROUP WITH WELDED AXLE SEATS
51" AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT, GAUGE AND BUZZER
SINGLE AIR REAR SUSPENSION LEVELING VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

BRAKE SYSTEM

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
ENHANCEMENT
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S)
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR,
12" TRAILER LEADS
36" STAINLESS STEEL SLIDE BAR WITH SPRING
TYPE AIR HOSE HANGER
COMBINATION GLAD HANDS AND LIGHT PLUG HOLDER
INBOARD ON LH CAB SIDE EXTENDER
SWITCH AND INDICATOR LIGHT FOR PRIMARY
RECEPTACLE CENTER PIN, LABELED 'TRLR-AUX'
SAE J560 7-WAY PRIMARY TRAILER CABLE
RECEPTACLE MOUNTED LOWER CENTER BACK OF
CAB CHASSIS POWER DISTRIBUTION MODULE (CPDM)
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE
LOCATED WITH PRIMARY RECEPTACLE
12' DETACHABLE COILED PRIMARY TRAILER
ELECTRICAL CABLE WITH SAE J560 CONNECTOR
WITH 8" TRACTOR, 8" TRAILER LEADS
12' DETACHABLE COILED SUPPLEMENTAL
TRAILER ELECTRICAL CABLE; ISO 3731 7-WAY
WITH 8" TRACTOR, 8" TRAILER LEADS

FRAME & WHEELBASE

6200MM (244") WHEELBASE
11/32" X 3-1/2" X 10-3/16" STEEL FRAME
(8.73MM X 258.8MM/.344" X 10.19") 120KSI
1450MM (57") REAR FRAME OVERHANG
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
FLANGED TAPERED END OF FRAME
HEAVY DUTY SUSPENSION CROSSMEMBER
STANDARD REARMOST CROSSMEMBER

CHASSIS EQUIPMENT

LH AND RH BACK OF CAB ACCESS WITH GRAB
HANDLES ON EXTERIOR CAB EXTENDERS; DOES
NOT COMPLY WITH FMCSR 399
28" (700MM) DECK PLATE FLUSH MOUNTED
BETWEEN RAILS
18" HENDRICKSON AERO CLAD TEXAS SQUARE
BUMPER, STAINLESS STEEL CLAD ALUMINUM

CENTER STEP CUTOUT IN BUMPER
FRONT TOW HOOKS - FRAME MOUNTED
SINGLE LICENSE PLATE BRACKET BELOW BUMPER
BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS
BLACK MUDFLAPS
FRONT ANTI-SPRAY CHASSIS MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL
STAINLESS STEEL QUARTER FENDERS WITH LOGO
STEP BOX WITH REMOVABLE COVER - POLISHED WITH DIAMOND PLATE FACE, 31"X23"X12"

FIFTH WHEEL & EQUIPMENT

HOLLAND SIMPLEX SE TAPERLOC 24.0" AIR SLIDE FIFTH WHEEL - 4" SLIDE INCREMENTS
5TH WHEEL 610MM(24.0")AHEAD OF SUSP C/L
NO 5TH WHEEL SLIDE STOP(S)
EXPECTED MAX 5TH WHL LOC, TRLR SWING LTD 197MM (7.75") FIFTH WHEEL HEIGHT
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"
DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL
LH FIFTH WHEEL RELEASE

FUEL TANK(S) & EQUIPMENT

150 GALLON/567 LITER ALUMINUM FUEL TANK - RH
150 GALLON/567 LITER ALUMINUM FUEL TANK - LH
NO HYDRAULIC OIL TANK
23" DIAMETER FUEL TANK(S)
POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS
FUEL TANK(S) FORWARD
POLISHED STEP FINISH
CHROME FUEL TANK CAP(S)
DAVCO 382 FUEL/WATER SEPARATOR
EQUIFLO INBOARD FUEL SYSTEM
REINFORCED NYLON FUEL HOSE
NO FUEL COOLER

TIRES

MICHELIN XZA3 11R22.5 14 PLY RADIAL FRONT TIRES
MICHELIN XDA HT 11R22.5 14 PLY RADIAL REAR

AR TIRES
HUBS
CONMET PRE-SET BEARING ALUMINUM FRONT HUBS
CONMET PRE-SET BEARING ALUMINUM REAR HUBS
WHEELS
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM FRONT WHEELS
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM REAR WHEELS
POLISHED DISC SIDE FRONT WHEELS WITH ACCU-SHIELD FINISH
POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY ACCU-SHIELD FINISH

CAB EXTERIOR

120" CONVENTIONAL CAB
RH CAB DOOR WITH 70 DEGREE DOOR STOP AND ROUGH SERVICE DOOR SUPPORT
LH CAB DOOR WITH 70 DEGREE DOOR STOP AND ROUGH SERVICE DOOR SUPPORT
70" RAISED ROOF SLEEPER CAB
TRIM TABS, RAISED ROOF CABS
CAB/SLEEPER SIDE EXTENDERS 102" 18/0
22" LH AND RH BAGGAGE DOORS WITH INTERIOR PULL CABLE
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
LH AND RH GRAB HANDLES
BRIGHT FINISH BEZEL WITH STYLIZED TILT HANDLE
POLISHED ALUMINUM GRILLE
NO HEAVY DUTY CAB/SLEEPER KIT
FIBERGLASS FULL FENDER HOOD WITH BRIGHT LOWER COWLSIDES AND REINFORCED FENDERS
HOOD LINER INSULATION WITH DOUBLE FIREWALL INSULATION
SINGLE 14" ROUND HADLEY AIR HORN UNDER LH DECK
SINGLE ELECTRIC HORN
SINGLE HORN SHIELD
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
REAR LICENSE PLATE MOUNT END OF FRAME
DUAL RECTANGULAR HALOGEN HEADLIGHTS
MARKER LIGHTS INTEGRAL WITH SUN VISOR
ACCENT LIGHTS ON INTAKE BRACKET AND LOWER EDGE OF CAB AND SLEEPER
DAYTIME RUNNING LIGHTS

TRUCK-LITE 40 STOP/TAIL WITH SEPARATE BACKUP LIGHTS GROMMET MOUNTED
STANDARD FRONT WITH TRUCK-LITE 60215Y SIDE AUXILIARY FLUSH MOUNTED TURN SIGNALS AND MIRROR MOUNTED TURN SIGNALS
(2) CHROME SWIVEL UTILITY LIGHTS MOUNTED LH AND RH HIGH OUTBOARD ON SIDE EXTENDERS
DUAL AERO BRIGHT FINISH HEATED 4-WAY ADJUSTABLE MIRRORS WITH RH REMOTE CAB MOUNTED MIRRORS
102" EQUIPMENT WIDTH
LH AND RH 8" BRIGHT FINISH HEATED CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
(2) CHROME SLEEPER VENTS, LH AND RH
FIBERGLASS EXTERIOR SUN VISOR
TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS
RH AND LH ELECTRIC POWERED WINDOWS
NON-OPENING TINTED SKYLIGHT; PLASTIC PRIVACY COVER
TINTED AND SCREENED TIP-OUT WINDOWS ON EACH SIDE OF ROOF CAP
LOWER RH DOOR WINDOW WITH FRESNEL LENS TINTED WINDSHIELD
1 GALLON WASHER RESERVOIR/REMOTE FILL ON FIREWALL

CAB INTERIOR

GRAPHITE BLACK CHAPARRAL VINYL INTERIOR
VINYL/CARPET LH DOOR TRIM
VINYL/CARPET RH DOOR TRIM
CARPET COLOR COORDINATED CAB WITH DOUBLE INSULATION
CARPET WITH DOUBLE INSULATION, COLOR COORDINATED, FOR SLEEPER
FULL UNDER BUNK/BAGGAGE COMPARTMENT LINER
DASH MOUNTED ASH TRAYS AND LIGHTER WITH SLEEPER MOUNTED LIGHTER
NO STORAGE-CAB INT,LH WALL,LOWER
NO STORAGE-CAB INT, RH WALL, LOWER
NO STORAGE-CAB INT,LH WALL,UPPER
NO STORAGE-CAB INT,RH WALL,UPPER
FORWARD ROOF MOUNTED CONSOLE
PLASTIC MANIFEST BOX - LH AND RH DOORS
SHELVES, CLOSETS AND LH LOWER REFRIGERATOR CABINETS WITH DRAWER AND FOLD-DOWN WRITING SURFACE

LIFTABLE LOWER BUNK - 40" WIDE
FOLDABLE UPPER BUNK
LOWER BUNK RESTRAINT
DIGITAL FLUSH MOUNTED ALARM CLOCK IN SLEEPER
(2) CUP HOLDERS LH AND RH DASH
BLACK DASH
2-1/2 LB. FIRE EXTINGUISHER
FIRST AID KIT
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
AUXILIARY HEATER/AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL
STANDARD PLUMBING WITH SHUTOFF VALVES
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR
RADIATOR MOUNTED AIR CONDITIONER CONDENSER
BINARY CONTROL, R-134A
SILENCER PACKAGE FOR SLEEPER CAB WITH ADDITIONAL SIDEWALL INSULATION
AUTOMATIC SELF-RESET CIRCUIT BREAKERS
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS
DOOR ACTUATED DOME/READING LIGHT OVER EACH DOOR, RED MAP LIGHT DRIVER SIDE
(3) READING LIGHTS AND (2) FLUORESCENT LIGHTS IN SLEEPER
LH AND RH POWER AIR DOOR LOCKS
SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS
(2) 12 VOLT POWER SUPPLIES IN RH SHELF AND TOP OF LH CLOSET
CAB PRIVACY CURTAIN
TUNDRA MODEL T-18 BUILT-IN REFRIGERATOR
TRIANGULAR REFLECTORS WITHOUT FLARES
BOSTROM TALLADEGA 915 WIDE RIDE HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 2 CHAMBER AIR LUMBAR AND HEATER
BOSTROM TALLADEGA 915 WIDE RIDE HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 2 CHAMBER AIR LUMBAR AND HEATER
BLACK VINYL SUSPENSION COVER FOR AIR DRIVER AND PASSENGER SEATS
DUAL DRIVER AND PASSENGER SEAT ARMRESTS
LH AND RH DOORSILL MOUNTED ARMRESTS
CLOTH WITH CLOTH INSERT DRIVER SEAT
CLOTH WITH CLOTH INSERT PASSENGER SEAT
3 POINT DRIVER AND PASSENGER SEAT BELT R

TRACTORS
SLEEPER CURTAIN
ADJUSTABLE TILT AND TELESCOPING STEERING
COLUMN
V.I.P. 2-SPOKE 18" (450MM) SILVER SATIN
LEATHER WRAPPED STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN VISORS

CONTROLS & INSTRUMENTS

BRIGHT ARGENT FINISH GAUGE BEZELS
ROSEWOOD VENEER DRIVER INSTRUMENT PANEL
INSERTS
ROSEWOOD VENEER CENTER INSTRUMENT
PANEL INSERT
LOW AIR PRESSURE LIGHT AND BUZZER
(1) TRACTOR AND (1) TRAILER BRAKE APPLIC
ATION AIR GAUGE
2" PRIMARY AND SECONDARY AIR PRESSURE GA
UGES
DASH MOUNTED AIR RESTRICTION GAUGE
ELECTRONIC CRUISE CONTROL WITH SWITCHES
ON AUXILIARY GAUGE PANEL (B DASH PANEL)
KEY OPERATED IGNITION SWITCH AND INTEGRA
L START POSITION; 4 POSITION OFF/RUN/STA
RT/ACCESSORY
ASSIGNED QUOTE JWCD 0705111407
WARNING LAMP/LIGHT BAR DISPLAY NON-DATA
LINKED WITH GAUGES DATA LINKED, ICUF
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, S
AE J1587/1708/1939, LOCATED BELOW DASH
(2) ELECTRIC FUEL GAUGES - DUAL TANKS
DUAL REAR AXLE TEMPERATURE GAUGES WITH S
ENSOR SHIELD
2" MULTIPLEXED ENGINE COOLANT TEMPERATUR
E GAUGE
ENGINE OIL TEMPERATURE GAUGE
2" TRANSMISSION OIL TEMPERATURE GAUGE
HOBBS ENGINE HOUR METER
2" MULTIPLEXED ENGINE OIL PRESSURE GAUGE
OVERHEAD INSTRUMENT PANEL
QUALCOMM MCT/IMCT/OMNIVISION SYSTEM ANTE
NNA MOUNTING BRACKET OR INTEGRAL SHELF O
NLY FOR CUSTOMER INSTALLED OUTDOOR ANTEN
NA UNIT
STANDARD SMALL FACE PYROMETER
DELPHI AM/FM/WB PREMIUM RADIO WITH CD
DASH MOUNTED RADIO
(4) RADIO SPEAKERS: (2) IN CAB AND (2) I
N SLEEPER
COBRA 29LTDST FACTORY INSTALLED CB RADIO
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION

WITH FACE PLATE
MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNT
ED ANTENNA SYSTEM
TV ANTENNA AND EXTERNAL TV COAX CABLE
CONNECTOR
MULTIPLEX SPEEDOMETER WITH LCD MESSAGE
DISPLAY, ODOMETER AND TRIP ODOMETER
MULTIPLEXED 3000 RPM TACHOMETER
IDLE LIMITER, ELECTRONIC ENGINE, PARK
BRAKE ACTIVATED
TWO EXTRA SWITCHES IN DASH WITH INDICATO
R LAMP AND WIRE TO CHASSIS AT BACK OF CA
B/SLEEPER
BW TRACTOR PROTECTION VALVE
TRAILER BRAKE VALVE, HAND CONTROL
2" TURBO AIR PRESSURE GAUGE
2" VOLTMETER
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
ITH DELAY
MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR
ATE INTERRUPTER FOR CLEARANCE LIGHTS
TWO VALVE PARKING BRAKE SYSTEM WITH WARN
ING INDICATOR
GROTE TURN SIGNAL SWITCH WITH DIMMER
HEAVY DUTY MECHANICAL TURN SIGNAL FLASHE
R

PAINT

PAINT: ONE SOLID COLOR
CAB COLOR A: N0225EA
WHITE ELITE SS
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
SUNVISOR PAINTED SAME AS CAB COLOR A