

Sales Adviser: Vehicle Data Code Inquiry

STOCK#: 1739

VIN:1FVHC7CV47HZ17663

CURRIE TRUCK CENTRE
PO BOX 20150
2 CURRIE DRIVE
BARRIE , ON L4M 6E9
CAN

705 734-1953

SALES CONTACT:

**BILL COLYN
SALES MANAGER**

| <u>Description</u> | <u>Value</u> | |
|---|--------------|-----|
| GENERAL APPLICATION INFORMATION | | |
| TRUCK/TRAILER CONFIGURATION | | |
| DOMICILED, CANADA (OTHER THAN QUEBEC) | | |
| UTILITY/REPAIR/MAINTENANCE SERVICE | | |
| FRONT PLOW/END DUMP BODY | | |
| NO TRAILER SPECIFIED | | |
| NO TRAILERS | | |
| TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE | | |
| MAXIMUM 12% EXPECTED GRADE DIRT/SAND/ROCK COMMODITY GOVERNMENT BUSINESS SEGMENT | | |
| CALC'D BACK OF CAB TO REAR SUSP C/L (CA) | 132.283 | IN |
| CALC'D CAB TO BODY (INCL 2" CLEARANCE) | 4 | IN |
| EXPECTED TRUCK BODY LENGTH | 0 | IN |
| CALC'D FRAME LENGTH BACK OF CAB | 195.276 | IN |
| CALC'D BODY AFT OF EOF (+=BODY OVERHANG) | -191.276 | IN |
| CALC'D OVERALL LENGTH AT BODY OR EOF | 334.429 | IN |
| CALC'D VEHICLE SPEED @ GOVERNED ENG RPM | 67.775 | MPH |
| BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR | 32 | IN |
| CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD | 41.039 | IN |
| CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN | 43.361 | IN |
| CALC'D CAB HEIGHT ABOVE FRAME | 71.854 | IN |
| CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD | 112.154 | IN |

| | | |
|---|-------|-----|
| CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN | 114.9 | IN |
| MAXIMUM GVW & AXLE SYSTEM CAPACITIES | | |
| CALC'D MAX CAPACITY FRONT AXLE(S) TOTAL | 20000 | LBS |
| CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL | 46000 | LBS |
| CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL | 0 | LBS |
| RATED MAXIMUM VEHICLE CAPACITY - GVWR | 66000 | LBS |

BASE MODEL

M2 112V CONVENTIONAL CHASSIS
 2007 MODEL YEAR SPECIFIED
 FREIGHTLINER LEVEL II WARRANTY
 SET BACK AXLE - TRUCK
 TRAILER TOWING PROVISION AT END OF
 FRAME FOR TRUCK
 LH PRIMARY STEERING LOCATION

ENGINE

MBE4000-370 12.8L 370 HP @ 1900 RPM, 200
 0 GOV RPM, 1450 LB/FT @ 1100 RPM
 2004 EPA/CARB EMISSION CERTIFICATION
 NONE
 MIN CRUISE CONTROL MPH
 ROAD SPEED LIMIT MPH
 DDC/MBE IDLE TIMER SHUTDOWN ENABLE - N
 DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - N
 ENG SPD LIMIT @ VEH STANDSTILL
 AUTO FAN ACTIVATION ON PTO - DISABLE
 PTO VEHICLE SPEED LIMIT
 PTO FUNCTION - ENABLE
 PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW
 PTO RPM INCREMENT
 MIN RPM FOR PTO
 MAX RPM FOR PTO
 TRANSMISSION TOP GEAR MINUS ONE RATIO
 SERVICE BRAKE ACTIVATES RETARDER - OFF
 ENABLE ENGINE BRAKE ON CRUISE - N
 MBE ENGINE BRAKE CONFIG - TURBO BRAKE
 MIN CRUISE OVRSPD BRAKE LOW
 MIN CRUISE OVRSPD BRAKE HIGH
 AUTO FAN ACTIVATION ON ENG BRAKE-DISABLE
 FAN TYPE - MBE - HORTON/KYSOR

ENGINE EQUIPMENT

OIL FILL AND DIPSTICK LOCATED FOR ENHANC
 ED SERVICEABILITY
 SIX PIECE VALVE COVER
 SIDE OF HOOD AIR INTAKE WITH FIREWALL MO
 UNTED DONALDSON AIR CLEANER AND UNDER HO

OD BLEND AIR DOOR
DR 12V 145 AMP 24-SI QUADRAMOUNT PAD ALT
ERNATOR
(4) ALLIANCE MODEL 1031, GROUP 31, 12 VO
LT MAINTENANCE FREE 3040 CCA THREADED ST
UD BATTERIES
BATTERY BOX FRAME MOUNTED
LH BATTERY BOX MOUNTED AS FAR AFT AS POS
SIBLE
AS CLOSE TO FWD DRIVE AXLE AS POSSIBLE.
ASSIGNED QUOTE JWCD 0611080748
FRAME GROUND RETURN FOR BATTERY CABLES
NON-POLISHED BATTERY BOX COVER
EATON FULLER 15-1/2" DAMPENED CERAMIC SO
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO
FT-RATE
TORQUE LIMITING CLUTCH BRAKE
ZERK FITTINGS WITH EXTENSION HOSES AT CL
UTCH RELEASE BEARING AND X-SHAFT
MECHANICAL CLUTCH CONTROL
WABCO 15.5 CFM AIR COMPRESSOR
TEFLON COMPRESSOR DISCHARGE LINE WITH
ST4 SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL WARNING AND D
ERATE PROTECTION SYSTEM
MERCEDES COMPRESSION AND TURBO BRAKES WI
TH (1) ON/OFF AND (1) LOW/MEDIUM/HIGH BR
AKING SWITCH
SINGLE HORIZONTAL OVAL UNDER CAB MOUNTED
MUFFLER WITH SINGLE RH VERTICAL STACK T
HROUGH B-PILLAR
11' 06" (138"+0/-5") EXHAUST SYSTEM HEIG
HT
VERTICAL TAILPIPE RIGHT SIDE THROUGH B-P
ILLAR WITH CURVED TOP STACK
STAINLESS STEEL AFTERTREATMENT DEVICE/MU
FFLER/TAILPIPE SHIELD
HORTON DRIVEMASTER ON/OFF FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
H, NON ENGINE MOUNTED
MBE FUEL FILTER
FULL FLOW OIL FILTER
1200 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-
CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES
CONSTANT TENSION HOSE CLAMPS FOR COOLANT
HOSES
1310 ADAPTER FLANGE FOR FRONT PTO PROVIS
ION
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK

HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED
UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 42MT/OCV 450 SERIES STARTER WITH THERMAL PROTECTION

TRANSMISSION & EQUIPMENT

EATON FULLER RTLO-14913A TRANSMISSION
PAINTED SHIFT LEVER, SOLID LINKAGE
CAST IRON CLUTCH HOUSING
AIR TO OIL TRANSMISSION COOLER
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN
VEHICLE INTERFACE WIRING AND PDM WITH BODY BUILDER CONNECTOR AT END OF FRAME

FRONT AXLE, SUSPENSION & EQUIPMENT

MFS-20-133A 20,000# FL1 SINGLE FRONT AXLE
MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL CLASSIC FRONT OIL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
HALDEX AUTOMATIC FRONT SLACK ADJUSTERS
TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
POWER STEERING PUMP
4 QUART POWER STEERING RESERVOIR
OIL/AIR POWER STEERING COOLER
20,000# FLAT LEAF FRONT SUSPENSION
GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
FRONT SHOCK ABSORBERS

REAR AXLE, SUSPENSION & EQUIPMENT

RT-46-164P EH 46,000# R-SERIES TANDEM REAR AXLE
4.89 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING

18N MERITOR MAIN DRIVELINE WITH FULL ROUND YOKES
17T MERITOR INTERAXLE DRIVELINE WITH HALF ROUND YOKES
DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES
(1) DCDL FORWARD AND REAR, REAR AXLE VALVE AND (1) INTERAXLE LOCK CONTROL VALVE BLINKING LAMP WITH EACH MODE SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES NON-ASBESTOS REAR BRAKE LINING
HIGH MOUNT CAM BRAKE CHAMBER POSITION WITH AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL CLASSIC REAR OIL SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
HENDRICKSON HAULMAAX REAR SUSPENSION @ 46,000#
HENDRICKSON HAULMAAX - 10.50" RIDE HEIGHT
NO REAR AXLE CLAMPS
60" AXLE SPACING
HENDRICKSON HN AND HAULMAAX SERIES STEEL BEAMS WITH BAR PIN
FORE/AFT AND TRANSVERSE CONTROL RODS

BRAKE SYSTEM

AIR BRAKE PACKAGE
WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
AIR DRYER MOUNTED INSIDE RAIL BACK OF CAB/SLEEPER

STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S)
NO TRAILER AIR HOSE
AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK
PRIMARY CONNECTOR/RECEPTACLE CENTER PIN
POWERED THROUGH IGNITION
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME
UPGRADED CHASSIS MULTIPLEXING UNIT
UPGRADED BULKHEAD MULTIPLEXING UNIT

FRAME & WHEELBASE

5025MM (198") WHEELBASE
11/32" X 3-1/2" X 10-15/16" STEEL FRAME
(8.73MM X 277.8MM/.344" X 10.94") 120KSI
1/4" (6MM) C-CHANNEL INNER FRAME REINFORCEMENT
24" INTEGRAL FRONT FRAME EXTENSION WITH 0.25" INSERT AND CHEEK PLATE REINFORCEMENT IN CUTOUT AREA
1600MM (63") REAR FRAME OVERHANG
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
SQUARE END OF FRAME
LIGHT WEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER
UNDERSLUNG CROSSMEMBER
HEAVY DUTY SUSPENSION CROSSMEMBER
STANDARD REARMOST CROSSMEMBER
CALC'D BUMPER TO REAR TOWING C/M FACE

CHASSIS EQUIPMENT

THREE-PIECE 14" PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS
FRONT TOW HOOKS - FRAME MOUNTED
BUMPER MOUNTING FOR SINGLE LICENSE PLATE
CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS
LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS IS LOADED TO FRONT AND REAR SUSPENSION RATINGS

FUEL TANK(S) & EQUIPMENT

60 GALLON/227 LITER ALUMINUM FUEL TANK - RH
60 GALLON/227 LITER ALUMINUM FUEL TANK -

LH
NO HYDRAULIC OIL TANK
23" DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU
LIC TANK(S) WITH PAINTED BANDS
FUEL TANK(S) FORWARD
FUEL TANK CAP(S)
ALLIANCE FUEL FILTER/WATER SEPARATOR WIT
H HEATED BOWL AND INDICATOR LIGHT
EQUIFLO INBOARD FUEL SYSTEM
REINFORCED NYLON FUEL HOSE
NO FUEL COOLER

TIRES

MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL
FRONT TIRES
MICHELIN XDE M/S 11R22.5 16 PLY RADIAL
REAR TIRES
HUBS
CONMET IRON FRONT HUBS
CONMET IRON REAR HUBS
WHEELS
ACCURIDE 29807 22.5X12.25 10-HUB PILOT
4.75 INSET 5-HAND STEEL DISC FRONT
WHEELS
ACCURIDE 28408 22.5X8.25 10-HUB PILOT
2-HAND STEEL DISC REAR WHEELS

CAB EXTERIOR

112" BBC FLAT ROOF ALUMINUM CONVENTIONAL
CAB
NO SLEEPER BOX/SLEEPERCAB
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR
ILLE
2-1/2" FENDER EXTENSIONS
LH AND RH GRAB HANDLES
PAINTED STATIONARY GRILLE TRIMMED FOR
CHASSIS WITH FRONT FRAME EXTENSION
FIBERGLASS HOOD WITH ACCESS HATCHES
ARGENT SILVER HOOD MOUNTED AIR INTAKE
GRILLE
TUNNEL/FIREWALL LINER
DUAL 26" RECTANGULAR POLISHED
ALUMINUM AIR HORNS ROOF MOUNTED
DUAL ELECTRIC HORNS
DUAL HORN SHIELDS
DOOR LOCKS AND IGNITION SWITCH KEYED THE
SAME

REAR LICENSE PLATE MOUNT END OF FRAME
INTEGRAL HEADLIGHT/MARKER ASSEMBLY
FREIGHTLINER LED AERODYNAMIC MARKER
LIGHTS
DAYTIME RUNNING LIGHTS
FREIGHTLINER LED FLANGE MOUNTED STOP/TAI
L/TURN LIGHTS WITH SEPARATE INCANDESCENT
BACKUP LIGHTS
STANDARD FRONT TURN SIGNAL LAMPS
DUAL WEST COAST BRIGHT FINISH HEATED MIR
RORS
DOOR MOUNTED MIRRORS
102" EQUIPMENT WIDTH
LH AND RH 8" BRIGHT FINISH CONVEX MIRROR
S MOUNTED UNDER PRIMARY MIRRORS
STANDARD SIDE/REAR REFLECTORS
COMPOSITE EXTERIOR SUN VISOR
63"X14" TINTED REAR WINDOW
TINTED DOOR GLASS LH AND RH WITH TINTED
OPERATING WING WINDOWS
RH AND LH ELECTRIC POWERED WINDOWS
LOWER RH DOOR WINDOW WITH FRESNEL LENS
TINTED WINDSHIELD
8 LITER WINDSHIELD WASHER RESERVOIR WITH
OUT FLUID LEVEL INDICATOR

CAB INTERIOR

OPAL GRAY VINYL INTERIOR
MOLDED PLASTIC DOOR PANEL WITH ALUMINUM
KICKPLATE LOWER DOOR
MOLDED PLASTIC DOOR PANEL WITH ALUMINUM
KICKPLATE LOWER DOOR
GRAY VINYL MATS WITH INSULATION
DASH MOUNTED ASH TRAYS AND LIGHTER
FORWARD ROOF MOUNTED CONSOLE WITH UPPER
STORAGE COMPARTMENTS WITHOUT NETTING
(2) CUP HOLDERS LH AND RH DASH
GRAY/CHARCOAL WING DASH
SMART SWITCH EXPANSION MODULE
5 LB. FIRE EXTINGUISHER
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING
MAIN HVAC CONTROLS WITH RECIRCULATION SW
ITCH
STANDARD PLUMBING WITH SHUTOFF VALVES
SANDEN COMPACT AIR CONDITIONER COMPRESSO
R
BINARY CONTROL, R-134A
SILENCER PACKAGE FOR CAB
SOLID-STATE CIRCUIT PROTECTION AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF
LH AND RH ELECTRIC DOOR LOCKS
(1) 12 VOLT POWER SUPPLY IN DASH
TRIANGULAR REFLECTORS WITH FLARES
BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH AIR LUMBAR
BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH AIR LUMBAR
DUAL DRIVER SEAT ARMRESTS AND INBOARD PASSENGER SEAT ARMREST
LH AND RH INTEGRAL DOOR PANEL ARMRESTS
BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER
BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER
3 POINT FIXED D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
4-SPOKE 18" (450MM) STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN VISORS

CONTROLS & INSTRUMENTS

BLACK GAUGE BEZELS
GRAY DRIVER INSTRUMENT PANEL
GRAY CENTER INSTRUMENT PANEL
LOW AIR PRESSURE LIGHT AND BUZZER
2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES
DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
97 DB BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED BELOW DASH
2" ELECTRIC FUEL GAUGE
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
ENGINE AND TRIP HOUR METERS INTEGRAL WITH

HIN DRIVER DISPLAY
ELECTRIC ENGINE OIL PRESSURE GAUGE
OVERHEAD INSTRUMENT PANEL
F/L XTA-2400 AM/FM/WB CD RADIO BY DELPHI
DASH MOUNTED RADIO
(2) RADIO SPEAKERS IN CAB
AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
POWER AND GROUND WIRING PROVISION
CB WIRING ONLY TO ROOF/OVERHEAD CONSOLE;
NO MOUNTING PROVISION
ELECTRONIC KPH SPEEDOMETER WITH SECONDAR
Y MPH SCALE, WITHOUT ODOMETER
ELECTRONIC 3000 RPM TACHOMETER
IGNITION SWITCH CONTROLLED ENGINE STOP
FOUR EXTRA SWITCHES IN DASH WITH INDICAT
OR LAMP AND WIRE TO CHASSIS AT BACK OF C
AB/SLEEPER
PROVIDE (4) ADDITIONAL SWITHES FOR A
TOTAL OF (8)
REFERENCE VIN# X44072
ASSIGNED QUOTE JWCD 0605101113
BW TRACTOR PROTECTION VALVE
TRAILER BRAKE VALVE, HAND CONTROL
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
IVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
ITH DELAY
MARKER LIGHT SWITCH INTEGRAL WITH HEADLI
GHT SWITCH AND SWITCH AND TERMINALS FOR
CUSTOMER FURNISHED SNOW PLOW LIGHTS
REFERENCE VIN# X44072
ASSIGNED QUOTE JWCD 0611130936
TWO VALVE PARKING BRAKE SYSTEM WITH WARN
ING INDICATOR
SELF CANCELING TURN SIGNAL SWITCH WITH D
IMMER, WASHER/WIPER AND HAZARD IN HANDLE
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
WITH HAZARD LAMPS OVERRIDING STOP LAMPS

PAINT

PAINT: ONE SOLID COLOR
CAB COLOR A: N0225EA
WHITE ELITE SS
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
ACCURIDE PKGRY21 POWDER GRAY (N0020EA)
FRONT WHEELS/RIMS
ACCURIDE PKGRY21 POWDER GRAY (N0020EA)
REAR WHEELS/RIMS
BUMPER PAINT: FP24812

ARGENT SILVER DUPONT FLEX
SUNVISOR PAINTED SAME AS CAB COLOR A