

Sales Adviser: Vehicle Data Code Inquiry

STOCK#: **1742**VIN: **1FVACYDJ68HZ17667**

CURRIE TRUCK CENTRE
PO BOX 20150
2 CURRIE DRIVE
BARRIE , ON L4M 6E9
CAN

705 734-1953**Sales Contact:****Glen Sage**Email: glens@currietruckcentre.comDescriptionValue

GENERAL APPLICATION INFORMATION		
TRUCK CONFIGURATION		
DOMICILED, CANADA (OTHER THAN QUEBEC)		
PICKUP AND DELIVERY/SHORT HAUL SERVICE		
DRY VAN BODY		
NO TRAILER SPECIFIED		
NO TRAILERS		
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
TRANSIT, IS SPENT ON PAVED ROADS		
SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
D SURFACE		
MAXIMUM 8% EXPECTED GRADE		
GENERAL FREIGHT COMMODITY		
GENERAL FREIGHT BUSINESS SEGMENT		
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	186.417	IN
CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
EXPECTED TRUCK BODY LENGTH	288	IN
CALC'D FRAME LENGTH BACK OF CAB	282.874	IN
CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	8.126	IN
CALC'D OVERALL LENGTH AT BODY OR EOF	397.299	IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	74.523	MPH

BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.993	IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.659	IN
CALC'D CAB HEIGHT ABOVE FRAME	67.523	IN
CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	104.678	IN
CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	106.538	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY – GVWR	35000	LBS

BASE MODEL

M2 106 CONVENTIONAL CHASSIS
 2008 MODEL YEAR SPECIFIED
 MEDIUM TRUCK WARRANTY
 SET BACK AXLE - TRUCK
 STRAIGHT TRUCK PROVISION
 LH PRIMARY STEERING LOCATION

ENGINE

MBE900-250 7.2L 250 HP @ 2200 RPM, 2400
 GOV, 660 LB/FT @ 1200 RPM
 2007 EPA/CARB EMISSION CERTIFICATION
 DCX COMMON ENGINE CONTROL UNIT FOR MBE90
 0, MCM 8.3 AND CPC 2.0
 FUNCTION LOCKOUT PASSWORD
 NONE
 MIN CRUISE CONTROL MPH
 ROAD SPEED LIMIT MPH
 DDC/MBE IDLE TIMER SHUTDOWN ENABLE - N
 DDC/MBE PTO SHUTDOWN DISABLE
 DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - Y
 ENG SPD LIMIT @ VEH STANDSTILL
 AUTO FAN ACTIVATION ON PTO - DISABLE
 MBE PTO FUNCTION-ON W/PARK BRAKE
 PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW
 PTO RPM INCREMENT
 MIN RPM FOR PTO
 MAX RPM FOR PTO
 TRANSMISSION TOP GEAR MINUS ONE RATIO
 PROGRESSIVE SHIFTING ENABLE - N
 SERVICE BRAKE ACTIVATES RETARDER - OFF
 ENABLE ENGINE BRAKE ON CRUISE - N
 MIN CRUISE OVRSPD BRAKE LOW
 MIN CRUISE OVRSPD BRAKE HIGH

AUTO FAN ACTIVATION ON ENG BRAKE-DISABLE
ENGINE RETARDER MINIMUM VEHICLE SPEED
FAN TYPE - MBE - HORTON/KYSOR

ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL
ONE PIECE VALVE COVER
SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
DR 12V 160 AMP 24-SI QUADRAMOUNT PAD ALTERNATOR
(2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2200 CCA THREADED STUD BATTERIES
BATTERY BOX FRAME MOUNTED
SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
FRAME GROUND RETURN FOR BATTERY CABLES
NON-POLISHED BATTERY BOX COVER
BATTERY SHUTOFF SWITCH(ES) IN CAB MOUNTED OUTBOARD OF DRIVER SEAT
ZF-SACHS 395MM ORGANIC 1 PLATE CLUTCH
NO CLUTCH BRAKE
NO CLUTCH RELEASE BEARING LUBE
NO CLUTCH RELEASE
WABCO 15.5 CFM AIR COMPRESSOR
STEEL AIR COMPRESSOR DISCHARGE LINE WITH INTEGRAL QUICK CONNECT SYSTEM CHARGING VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT DEVICE WITH RH CAB MOUNTED VERTICAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIGHT
HT
CHROME UPPER STACK(S)
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD
HORTON HT650 FRONTAL AIR ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH

H, NON ENGINE MOUNTED
MBE FUEL FILTER
FULL FLOW OIL FILTER
NO COOLANT FILTER
1100 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-
CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES
CONSTANT TENSION HOSE CLAMPS FOR COOLANT
HOSES
LOWER RADIATOR GUARD
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE MOUNTED
UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
ELECTRIC GRID AIR INTAKE WARMER
DELCO 12V 38MT HD STARTER WITH INTEGRATE
D MAGNETIC SWITCH

TRANSMISSION & EQUIPMENT

MERCEDES MBT660-60A 6-SPEED AUTOMATED
MANUAL OVERDRIVE TRANSMISSION
SMARTSHIFT, ELECTRONIC SHIFT CONTROL, ST
EERING COLUMN MOUNTED
ALUMINUM CLUTCH HOUSING
NO TRANSMISSION OIL COOLER
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI
ON FILL AND DRAIN, AXLE(S) FILL AND DRAI
N
VEHICLE INTERFACE WIRING AND PDM WITH BO
DY BUILDER CONNECTOR AT END OF FRAME

FRONT AXLE, SUSPENSION & EQUIPMENT

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT O
IL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

TRW THP-60 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING RESER
VOIR
12,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS - FRONT
SUSPENSION
FRONT SHOCK ABSORBERS

REAR AXLE, SUSPENSION & EQUIPMENT

RS-23-160 23,000# R-SERIES SINGLE REAR A
XLE
5.38 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD AXL
E HOUSING
17T MERITOR MAIN DRIVELINE WITH HALF ROU
ND YOKES
MOBIL SYNTHETIC SAE 50W TRANSMISSION OIL
AND SAE 75W-90W REAR AXLE(S)
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR B
RAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
CAM BRAKE AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OI
L SEALS
HALDEX GOLDSEAL LONGSTROKE 1-DRIVE AXLE
SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK ADJUSTERS
AIRLINER 23,000# REAR SUSPENSION WITH CH
AIN CLEARANCE
AIRLINER HIGH POSITION RIDE HEIGHT
STANDARD U-BOLT PAD
MANUAL DUMP SWITCH FOR AIR SUSPENSION
WITH AUTOFILL OVERRIDE VALVE
REAR AIR SUSPENSION DUMP VALVE WITH AUTO
FILL FOR IGNITION OFF AND >5 MPH, INCLUD
E OVERRIDE CONTROL
SINGLE AIR REAR SUSPENSION LEVELING VALV
E
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - ONE AXLE (AIR RID
E SUSPENSION)

BRAKE SYSTEM

AIR BRAKE PACKAGE
WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
ENHANCEMENT
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
STEEL AIR BRAKE RESERVOIRS MOUNTED WITH
AFTERTREATMENT DEVICE IN CAB ENTRY STEPS
WHEN POSSIBLE
PULL CABLES ON ALL AIR RESERVOIR(S)
NO TRAILER AIR HOSE
NO TRAILER CABLE RECEPTACLE
UPGRADED CHASSIS MULTIPLEXING UNIT
UPGRADED BULKHEAD MULTIPLEXING UNIT

FRAME & WHEELBASE

6400MM (252") WHEELBASE
11/32"X3-1/2"X10-15/16" STEEL FRAME (8.7
3MMX277.8MM/.344"X10.94") 120KSI
NO FRONT FRAME EXTENSION
2450MM (96") REAR FRAME OVERHANG
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
SQUARE END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER
STANDARD REARMOST CROSSMEMBER
CALC'D BUMPER TO REAR TOWING C/M FACE

CHASSIS EQUIPMENT

THREE-PIECE 14" CHROMED STEEL BUMPER WIT
H COLLAPSIBLE ENDS
FRONT TOW HOOKS - FRAME MOUNTED
BUMPER MOUNTING FOR SINGLE LICENSE PLATE
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS

FIFTH WHEEL & EQUIPMENT

FUEL TANK(S) & EQUIPMENT

NO RH FUEL TANK
100 GALLON/378 LITER RECTANGULAR ALUMINU
M FUEL TANK - LH
NO HYDRAULIC OIL TANK

RECTANGULAR FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU
LIC TANK(S) WITH PAINTED BANDS
FUEL TANK(S) FORWARD
FUEL TANK CAP(S)
ALLIANCE FUEL FILTER/WATER SEPARATOR WIT
H HEATED BOWL
EQUIFLO INBOARD FUEL SYSTEM
REINFORCED NYLON FUEL HOSE
NO FUEL COOLER

TIRES

BRIDGESTONE R287 11R22.5 14 PLY RADIAL F
RONT TIRES
BRIDGESTONE M726EL 11R22.5 14 PLY RADIAL
REAR TIRES
HUBS
CONMET PRE-SET BEARING ALUMINUM FRONT HU
BS
CONMET PRE-SET BEARING ALUMINUM REAR HUB
S

WHEELS

ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A
LUMINUM FRONT WHEELS
ACCURIDE 28408 22.5X8.25 10-HUB PILOT
2-HAND STEEL DISC REAR WHEELS
POLISHED FRONT WHEELS; OUTSIDE ONLY

CAB EXTERIOR

106" BBC FLAT ROOF ALUMINUM CONVENTIONAL
CAB
NO SLEEPER BOX/SLEEPERCAB
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR
ILLE
LH AND RH GRAB HANDLES
HOOD MOUNTED CHROMED PLASTIC GRILLE
FIBERGLASS HOOD
ARGENT SILVER HOOD MOUNTED AIR INTAKE
GRILLE
SINGLE 14" ROUND POLISHED AIR HORN ROOF
MOUNTED
DUAL ELECTRIC HORNS
SINGLE HORN SHIELD

DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
REAR LICENSE PLATE MOUNT END OF FRAME
INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH CHROME BEZEL
FREIGHTLINER LED AERODYNAMIC MARKER LIGHTS
DAYTIME RUNNING LIGHTS
FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS
STANDARD FRONT TURN SIGNAL LAMPS
DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS
DOOR MOUNTED MIRRORS
102" EQUIPMENT WIDTH
LH AND RH 8" BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
STANDARD SIDE/REAR REFLECTORS
DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES
COMPOSITE EXTERIOR SUN VISOR
63"X14" TINTED REAR WINDOW
TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
MANUAL DOOR WINDOW REGULATORS
TINTED WINDSHIELD
8 LITER WINDSHIELD WASHER RESERVOIR WITH OUT FLUID LEVEL INDICATOR

CAB INTERIOR

OPAL GRAY VINYL INTERIOR
M2 INTERIOR CONVENIENCE PACKAGE WITH CB PROVISION
MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
GRAY VINYL MATS WITH INSULATION
DASH MOUNTED ASH TRAYS AND LIGHTER
FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING IN DASH STORAGE BIN
NO INTERIOR DOOR STORAGE
(2) CUP HOLDERS LH AND RH DASH
GRAY/CHARCOAL FLAT DASH
SMART SWITCH EXPANSION MODULE
2-1/2 LB. FIRE EXTINGUISHER

FIRST AID KIT
POTENTIAL QUOTE JWCD 0606120742
POTENTIAL QUOTE JWCD 0606120743
HEATER, DEFROSTER AND AIR CONDITIONER
STANDARD HVAC DUCTING
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
STANDARD PLUMBING WITH SHUTOFF VALVES
SANDEN COMPACT AIR CONDITIONER COMPRESSOR
BINARY CONTROL, R-134A
SILENCER PACKAGE FOR CAB
SOLID-STATE CIRCUIT PROTECTION AND FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
(1) 12 VOLT POWER SUPPLY IN DASH
TRIANGULAR REFLECTORS WITHOUT FLARES
BOSTROM TALLADEGA 910 HIGH BACK AIR SUSPENSION DRIVER SEAT
2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT
LH AND RH INTEGRAL DOOR PANEL ARMRESTS
GRAY MORDURA CLOTH DRIVER SEAT COVER
GRAY MORDURA CLOTH PASSENGER SEAT COVER
3 POINT DRIVER AND PASSENGER (OUTSIDE) WITH 2 POINT (CENTER) SEAT BELT RETRACTORS
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
4-SPOKE 18" (450MM) STEERING WHEEL
DRIVER AND PASSENGER INTERIOR SUN VISORS

CONTROLS & INSTRUMENTS

BLACK GAUGE BEZELS
WOODGRAIN DRIVER INSTRUMENT PANEL
WOODGRAIN CENTER INSTRUMENT PANEL
LOW AIR PRESSURE LIGHT AND BUZZER
2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
97 DB BACKUP ALARM
ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
KEY OPERATED IGNITION SWITCH AND INTEGRA

L START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED BELOW DASH
2" ELECTRIC FUEL GAUGE
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
ELECTRIC ENGINE OIL PRESSURE GAUGE
OVERHEAD INSTRUMENT PANEL
F/L XTA-2400 AM/FM/WB CD RADIO BY DELPHI
DASH MOUNTED RADIO
(2) RADIO SPEAKERS IN CAB
AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
POWER AND GROUND WIRING PROVISION
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION WITH FACE PLATE
ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER
ELECTRONIC 3000 RPM TACHOMETER
IGNITION SWITCH CONTROLLED ENGINE STOP
TWO EXTRA SWITCHES IN DASH WITH INDICATOR LAMP AND WIRE TO CHASSIS AT BACK OF CAB/SLEEPER
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS
ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS

PAINT

PAINT: ONE SOLID COLOR
CAB COLOR A: N0225EA
WHITE ELITE SS

BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
VENDOR WHITE REAR WHEELS/RIMS
SUNVISOR PAINTED SAME AS CAB COLOR A