

Sales Adviser: Vehicle Data Code Inquiry

STOCK#: **1757**

VIN: **1FUJGECV78LZ09604**

CURRIE TRUCK CENTRE
PO BOX 21050
2 CURRIE DRIVE
BARRIE , ON L4M 6E9
CAN

705 734-1953

SALES CONTACTS:

GLEN SAGE
EMAIL: glens@currietruckcentre.com

MARTIN THIFFAULT
CELL#: **705 309-1500**
EMAIL: martint@currietruckcentre.com

Description

Value

CASCADIA PRL-44A (EFF:5/18/07)
GENERAL APPLICATION INFORMATION
TRACTOR/TRAILER CONFIGURATION
DOMICILED, CANADA (OTHER THAN QUEBEC)
LINEHAUL/LONG HAUL SERVICE
GENERAL FREIGHT BUSINESS SEGMENT
NO BODY SPECIFIED
VAN TRAILER
SINGLE (1) TRAILER
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN
TRANSIT, IS SPENT ON PAVED ROADS
SMOOTH CONCRETE OR ASPHALT PAVEMENT -
MO
ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA
D SURFACE

MAXIMUM 8% EXPECTED GRADE		
GENERAL FREIGHT COMMODITY		
EXPECTED FRONT AXLE(S) LOAD	12000	LBS
EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
EXPECTED GROSS VEHICLE WGT CAPACITY	52000	LBS
EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	103.74	IN
EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	18	IN
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	66.864	IN
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	71	IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	87.829	MPH
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.869	IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.539	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY – GVWR	52000	LBS

BASE MODEL

CASCADIA 125" DAY CAB
 2008 MODEL YEAR SPECIFIED
 FREIGHTLINER LEVEL I WARRANTY
 SET BACK AXLE - TRACTOR
 NO TRUCK PROVISION PACKAGE
 LH PRIMARY STEERING LOCATION

ENGINE

MBE4000-450 12.8L 450 HP @ 1900 RPM, 200
 0 GOV RPM, 1650 LB/FT @ 1200 RPM
 2007 EPA/CARB EMISSION CERTIFICATION
 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
 OVER THE ROAD REGENERATION AND DASH
 MOUN
 TED REGENERATION REQUEST SWITCH

ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL
 SIX PIECE VALVE COVER
 LOWER WINDSHIELD AIR INTAKE WITH ENGINE
 MOUNTED AIR CLEANER
 DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU

NT PAD ALTERNATOR WITH REMOTE BATTERY
VO
LT SENSE
(4) ALLIANCE MODEL 1031, GROUP 31, 12 VO
LT MAINTENANCE FREE 3040 CCA THREADED ST
UD BATTERIES
BATTERY BOX MOUNTED BEHIND FORWARD
FAIR
NGS LONG SIDE TO RAIL
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE
UNDER CAB
WIRE GROUND RETURN FOR BATTERY CABLES
NO BATTERY BOX COVER
POSITIVE POWER CIRCUIT SHUTOFF SWITCH IN
CAB MOUNTED OUTBOARD OF DRIVER SEAT
POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR
T FRAME MOUNTED LH SIDE UNDER HOOD
PROGRESSIVE LOW VOLTAGE DISCONNECT AT
12
.3 VOLTS FOR DESIGNATED CIRCUITS WITH AL
ARM
EATON FULLER 15-1/2" DAMPENED CERAMIC SO
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO
FT-RATE
TORQUE LIMITING CLUTCH BRAKE
ZERK FITTING WITH EXTENSION HOSE AT CLUT
CH RELEASE BEARING
HYDRAULIC CLUTCH CONTROL
WABCO 15.5 CFM AIR COMPRESSOR
STEEL AIR COMPRESSOR DISCHARGE LINE
WITH
INTEGRAL QUICK CONNECT SYSTEM CHARGING
VALVE AND ST4 SAFETY VALVE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN
PROT
ECTION SYSTEM
MERCEDES BENZ PREMIUM HPE COMPRESSION/
TU
RBO BRAKE WITH (1) ON/OFF AND (1) LOW/ME
DIUM/HIGH BRAKING SWITCH
RH OUTBOARD FRAME MOUNTED VERTICAL
AFTER
TREATMENT DEVICE WITH TOPSTACK
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIG
HT
CHROME UPPER STACK(S)
RH CURVED TOPSTACK

STAINLESS STEEL AFTERTREATMENT DEVICE/
MU
FFLER/TAILPIPE SHIELD
HORTON DRIVEMASTER ON/OFF FAN DRIVE
AUTOMATIC FAN CONTROL WITHOUT DASH
SWITC
H, NON ENGINE MOUNTED
MBE FUEL FILTER
FULL FLOW OIL FILTER
PENRAY NEED RELEASE WATER FILTER
1625 SQUARE INCH ALUMINUM RADIATOR
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-
CHARGED SCA HEAVY DUTY COOLANT
GATES BLUE STRIPE COOLANT HOSES
CONSTANT TENSION HOSE CLAMPS FOR
COOLANT
HOSES
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE
MOUNTED
UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
ELECTRIC GRID AIR INTAKE WARMER
MITSUBISHI 12V 105P55 TYPE STARTER WITH
INTEGRATED MAGNETIC SWITCH

TRANSMISSION & EQUIPMENT

EATON FULLER FRO-16210C TRANSMISSION
PAINTED SHIFT LEVER, SOLID LINKAGE
ALUMINUM CLUTCH HOUSING
WATER TO OIL TRANSMISSION COOLER, IN RAD
IATOR END TANK
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI
ON FILL AND DRAIN, AXLE(S) FILL AND DRAI
N
NO OPTIONAL MAIN TRANSMISSION SUPPORT
NO MAIN TRANSMISSION MOUNTED PTO
NO PTO MOUNTING LOCATION SPECIFIED

FRONT AXLE, SUSPENSION & EQUIPMENT

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP
SINGLE FRONT AXLE
MERITOR 15X4 Q+ CAM FRONT BRAKES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
HALDEX LONGSTROKE FRONT BRAKE
CHAMBERS
MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
LZS5 RACK AND PINION STEERING GEAR
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESER
VOIR
12,000# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT
SUSPENSION
FRONT SHOCK ABSORBERS

REAR AXLE, SUSPENSION & EQUIPMENT

RT-40-145 40,000# R-SERIES TANDEM REAR A
XLE
3.73 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH OPTIONAL HEA
VY DUTY AXLE HOUSING
STANDARD REAR AXLE SHAFT HOLES
RPL20 MERITOR MAIN DRIVELINE
RPL20 MERITOR INTERAXLE DRIVELINE
NO TRACTION EQUALIZER
(1) INTERAXLE LOCK CONTROL VALVE FOR TAN
DEM OR TRIDEM DRIVE AXLES
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND
75W-90W ALL AXLES
MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REA
R BRAKES, DOUBLE ANCHOR, FABRICATED
SHOE
S
NON-ASBESTOS REAR BRAKE LINING
CAM BRAKE AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR BRAKE DUST SHIELDS
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OI
L SEALS
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE
AXLES
SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK ADJUSTERS

AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION
AIRLINER HIGH POSITION RIDE HEIGHT
AXLE CLAMPING GROUP WITH WELDED AXLE
SEA
TS
51" AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION
WITH
HIGH INDICATOR LIGHT AND BUZZER, WITHOUT GAUGE
SINGLE AIR REAR SUSPENSION LEVELING VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES
(TANDEM
) (AIR RIDE SUSPENSION)

BRAKE SYSTEM

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
ENHANCEMENT
NO VEHICLE STABILITY ADVISOR OR CONTROL
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER
STEEL AIR BRAKE RESERVOIRS
PULL CABLES ON ALL AIR RESERVOIR(S)
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR,
12" TRAILER LEADS
36" STAINLESS STEEL SLIDE BAR WITH SPRING
TYPE AIR HOSE HANGER
COMBINATION DUMMY GLAD HANDS AND LIGHT
P
LUG HOLDER MOUNTED LH BACK OF CAB WITH
G
ROUND ACCESS
SWITCH AND INDICATOR LIGHT FOR PRIMARY RECEPTACLE
CENTER PIN, LABELED 'TRLR-AUX'
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE
MOUNTED LOWER LH BACK OF CAB
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE
LOCATED WITH PRIMARY RECEPTACLE

12' DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12" TRACTOR, 12" TRAILER LEADS

FRAME & WHEELBASE

4575MM (180") WHEELBASE
9/32"X3-7/16X10-1/16" STEEL FRAME (7.14M
MX255.6MM/.281"X10.06") 120KSI
1450MM (57") REAR FRAME OVERHANG
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS
FLANGED TAPERED END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
HEAVY DUTY SUSPENSION CROSSMEMBER
INVERTED "U" TRACTOR CROSSMEMBER

CHASSIS EQUIPMENT

LH BACK OF CAB ACCESS
21" (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS
PAINTED AERODYNAMIC BUMPER
CENTER STEP RECESSED IN BUMPER
REMOVABLE FRONT TOW HOOKS STORED ON CHASSIS FRAME
BUMPER MOUNTING FOR (3) LICENSE PLATES
BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS
OMIT STANDARD MUDFLAPS
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS
EXCLUDING FIFTH WHEEL
STAINLESS STEEL QUARTER FENDERS WITH LOG
O

FIFTH WHEEL & EQUIPMENT

HOLLAND SIMPLEX SE TAPERLOC 24.0" AIR SLIDE FIFTH WHEEL - 4" SLIDE INCREMENTS
5TH WHEEL 457MM(18.0")AHEAD OF SUSP C/L
173MM (6.81") FIFTH WHEEL HEIGHT
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"
DASH MOUNTED CONTROL VALVE AND PLUMBING
FOR FIFTH WHEEL

LH FIFTH WHEEL RELEASE

FUEL TANK(S) & EQUIPMENT

100 GALLON/378 LITER ALUMINUM FUEL TANK
- RH
80 GALLON/302 LITER ALUMINUM FUEL TANK -
LH
NO HYDRAULIC OIL TANK
23" DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU
LIC TANK(S) WITH PAINTED BANDS
RH FUEL TANK MOUNTED FORWARD, LH FUEL
TA
NK MOUNTED AFT
PLAIN STEP FINISH
FUEL TANK CAP(S)
ALLIANCE FUEL FILTER/WATER SEPARATOR
EQUIFLO INBOARD FUEL SYSTEM
REINFORCED NYLON FUEL HOSE
NO FUEL COOLER

TIRES

MICHELIN XZA3 11R22.5 14 PLY RADIAL FRON
T TIRES
MICHELIN XDA HT 11R22.5 14 PLY RADIAL RE
AR TIRES
HUBS
CONMET PRE-SET BEARING ALUMINUM FRONT
HU
BS
CONMET PRE-SET BEARING ALUMINUM REAR
HUB
S

WHEELS

ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A
LUMINUM DISC FRONT WHEELS
ACCURIDE 28408 22.5X8.25 10-HUB PILOT
2-HAND STEEL DISC REAR WHEELS
POLISHED FRONT WHEELS; OUTSIDE ONLY

CAB EXTERIOR

125" BBC ALUMINUM CONVENTIONAL CAB
RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP

LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
NO SLEEPER BOX/SLEEPERCAB
FACTORY PAINTED AND INSTALLED ROOF FAIRING
12" CAB/SLEEPERCAB SIDE EXTENDERS WITH BLACK FLEXIBLE ENDS
PARTIAL FRAME SIDE FAIRINGS
ASSIGNED QUOTE JWCD 0706221347
AIR CAB MOUNTS
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
LH AND RH INTERIOR GRAB HANDLES
CHROME GRILLE WITH INTEGRAL SURROUND
AERODYNAMIC HOOD
HOOD AND TUNNEL/FIREWALL PREMIUM NOISE
BATEMENT AND INSULATION
SINGLE 14" ROUND POLISHED AIR HORN ROOF MOUNTED
SINGLE ELECTRIC HORN
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
INTEGRAL HEADLIGHT/MARKER ASSEMBLY
ROOF MOUNTED LED MARKER LIGHTS
NO ROADLIGHTS
NO FOG LIGHTS
DAYTIME RUNNING LIGHTS
NO SPOTLIGHTS
FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS
LED SIDE TURN SIGNAL
(2) UTILITY LIGHTS FLUSH MOUNTED BACK OF CAB/SLEEPER AND (2) CHROME SWIVEL UTILITY LIGHTS MOUNTED LH AND RH HIGH ON INBOARD SIDE EXTENDERS
NO LOAD LOCK CARRIERS
DUAL BRIGHT FINISH HEATED MIRRORS WITH INTEGRAL CONVEX AND LH AND RH REMOTE DOOR MOUNTED MIRRORS
102" EQUIPMENT WIDTH
RH DOWN VIEW MIRROR
NO AUXILIARY MIRROR
NO PERMIT PLAQUE
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
(2) 28"X22" SOLAR TINTED REAR WINDOWS

SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS
RH AND LH ELECTRIC POWERED WINDOWS
2-PIECE SOLAR TINTED CURVED ROPED-IN WINDSHIELD
8 LITER WINDSHIELD WASHER RESERVOIR WITH OUT FLUID LEVEL INDICATOR
NO WINTERFRONT

CAB INTERIOR

PREMIUM GRAY VINYL INTERIOR
UPGRADE LH DOOR TRIM
UPGRADE RH DOOR TRIM
BLACK MATS
(1) DASH MOUNTED POWER OUTLET, LIGHTER AND ASH TRAY
FORWARD ROOF MOUNTED CONSOLE WITH CENTER LOCKING DOOR
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
COAT HOOK(S) IN CAB
COMBINATION VERTICAL THERMOS HOLDER/CUP HOLDER
OLDER FLOOR MOUNTED CENTER OF DRIVER SEAT
T
PARCHEMENT/SHALE WING DASH
2-1/2 LB. FIRE EXTINGUISHER
FIRST AID KIT
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR
RADIATOR MOUNTED AIR CONDITIONER CONDENSER
BINARY CONTROL, R-134A
STANDARD INSULATION
SOLID-STATE CIRCUIT PROTECTION AND FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM

STANDARD CAB LIGHTING
CAB DOOR LATCHES WITH MANUAL DOOR
LOCKS
TRIANGULAR REFLECTORS WITH FLARES
PREMIUM HIGH BACK AIR SUSP DRIVER SEAT W
/3 CHAMBER AIR LUMBAR, INTEGRATED CUSHIO
N EXTENSION, FWD AND REAR CUSHION TILT,
ADJUSTABLE SHOCK ABSORBER, SWIVEL BASE
BASIC HIGH BACK NON SUSPENSION
PASSENGER
SEAT
BLACK SUSPENSION COVER FOR AIR DRIVER SE
AT
DUAL DRIVER SEAT ARMRESTS, NO PASSENGER
SEAT ARMRESTS
CLOTH WITH CLOTH INSERT DRIVER SEAT
VINYL WITH VINYL INSERT PASSENGER SEAT
3 POINT ADJUSTABLE D-RING RETRACTOR DRIV
ER AND PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING STEERING
COLUMN
4-SPOKE 18" (450MM) BLACK STEERING WHEEL
WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

CONTROLS & INSTRUMENTS

BLACK GAUGE BEZELS
LAZER BLACK DRIVER INSTRUMENT PANEL
LOW AIR PRESSURE LIGHT AND BUZZER
NO AIR APPLICATION GAUGE
2" PRIMARY AND SECONDARY AIR PRESSURE
GA
UGES
INTAKE MOUNTED AIR RESTRICTION INDICATOR
WITH GRADUATIONS
NO BACKUP ALARM
CRUISE CONTROL STEERING WHEEL MOUNTED
WI
TH DISENGAGE WITH HEADLIGHTS ON/WIPERS O
N
KEY OPERATED IGNITION SWITCH AND INTEGRA
L START POSITION; 4 POSITION OFF/RUN/STA
RT/ACCESSORY
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE
DI
SPLAY: 1X7 CHARACTER, 26 WARNING LAMPS,

DATA LINKED, ICU3
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, S
AE J1587/1708/1939, LOCATED BELOW DASH
2" ELECTRIC FUEL GAUGE
NO AXLE TEMPERATURE GAUGE
ELECTRICAL ENGINE COOLANT TEMPERATURE
GA
UGE
ENGINE OIL TEMPERATURE GAUGE
NO TRANSMISSION TEMPERATURE GAUGE
ELECTRONIC OUTSIDE TEMPERATURE SENSOR
DI
SPLAY IN DRIVER MESSAGE CENTER
ENGINE AND TRIP HOUR METERS INTEGRAL WITH
HIN DRIVER DISPLAY
NO HUBODOMETER
NO PTO CONTROLS
NO LANE DEPARTURE WARNING SYSTEM
ELECTRIC ENGINE OIL PRESSURE GAUGE
NO POSITIONING/LOCATING SYSTEM
NO POSITION/COMMUNICATION ACCESSORY
AM/FM/WB/CD/MP3 PREMIUM RADIO
DASH MOUNTED RADIO
STANDARD SPEAKER SYSTEM
COBRA 29LTDST FACTORY INSTALLED CB RADIO
ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION
WITH FACE PLATE
DUAL SIDE MOUNT MULTI-BAND AM/FM/CB ANTE
NNA SYSTEM
NO DIGITAL SATELLITE AUDIO RECEIVER ANTE
NNA
ELECTRONIC KPH SPEEDOMETER WITH
SECONDAR
Y MPH SCALE, WITHOUT ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 3000 RPM TACHOMETER
NO MPH AND/OR RPM GRAPH
IGNITION SWITCH CONTROLLED ENGINE STOP
NO EXTRA SWITCH IN DASH
STEERING WHEEL MOUNTED ELECTRIC HORN
CON
TROL
BW TRACTOR PROTECTION VALVE
TRAILER BRAKE VALVE, HAND CONTROL
NO TURBO AIR PRESSURE GAUGE
NO FUEL VACUUM GAUGE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR

IVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR
W
ITH DELAY
ROTARY HEADLAMP SWITCH, MARKER LIGHTS/
HE
ADLIGHTS SWITCH WITH PULL OUT FOR OPTION
AL FOG/ROAD LAMPS
TWO VALVE PARKING BRAKE SYSTEM WITH
WARN
ING INDICATOR
SELF CANCELING TURN SIGNAL SWITCH WITH D
IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI
TTENT
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
WITH 40 AMP (20 AMP PER SIDE) TRAILER LA
MP CAPACITY

PAINT

PAINT: ONE SOLID COLOR
CAB COLOR A: N0225EA
WHITE ELITE SS
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
VENDOR WHITE REAR WHEELS/RIMS
BUMPER PAINTED SAME AS FENDERS/LOWER
SECTION OF CAB