

# Sales Adviser: Vehicle Data Code Inquiry

**Stock#: 1707**

**VIN: 1FUJGLCK38LY36581**

CURRIE TRUCK CENTRE  
PO BOX 20150  
2 CURRIE DRIVE  
BARRIE , ON L4M 6E9  
CAN

705 734-1953

## SALES CONTACTS:

GLEN SAGE

Email:

[glens@currietruckcentre.com](mailto:glens@currietruckcentre.com)

MARTIN THIFFAULT

Email:

[martint@currietruckcentre.com](mailto:martint@currietruckcentre.com)

CELL # 705 309-1500

## Description

## Value

GENERAL APPLICATION INFORMATION  
TRACTOR/TRAILER CONFIGURATION  
DOMICILED, CANADA (OTHER THAN QUEBEC)  
LINEHAUL/LONG HAUL SERVICE  
GENERAL FREIGHT BUSINESS SEGMENT  
NO BODY SPECIFIED  
VAN TRAILER  
SINGLE (1) TRAILER  
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN  
TRANSIT, IS SPENT ON PAVED ROADS  
SMOOTH CONCRETE OR ASPHALT PAVEMENT -  
MO  
ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA  
D SURFACE  
MAXIMUM 8% EXPECTED GRADE

GENERAL FREIGHT COMMODITY		
EXPECTED FRONT AXLE(S) LOAD	12000	LBS
EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
EXPECTED GROSS VEHICLE WGT CAPACITY	52000	LBS
EXPECTED GROSS COMBINATION WEIGHT	80000	LBS
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	94.882	IN
EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	22	IN
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	62.731	IN
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	74	IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	94.053	MPH
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	38.001	IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.671	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY – GVWR	52000	LBS

## BASE MODEL

CASCADIA 125" SLEEPER CAB  
 2008 MODEL YEAR SPECIFIED  
 FREIGHTLINER LEVEL I WARRANTY  
 SET BACK AXLE - TRACTOR  
 NO TRUCK PROVISION PACKAGE  
 LH PRIMARY STEERING LOCATION

## ENGINE

DDC 60-14.0L 515 HP @ 1800 RPM, 2100 GOV  
 RPM, 1650 LB/FT @ 1200 RPM  
 2007 EPA/CARB EMISSION CERTIFICATION  
 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC  
 OVER THE ROAD REGENERATION AND DASH  
 MOUN  
 TED REGENERATION REQUEST SWITCH

## ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL  
 TWO PIECE VALVE COVER  
 LOWER WINDSHIELD AIR INTAKE WITH ENGINE  
 MOUNTED AIR CLEANER  
 DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU

NT PAD ALTERNATOR WITH REMOTE BATTERY  
VO  
LT SENSE  
(4) ALLIANCE MODEL 1231, GROUP 31, 12 VO  
LT MAINTENANCE FREE 4400 CCA THREADED ST  
UD BATTERIES  
BATTERY BOX MOUNTED BEHIND FORWARD  
FAIR  
NGS LONG SIDE TO RAIL  
SINGLE BATTERY BOX FRAME MOUNTED LH  
SIDE  
UNDER CAB  
WIRE GROUND RETURN FOR BATTERY CABLES  
POSITIVE POWER CIRCUIT SHUTOFF SWITCH IN  
CAB MOUNTED OUTBOARD OF DRIVER SEAT  
POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR  
T CHASSIS MOUNTED LH BACK OF CAB  
PROGRESSIVE LOW VOLTAGE DISCONNECT AT  
12  
.3 VOLTS FOR DESIGNATED CIRCUITS WITH AL  
ARM  
EATON FULLER 15-1/2" DAMPENED CERAMIC SO  
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO  
FT-RATE  
TORQUE LIMITING CLUTCH BRAKE  
ZERK FITTING WITH EXTENSION HOSE AT CLUT  
CH RELEASE BEARING  
HYDRAULIC CLUTCH CONTROL  
BW MODEL BA-921 15.9 CFM SINGLE CYLINDER  
COMPRESSOR WITH SAFETY VALVE  
STEEL AIR COMPRESSOR DISCHARGE LINE  
WITH  
INTEGRAL QUICK CONNECT SYSTEM CHARGING  
VALVE  
ELECTRONIC ENGINE INTEGRAL SHUTDOWN  
PROT  
ECTION SYSTEM  
JACOBS COMPRESSION BRAKE  
RH INBOARD FRAME MOUNTED HORIZONTAL  
AFTE  
RTREATMENT DEVICE WITH RH BACK OF CAB FR  
AME MOUNTED VERTICAL TAILPIPE ROUTED  
OVE  
R FRAME  
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIG  
HT  
CHROME UPPER STACK(S)  
RH CURVED VERTICAL TAILPIPE BACK OF CAB

FRAME MOUNTED ROUTED OVER FRAME  
STAINLESS STEEL AFTERTREATMENT DEVICE/  
MU  
FFLER/TAILOPIPE SHIELD  
HORTON DRIVEMASTER ON/OFF FAN DRIVE  
AUTOMATIC FAN CONTROL WITHOUT DASH  
SWITC  
H, NON ENGINE MOUNTED  
OMIT PRIMARY FUEL FILTER  
FULL FLOW OIL FILTER  
PENRAY NEED RELEASE WATER FILTER  
1625 SQUARE INCH ALUMINUM RADIATOR  
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-  
CHARGED SCA HEAVY DUTY COOLANT  
GATES BLUE STRIPE COOLANT HOSES  
CONSTANT TENSION HOSE CLAMPS FOR  
COOLANT  
HOSES  
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK  
HEATER  
BLACK PLASTIC ENGINE HEATER RECEPTACLE  
M  
OUNTED AFTER LH DOOR  
ALUMINUM FLYWHEEL HOUSING  
MITSUBISHI 12V 105P55 TYPE STARTER WITH  
INTEGRATED MAGNETIC SWITCH

### **TRANSMISSION & EQUIPMENT**

EATON FULLER RTLO-16913A TRANSMISSION  
PAINTED SHIFT LEVER, SOLID LINKAGE  
ALUMINUM CLUTCH HOUSING  
WATER TO OIL TRANSMISSION COOLER, IN RAD  
IATOR END TANK  
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI  
ON FILL AND DRAIN, AXLE(S) FILL AND DRAI  
N  
TRANSMISSION REAR SUPPORT LEAF SPRING  
NO MAIN TRANSMISSION MOUNTED PTO  
NO PTO MOUNTING LOCATION SPECIFIED

### **FRONT AXLE, SUSPENSION & EQUIPMENT**

AF-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP  
SINGLE FRONT AXLE  
MERITOR 15X4 Q+ CAM FRONT BRAKES  
NON-ASBESTOS FRONT BRAKE LINING  
CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS  
FRONT OIL SEALS  
VENTED FRONT HUB CAPS - OIL  
STANDARD SPINDLE NUTS FOR ALL AXLES  
HALDEX LONGSTROKE FRONT BRAKE  
CHAMBERS  
MERITOR AUTOMATIC FRONT SLACK  
ADJUSTERS  
LZS5 RACK AND PINION STEERING GEAR  
POWER STEERING PUMP  
2 QUART SEE THROUGH POWER STEERING  
RESER  
VOIR  
12,000# TAPERLEAF FRONT SUSPENSION  
MAINTENANCE FREE RUBBER BUSHINGS -  
FRONT  
SUSPENSION  
FRONT SHOCK ABSORBERS

### **REAR AXLE, SUSPENSION & EQUIPMENT**

RT-40-145 40,000# R-SERIES TANDEM REAR A  
XLE  
3.73 REAR AXLE RATIO  
IRON REAR AXLE CARRIER WITH OPTIONAL HEA  
VY DUTY AXLE HOUSING  
STANDARD REAR AXLE SHAFT HOLES  
18T MERITOR MAIN DRIVELINE WITH HALF ROU  
ND YOKES  
17N MERITOR INTERAXLE DRIVELINE WITH FUL  
L ROUND YOKES  
NO TRACTION EQUALIZER  
(1) INTERAXLE LOCK CONTROL VALVE FOR TAN  
DEM OR TRIDEM DRIVE AXLES  
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND  
75W-90W ALL AXLES  
MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REA  
R BRAKES, DOUBLE ANCHOR, FABRICATED  
SHOE  
S  
NON-ASBESTOS REAR BRAKE LINING  
CAM BRAKE AUXILIARY SUPPORT BRACKETS  
CONMET CAST IRON REAR BRAKE DRUMS  
REAR BRAKE DUST SHIELDS  
CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OI  
L SEALS  
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE  
AXLES

SPRING PARKING CHAMBERS  
MERITOR AUTOMATIC REAR SLACK ADJUSTERS  
AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION  
AIRLINER HIGH POSITION RIDE HEIGHT  
AXLE CLAMPING GROUP WITH WELDED AXLE  
SEA  
TS  
51" AXLE SPACING  
MANUAL DUMP VALVE FOR AIR SUSPENSION  
WITH  
H INDICATOR LIGHT, GAUGE AND BUZZER  
SINGLE AIR REAR SUSPENSION LEVELING VALVE  
E  
TRANSVERSE CONTROL RODS  
REAR SHOCK ABSORBERS - TWO AXLES  
(TANDEM  
) (AIR RIDE SUSPENSION)

## **BRAKE SYSTEM**

WABCO 4S/4M ABS WITHOUT TRACTION  
CONTROL  
NO VEHICLE STABILITY ADVISOR OR CONTROL  
REINFORCED NYLON, FABRIC BRAID AND WIRE  
BRAID CHASSIS AIR LINES  
FIBER BRAID PARKING BRAKE HOSE  
STANDARD BRAKE SYSTEM VALVES  
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,  
NO REAR PROPORTIONING VALVE  
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER  
STEEL AIR BRAKE RESERVOIRS  
PULL CABLES ON ALL AIR RESERVOIR(S)  
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR,  
12" TRAILER LEADS  
36" STAINLESS STEEL SLIDE BAR WITH SPRING  
TYPE AIR HOSE HANGER  
COMBINATION DUMMY GLAD HANDS AND LIGHT  
P  
LUG HOLDER MOUNTED LH BACK OF CAB WITH  
G  
ROUND ACCESS  
SWITCH AND INDICATOR LIGHT FOR PRIMARY  
RECEPTACLE CENTER PIN, LABELED 'TRLR-AUX'  
SAE J560 7-WAY PRIMARY TRAILER CABLE  
RECEPTACLE MOUNTED LOWER LH BACK OF CAB  
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE  
LOCATED WITH PRIMARY RECEPTACLE

12' DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12" TRACTOR, 12" TRAILER LEADS

## **FRAME & WHEELBASE**

5950MM (234") WHEELBASE  
11/32"X3-1/2"X10-3/16" STEEL FRAME (8.73MMX258.8MM/.344"X10.19") 120KSI  
1450MM (57") REAR FRAME OVERHANG  
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS  
FLANGED TAPERED END OF FRAME  
STANDARD WEIGHT ENGINE CROSSMEMBER  
HEAVY DUTY SUSPENSION CROSSMEMBER  
INVERTED "U" TRACTOR CROSSMEMBER

## **CHASSIS EQUIPMENT**

LH AND RH BACK OF CAB ACCESS  
21" (525MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS  
PAINTED AERODYNAMIC BUMPER  
CENTER STEP RECESSED IN BUMPER  
REMOVABLE FRONT TOW HOOKS STORED ON CHASSIS FRAME  
BUMPER MOUNTING FOR (3) LICENSE PLATES  
BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS  
OMIT STANDARD MUDFLAPS  
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS  
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS  
EXCLUDING FIFTH WHEEL  
PLASTIC QUARTER FENDERS WITHOUT LOGO  
NO TOOL/STORAGE BOX #1

## **FIFTH WHEEL & EQUIPMENT**

HOLLAND SIMPLEX SE TAPERLOC 24.0" AIR SLIDE FIFTH WHEEL - 4" SLIDE INCREMENTS  
5TH WHEEL 559MM(22.0")AHEAD OF SUSP C/L  
197MM (7.75") FIFTH WHEEL HEIGHT  
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"  
DASH MOUNTED CONTROL VALVE AND PLUMBING  
FOR FIFTH WHEEL

## LH FIFTH WHEEL RELEASE

### **FUEL TANK(S) & EQUIPMENT**

150 GALLON/567 LITER ALUMINUM FUEL TANK  
- RH  
150 GALLON/567 LITER ALUMINUM FUEL TANK  
- LH  
NO HYDRAULIC OIL TANK  
23" DIAMETER FUEL TANK(S)  
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU  
LIC TANK(S) WITH PAINTED BANDS  
FUEL TANK(S) AFT  
PLAIN STEP FINISH  
FUEL TANK CAP(S)  
DAVCO 382 FUEL/WATER SEPARATOR  
EQUIFLO INBOARD FUEL SYSTEM  
REINFORCED NYLON FUEL HOSE  
NO FUEL COOLER

### **TIRES**

BRIDGESTONE R287 11R22.5 14 PLY RADIAL F  
RONT TIRES  
BRIDGESTONE M726EL 11R22.5 14 PLY RADIAL  
REAR TIRES  
HUBS  
CONMET PRE-SET BEARING ALUMINUM FRONT  
HU  
BS  
CONMET PRE-SET BEARING ALUMINUM REAR  
HUB  
S

### **WHEELS**

ALCOA 88364X 22.5X8.25 10-HUB PILOT  
ALUMINUM DISC FRONT WHEELS  
ALCOA 88364X 22.5X8.25 10-HUB PILOT  
ALUMINUM DISC REAR WHEELS  
POLISHED FRONT WHEELS; OUTSIDE ONLY  
POLISHED REAR WHEELS; OUTSIDE OF OUTER  
W  
HEELS ONLY

### **CAB EXTERIOR**

125" BBC ALUMINUM CONVENTIONAL CAB

RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP  
LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP  
72" RAISED ROOF SLEEPER CAB  
12" CAB/SLEEPER CAB SIDE EXTENDERS WITH B  
LACK FLEXIBLE ENDS  
WHEEL TO WHEEL FRAME SIDE FAIRINGS  
LH AND RH BAGGAGE DOORS  
AIR CAB MOUNTS  
NONREMOVABLE BUGSCREEN MOUNTED  
BEHIND GR  
ILLE  
NO SLEEPER ACCESS DOOR  
LH AND RH INTERIOR GRAB HANDLES  
CHROME GRILLE WITH INTEGRAL SURROUND  
AERODYNAMIC HOOD  
HOOD AND TUNNEL/FIREWALL PREMIUM NOISE  
A  
BATEMENT AND INSULATION  
SINGLE AIR HORN UNDER LH DECK  
SINGLE ELECTRIC HORN  
DOOR LOCKS AND IGNITION SWITCH KEYED THE  
SAME  
INTEGRAL HEADLIGHT/MARKER ASSEMBLY  
ROOF MOUNTED LED MARKER LIGHTS  
NO ROADLIGHTS  
NO FOG LIGHTS  
DAYTIME RUNNING LIGHTS  
NO SPOTLIGHTS  
FREIGHTLINER LED FLANGE MOUNTED STOP/TAI  
L/TURN LIGHTS WITH SEPARATE INCANDESCENT  
BACKUP LIGHTS  
LED SIDE TURN SIGNAL  
(2) UTILITY LIGHTS FLUSH MOUNTED BACK OF  
CAB/SLEEPER AND (2) CHROME SWIVEL UTILI  
TY LIGHTS MOUNTED LH AND RH HIGH ON INBO  
ARD SIDE EXTENDERS  
DEALER WILL RELOCATE LIGHTS OUTBOARD  
WHEN UNIT RECIEVED INTO INVENTORY.  
ASSIGNED QUOTE JWCD 0711150842  
NO LOAD LOCK CARRIERS  
DUAL BRIGHT FINISH HEATED MIRRORS WITH I  
NTEGRAL CONVEX AND LH AND RH REMOTE  
DOOR MOUNTED MIRRORS  
102" EQUIPMENT WIDTH  
RH DOWN VIEW MIRROR  
NO AUXILIARY MIRROR  
NO PERMIT PLAQUE  
STANDARD SIDE/REAR REFLECTORS

REAR REFLECTIVE DEVICE  
(2) PAINTED SLEEPER VENTS, LH AND RH  
LH AND RH SOLAR TINTED AND SCREENED  
CRAN  
K OUT SLEEPER CAP WINDOWS  
SOLAR TINTED DOOR GLASS LH AND RH WITH T  
INTED FORWARD SIDE GLASS  
RH AND LH ELECTRIC POWERED WINDOWS  
NO SIDE WINDOW  
2-PIECE SOLAR TINTED CURVED ROPED-IN WIN  
DSHIELD  
8 LITER WINDSHIELD WASHER RESERVOIR WITH  
OUT FLUID LEVEL INDICATOR  
NO WINTERFRONT

## **CAB INTERIOR**

GRAY CLOTH INTERIOR  
STANDARD LH DOOR TRIM  
STANDARD RH DOOR TRIM  
BLACK MATS  
BLACK MAT IN SLEEPER AREA  
BLACK MATS IN BAGGAGE COMPARTMENT  
(1) DASH MOUNTED POWER OUTLET, LIGHTER A  
ND ASH TRAY  
MEDIUM LEVEL COOLER CABINET WITH TV SHEL  
F  
TALL CLOSET WITH APPLIANCE SHELF  
FORWARD ROOF MOUNTED CONSOLE WITH  
CENTER  
LOCKING DOOR  
LH AND RH DOOR STORAGE POCKETS  
INTEGRATE  
D INTO MOLDED DOOR PANELS  
STORAGE POCKET(S) MOUNTED INSIDE  
CABINET  
DOOR(S)  
LIFTABLE LOWER BUNK - 40" WIDE  
FOLDABLE UPPER BUNK  
TENT STYLE BUNK RESTRAINT FOR LOWER  
BUNK  
DIGITAL FLUSH MOUNTED ALARM CLOCK IN SLE  
EPER  
COMBINATION VERTICAL THERMOS HOLDER/  
CUPH  
OLDER FLOOR MOUNTED CENTER OF DRIVER  
SEA  
T

PARCHMENT/SHALE WING DASH  
2-1/2 LB. FIRE EXTINGUISHER  
FIRST AID KIT  
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL  
AUXILIARY HEATER/AIR CONDITIONER IN SLEEPER WITH CONSTANT TEMPERATURE WITH WEBAS  
TO AIR TOP 2000 AIR HEATER  
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES  
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR  
RADIATOR MOUNTED AIR CONDITIONER CONDENSER  
BINARY CONTROL, R-134A  
STANDARD INSULATION  
SOLID-STATE CIRCUIT PROTECTION AND FUSES  
12V NEGATIVE GROUND ELECTRICAL SYSTEM  
DOOR AND BUNK ACTIVATED BAGGAGE COMPARTMENT LIGHTING SYSTEM  
STANDARD CAB LIGHTING  
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS  
SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS  
(2) 12 VOLT POWER OUTLETS AT BASE OF BUNK  
CAB PRIVACY CURTAIN  
TRIANGULAR REFLECTORS WITH FLARES  
SEARS ATLAS 70 SERIES HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 4 CHAMBER AIR LUMBAR AND INDEPENDENT CUSHION EXTENSION AND TILT  
SEARS ATLAS 70 SERIES HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 4 CHAMBER AIR LUMBAR AND INDEPENDENT CUSHION EXTENSION AND TILT  
DUAL DRIVER AND PASSENGER SEAT ARMRESTS

CLOTH WITH CLOTH INSERT DRIVER SEAT  
CLOTH WITH CLOTH INSERT PASSENGER SEAT  
3 POINT ADJUSTABLE D-RING RETRACTOR DRIV  
ER AND PASSENGER SEAT BELTS  
SLEEPER CURTAIN  
ADJUSTABLE TILT AND TELESCOPING STEERING  
COLUMN  
4-SPOKE 18" (450MM) BLACK STEERING WHEEL  
WITH SWITCHES  
DRIVER AND PASSENGER INTERIOR SUN  
VISORS  
WITH VANITY MIRRORS

## **CONTROLS & INSTRUMENTS**

BLACK GAUGE BEZELS  
LAZER BLACK DRIVER INSTRUMENT PANEL  
LOW AIR PRESSURE LIGHT AND BUZZER  
(1) SINGLE BRAKE APPLICATION AIR GAUGE  
2" PRIMARY AND SECONDARY AIR PRESSURE  
GA  
UGES  
INTAKE MOUNTED AIR RESTRICTION INDICATOR  
WITH GRADUATIONS  
NO BACKUP ALARM  
CRUISE CONTROL STEERING WHEEL MOUNTED  
WI  
TH DISENGAGE WITH HEADLIGHTS ON/WIPERS O  
N  
KEY OPERATED IGNITION SWITCH AND INTEGRA  
L START POSITION; 4 POSITION OFF/RUN/STA  
RT/ACCESSORY  
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE  
DI  
SPLAY: 1X7 CHARACTER, 26 WARNING LAMPS,  
DATA LINKED, ICU3  
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, S  
AE J1587/1708/1939, LOCATED BELOW DASH  
2" ELECTRIC FUEL GAUGE  
NO AXLE TEMPERATURE GAUGE  
ELECTRICAL ENGINE COOLANT TEMPERATURE  
GA  
UGE  
ENGINE OIL TEMPERATURE GAUGE  
2" TRANSMISSION OIL TEMPERATURE GAUGE  
ELECTRONIC OUTSIDE TEMPERATURE SENSOR  
DI  
SPLAY IN DRIVER MESSAGE CENTER

ENGINE AND TRIP HOUR METERS INTEGRAL WITH  
HIN DRIVER DISPLAY  
NO HUBODOMETER  
NO PTO CONTROLS  
NO LANE DEPARTURE WARNING SYSTEM  
ELECTRIC ENGINE OIL PRESSURE GAUGE  
QUALCOMM MCT/IMCT/OMNIVISION SYSTEM  
ANTE  
NNA MOUNTING BRACKET OR INTEGRAL SHELF  
O  
NLY FOR CUSTOMER INSTALLED OUTDOOR  
ANTEN  
NA UNIT  
NO POSITION/COMMUNICATION ACCESSORY  
PANASONIC 37WX4 AM/FM/CD/WB RADIO  
DASH MOUNTED RADIO  
STANDARD SPEAKER SYSTEM  
COBRA 29LTDST FACTORY INSTALLED CB RADIO  
ROOF/OVERHEAD CONSOLE CB RADIO  
PROVISION  
WITH FACE PLATE  
DUAL SIDE MOUNT MULTI-BAND AM/FM/CB ANTE  
NNA SYSTEM  
NO DIGITAL SATELLITE AUDIO RECEIVER ANTE  
NNA  
TELEVISION ANTENNA  
ELECTRONIC KPH SPEEDOMETER WITH  
SECONDAR  
Y MPH SCALE, WITHOUT ODOMETER  
STANDARD VEHICLE SPEED SENSOR  
ELECTRONIC 3000 RPM TACHOMETER  
NO MPH AND/OR RPM GRAPH  
IGNITION SWITCH CONTROLLED ENGINE STOP  
ONE EXTRA SWITCH IN DASH WITH INDICATOR  
LAMP AND WIRE TO CHASSIS AT BACK OF CAB/  
SLEEPER  
STEERING WHEEL MOUNTED ELECTRIC HORN  
CON  
TROL  
BW TRACTOR PROTECTION VALVE  
TRAILER BRAKE VALVE, HAND CONTROL  
NO TURBO AIR PRESSURE GAUGE  
NO FUEL VACUUM GAUGE  
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR  
IVER DISPLAY  
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR  
W  
ITH DELAY

ROTARY HEADLAMP SWITCH, MARKER LIGHTS/  
HE  
ADLIGHTS SWITCH WITH PULL OUT FOR OPTION  
AL FOG/ROAD LAMPS  
TWO VALVE PARKING BRAKE SYSTEM WITH  
WARN  
ING INDICATOR  
SELF CANCELING TURN SIGNAL SWITCH WITH D  
IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI  
TTENT  
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER  
WITH 40 AMP (20 AMP PER SIDE) TRAILER LA  
MP CAPACITY

## **PAINT**

PAINT: ONE SOLID COLOR  
CAB COLOR A: L0225EB  
WHITE ELITE BC  
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS  
PAINT  
BUMPER PAINTED SAME AS FENDERS/LOWER  
SECTION OF CAB