

# Sales Adviser: Vehicle Data Code Inquiry

**STOCK# 1475**

**VIN: 1FUJA6CV27LX44079**

CURRIE TRUCK CENTRE  
PO BOX 20150  
2 CURRIE DRIVE  
BARRIE, ON  
L4M 6E9  
CAN

705 734-1953

SALES CONTACTS:

GLEN SAGE  
**EMAIL: [glens@currietruckcentre.com](mailto:glens@currietruckcentre.com)**

MARTIN THIFFAULT  
**CELL# 705 309-1500**  
**EMAIL: [martint@currietruckcentre.com](mailto:martint@currietruckcentre.com)**

Description

Value

GENERAL APPLICATION INFORMATION  
TRACTOR/TRAILER CONFIGURATION  
DOMICILED, CANADA (OTHER THAN QUEBEC)  
LINEHAUL/LONG HAUL SERVICE  
GENERAL FREIGHT BUSINESS SEGMENT  
NO BODY SPECIFIED  
VAN TRAILER  
SINGLE (1) TRAILER  
TERRAIN/DUTY: 100% (ALL) OF THE TIME,  
IN TRANSIT, IS SPENT ON PAVED ROADS  
SMOOTH CONCRETE OR ASPHALT PAVEMENT -  
MOST SEVERE IN-TRANSIT (BETWEEN SITES)  
ROAD SURFACE  
MAXIMUM 8% EXPECTED GRADE  
GENERAL FREIGHT COMMODITY  
CALC'D BACK OF CAB TO REAR SUSP C/L (CA)

91.929 IN

EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	6	IN
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	70	IN
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	75	IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	86.924	MPH
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.469	IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	38.989	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY – GVWR	52000	LBS

## BASE MODEL

COLUMBIA CL120 CONVENTIONAL CHASSIS  
 2007 MODEL YEAR SPECIFIED  
 FREIGHTLINER LEVEL I WARRANTY  
 SET BACK AXLE - TRACTOR  
 LH PRIMARY STEERING LOCATION

## ENGINE

MBE4000-435 12.8L 435 HP @ 1900 RPM,  
 2000 GOV RPM, 1450 LB/FT @ 1100 RPM

## ENGINE EQUIPMENT

ENGINE MOUNTED OIL CHECK AND FILL  
 SIX PIECE VALVE COVER  
 LOWER WINDSHIELD AIR INTAKE WITH DONALDS  
 ON AIR CLEANER MOUNTED IN ENGINE COMPART  
 MENT  
 DR 12V 135 AMP 35-SI QUADRAMOUNT PAD ALT  
 ERNATOR WITH REMOTE BATTERY VOLT SENSE A  
 ND TEMPERATURE COMPENSATED REGULATOR  
 (4) ALLIANCE MODEL 1231, GROUP 31, 12 VO  
 LT MAINTENANCE FREE 4400 CCA THREADED ST  
 UD BATTERIES  
 PLASTIC BATTERY BOX MOUNTED BETWEEN RAIL  
 S  
 BATTERY BOX(ES) MOUNTED IN RAIL BACK OF  
 CAB  
 FRAME GROUND RETURN FOR BATTERY CABLES  
 PLASTIC BATTERY BOX COVER  
 POSITIVE POST FOR JUMP START  
 EATON FULLER 15-1/2" DAMPENED CERAMIC SO

LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO  
FT-RATE  
TORQUE LIMITING CLUTCH BRAKE  
ZERK FITTINGS WITH EXTENSION HOSES AT CL  
UTCH RELEASE BEARING AND X-SHAFT  
WABCO 15.5 CFM AIR COMPRESSOR  
TEFLON COMPRESSOR DISCHARGE LINE WITH  
ST4 SAFETY VALVE  
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT  
ECTION SYSTEM  
MERCEDES COMPRESSION AND TURBO BRAKES WI  
TH (1) ON/OFF AND (1) LOW/MEDIUM/HIGH BR  
AKING SWITCH  
STATIONARY OUTBOARD OF RAIL SINGLE RH VE  
RTICAL EXHAUST  
13' 06" (162"+0/-5") EXHAUST SYSTEM HEIG  
HT  
VERTICAL TAILPIPE(S) RH SIDE (SINGLE EXH  
AUST) OR RH AND LH SIDES (DUAL EXHAUST)  
ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/T  
AILPIPE SHIELD(S)  
HORTON DRIVEMASTER ON/OFF FAN DRIVE  
AUTOMATIC FAN CONTROL WITHOUT DASH SWITC  
H, NON ENGINE MOUNTED  
MBE FUEL FILTER  
FULL FLOW OIL FILTER  
PENRAY NEED RELEASE WATER FILTER  
1350 SQUARE INCH RADIATOR  
ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE-  
CHARGED SCA HEAVY DUTY COOLANT  
GATES BLUE STRIPE COOLANT HOSES  
CONSTANT TENSION HOSE CLAMPS FOR COOLANT  
HOSES  
RADIATOR DRAINCOCK  
WEBASTO TSL17 COOLANT HEATER WITH  
7-DAY TIMER  
ALUMINUM FLYWHEEL HOUSING  
ELECTRIC GRID AIR INTAKE WARMER  
DELCO 12V 42MT/OCF 450 SERIES STARTER WI  
TH THERMAL PROTECTION

## **TRANSMISSION & EQUIPMENT**

EATON FULLER RTO-14910C-AS AUTOSHIFT TRA  
NSMISSION  
SMARTSHIFT, ELECTRONIC SHIFT CONTROL,  
STEERING COLUMN MOUNTED  
ALUMINUM CLUTCH HOUSING

AIR TO OIL TRANSMISSION COOLER  
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION  
ON FILL AND DRAIN, AXLE(S) FILL AND DRAIN

### **FRONT AXLE, SUSPENSION & EQUIPMENT**

STEERTEK SW 3.50" DROP FF1 FRONT AXLE @  
12,000#  
MERITOR 15X4 Q+ CAM FRONT BRAKES  
NON-ASBESTOS FRONT BRAKE LINING  
CONMET CAST IRON FRONT BRAKE DRUMS  
FRONT BRAKE DUST SHIELDS  
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL  
SEALS  
VENTED FRONT HUB CAPS - OIL  
STANDARD SPINDLE NUTS FOR ALL AXLES  
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS  
STANDARD KING PIN BUSHINGS  
TRW THP-60 POWER STEERING  
POWER STEERING PUMP  
2 QUART SEE THROUGH POWER STEERING RESERVOIR  
HENDRICKSON AIRTEK 12,000# FRONT AIR SUSPENSION  
MAINTENANCE FREE RUBBER BUSHINGS - FRONT  
SUSPENSION  
FRONT SHOCK ABSORBERS

### **REAR AXLE, SUSPENSION & EQUIPMENT**

ART-40.0-4 40,000# R-SERIES TANDEM REAR  
AXLE  
3.73 REAR AXLE RATIO  
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY  
DUTY AXLE HOUSING  
STANDARD REAR AXLE SHAFT HOLES  
RPL25 MERITOR MAIN DRIVELINE  
RPL20 MERITOR INTERAXLE DRIVELINE  
INTERAXLE AND/OR DIFFERENTIAL LOCKOUT WITH  
INDICATOR LIGHT  
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND  
75W-90W ALL AXLES  
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR  
BRAKES, DOUBLE ANCHOR, FABRICATED SHOES  
NON-ASBESTOS REAR BRAKE LINING  
CAM BRAKE AUXILIARY SUPPORT BRACKETS  
CONMET CAST IRON REAR BRAKE DRUMS  
REAR BRAKE DUST SHIELDS

CHICAGO RAWHIDE SCOTSEAL PLUS XL REAR OIL SEALS  
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES  
SPRING PARKING CHAMBERS  
MERITOR AUTOMATIC REAR SLACK ADJUSTERS  
AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION  
AIRLINER HIGH POSITION RIDE HEIGHT  
AXLE SEATS WITH RETAINERS  
51" AXLE SPACING  
MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT AND BUZZER, WITHOUT GAUGE  
SINGLE AIR REAR SUSPENSION LEVELING VALVE  
TRANSVERSE CONTROL RODS  
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

## **BRAKE SYSTEM**

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT  
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES  
STANDARD BRAKE SYSTEM VALVES  
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE  
BW AD-IP BRAKE LINE AIR DRYER WITH HEATER  
STEEL AIR BRAKE RESERVOIRS  
MOVE THE AIR TANK ON THE DRIVER SIDE BACK FAR ENOUGH TO ALLOW FOR EASY ACCESS TO TRANSMISSION FLUID CHECK PLUG.  
ASSIGNED QUOTE JWCD 0611071531  
PULL CABLES ON ALL AIR RESERVOIR(S)  
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR, 12" TRAILER LEADS  
HASP, HOOK AND SPRING FOR TRAILER LINES  
COMBINATION GLAD HANDS AND LIGHT PLUG HOLDER INBOARD ON LH CAB SIDE EXTENDER SWITCH AND INDICATOR LIGHT FOR PRIMARY RECEPTACLE CENTER PIN, LABELED 'TRLR-AUX'  
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER LH BACK OF CAB  
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE  
12' DETACHABLE COILED PRIMARY TRAILER EL

ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12" TRACTOR, 12" TRAILER LEADS

## **FRAME & WHEELBASE**

4225MM (166") WHEELBASE  
9/32" X 3-7/16 X 10-1/16" STEEL FRAME  
(7.14MM X 255.6MM/.281" X 10.06") 120KSI  
1450MM (57") REAR FRAME OVERHANG  
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS  
FLANGED TAPERED END OF FRAME  
STANDARD WEIGHT ENGINE CROSSMEMBER  
HEAVY DUTY SUSPENSION CROSSMEMBER  
INVERTED "U" TRACTOR CROSSMEMBER

## **CHASSIS EQUIPMENT**

LH BACK OF CAB ACCESS  
14" (350MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS  
SOLID DARK GRAY AERODYNAMIC BUMPER  
CENTER STEP RECESSED IN BUMPER  
FRONT TOW HOOKS - FRAME MOUNTED  
BUMPER MOUNTING FOR (3) LICENSE PLATES  
BETTS B-67S STAINLESS STEEL MUDFLAP BRACKETS  
OMIT STANDARD MUDFLAPS  
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS  
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL  
STAINLESS STEEL QUARTER FENDERS WITH LOG O  
NO BRAKE STROKE INDICAT, PDI INST

## **FIFTH WHEEL & EQUIPMENT**

HOLLAND SIMPLEX SE TAPERLOC STATIONARY INTEGRAL ANGLE MOUNT FIFTH WHEEL  
5TH WHEEL 00.0MM(00.0")AHEAD OF SUSP C/L  
ADDITIONAL 5TH WHEEL DRILLING @ 2",4", 6" FORWARD OF BOLT DOWN POSITION  
NO 5TH WHEEL SLIDE STOP(S)  
160MM (6.31") FIFTH WHEEL HEIGHT  
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"  
NO FIFTH WHEEL PLUMBING  
LH FIFTH WHEEL RELEASE

## **FUEL TANK(S) & EQUIPMENT**

100 GALLON/378 LITER ALUMINUM FUEL TANK  
- RH  
100 GALLON/378 LITER ALUMINUM FUEL TANK  
- LH  
NO HYDRAULIC OIL TANK  
23" DIAMETER FUEL TANK(S)  
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU  
LIC TANK(S) WITH PAINTED BANDS  
FUEL TANK(S) FORWARD  
LH AND RH FUEL TANK STEPS  
PLAIN STEP FINISH  
FUEL TANK CAP(S)  
DAVCO 382 FUEL/WATER SEPARATOR  
EQUIFLO INBOARD FUEL SYSTEM  
REINFORCED NYLON FUEL HOSE  
NO FUEL COOLER

## **TIRES**

BRIDGESTONE R287 295/75R22.5 14 PLY RADI  
AL FRONT TIRES  
BRIDGESTONE M726EL 295/75R22.5 14 PLY RA  
DIAL REAR TIRES  
HUBS  
CONMET PRE-SET BEARING ALUMINUM FRONT HU  
BS  
CONMET ALUMINUM REAR HUBS  
WHEELS  
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT A  
LUMINUM FRONT WHEELS  
ACCURIDE 28408 22.5X8.25 10-HUB PILOT  
2-HAND STEEL DISC REAR WHEELS  
POLISHED DISC SIDE FRONT WHEELS WITH ACC  
U-SHIELD FINISH  
METFORM 39701 HUB PILOT WHL NUTS, FRONT  
33MM/1.30" FLATS, 1.06" TALL, M22  
METFORM 39701 HUB PILOT WHL NUTS, REAR  
33MM/1.30" FLATS, 1.06" TALL, M22

## **CAB EXTERIOR**

120" CONVENTIONAL CAB  
NO SLEEPER BOX/SLEEPERCAB  
AIRSHIELD ROOF FAIRING WITH TRIM TABS, F  
ACTORY PAINTED AND INSTALLED  
CAB/SLEEPER SIDE EXTENDERS 102" 18/0

PARTIAL FRAME SIDE FAIRINGS TO BACK OF C  
AB (NOT SLEEPER) WITH PLAIN STEPS  
AIR CAB MOUNTS  
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR  
ILLE  
LH AND RH INTERIOR GRAB HANDLES  
CHROME GRILLE WITH INTEGRAL SURROUND  
SHEET MOLDED COMPOUND HOOD  
HOOD AND TUNNEL/FIREWALL PREMIUM NOISE A  
BATEMENT AND INSULATION  
SINGLE 14" ROUND POLISHED AIR HORN ROOF  
MOUNTED  
SINGLE ELECTRIC HORN  
SINGLE HORN SHIELD  
ALL UNIT(S) KEYED ALIKE WITH CUSTOMER  
SPECIFIED KEY NUMBER FT1001  
INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH  
CHROME BEZEL  
FREIGHTLINER LED MARKER LIGHTS INTEGRAL  
WITH EXTERIOR SUN VISOR  
DAYTIME RUNNING LIGHTS  
FREIGHTLINER LED FLANGE MOUNTED STOP/TAI  
L/TURN LIGHTS WITH SEPARATE INCANDESCENT  
BACKUP LIGHTS  
STANDARD FRONT TURN SIGNAL LAMPS  
(2) CHROME SWIVEL UTILITY LIGHTS MOUNTED  
LH AND RH HIGH OUTBOARD ON SIDE EXTENDE  
RS  
DUAL UNPAINTED HEATED AERODYNAMIC MIRROR  
S WITH INTEGRAL CONVEX AND DUAL AXIS RH  
REMOTE  
DOOR MOUNTED MIRRORS  
102" EQUIPMENT WIDTH  
LH AND RH CONVEX MIRRORS INTEGRAL WITH P  
RIMARY MIRRORS  
NO AUXILIARY MIRROR  
RH 8" STAINLESS STEEL FENDER MOUNTED CON  
VEX MIRROR WITH TRIPOD BRACKETS  
STANDARD SIDE/REAR REFLECTORS  
REAR AND SIDE FACING REFLECTIVE DEVICES  
FIBERGLASS EXTERIOR SUN VISOR  
20"X36" TINTED REAR WINDOW  
TINTED DOOR GLASS LH AND RH WITH TINTED  
OPERATING WING WINDOWS  
RH ELECTRIC AND LH MANUAL WINDOWS  
LOWER RH DOOR WINDOW WITH FRESNEL LENS  
2-PIECE TINTED CURVED BONDED WINDSHIELD  
8 LITER WINDSHIELD WASHER RESERVOIR WITH

## OUT FLUID LEVEL INDICATOR

### **CAB INTERIOR**

OPAL GRAY VINYL INTERIOR  
VINYL/CARPET DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE  
VINYL/CARPET DOOR TRIM WITH ADDITIONAL ARCTIC SEAL PACKAGE  
CAB BLACK FLOOR MATS WITH PREMIUM NOISE ABATEMENT AND INSULATION  
DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE  
FORWARD ROOF MOUNTED CONSOLE  
FORWARD WASTE BIN MOUNTED BENEATH THE DASH  
LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS  
COAT HOOK(S) IN CAB  
(2) CUP HOLDERS LH AND RH DASH  
2-1/2 LB. FIRE EXTINGUISHER  
FIRST AID KIT  
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL  
HVAC DUCTING WITH MAIN FRESH AIR FILTER  
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH  
STANDARD PLUMBING WITH BALL SHUTOFF VALVES  
SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR  
RADIATOR MOUNTED AIR CONDITIONER CONDENSER  
BINARY CONTROL, R-134A  
CAB PREMIUM NOISE ABATEMENT AND INSULATION  
AUTO SELF-RESET CIRCUIT BREAKERS AND FUSES  
12V NEGATIVE GROUND ELECTRICAL SYSTEM  
DOOR ACTIVATED DOME/RED MAP LIGHT, OVER EACH DOOR  
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS  
NO POWER SUPPLY SLEEPER/CAB  
TRIANGULAR REFLECTORS WITH FLARES  
EZYRIDER HIGH BACK AIR SUSPENSION DRIVER SEAT WITH ADJUSTABLE LUMBAR SUPPORT  
BOSTROM HIGH BACK NON SUSPENSION PASSENGER SEAT WITH ERGONOMIC CUSHION

INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST  
CLOTH WITH CLOTH INSERT DRIVER SEAT  
CLOTH WITH CLOTH INSERT PASSENGER SEAT  
3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS  
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN  
4-SPOKE 18" (450MM) STEERING WHEEL  
DRIVER AND PASSENGER INTERIOR SUN VISORS WITH DRIVER SIDE VANITY MIRROR

## **CONTROLS & INSTRUMENTS**

COLUMBIA STANDARD GAUGE PACKAGE  
BLACK GAUGE BEZELS  
THUNDER GRAY DRIVER INSTRUMENT PANEL  
THUNDER GRAY CENTER INSTRUMENT PANEL  
LOW AIR PRESSURE LIGHT AND BUZZER  
2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES  
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS  
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)  
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY  
ODOMETER/TRIP/HOUR/DIAGNOSTIC/VOLTAGE DISPLAY: 1X7 CHARACTER, 26 WARNING LAMPS, DATA LINKED, ICU3  
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708/1939, LOCATED OUTBOARD LH SEAT  
2" ELECTRIC FUEL GAUGE  
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  
ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY  
ELECTRIC ENGINE OIL PRESSURE GAUGE  
OVERHEAD INSTRUMENT PANEL  
DELPHI AM/FM/WB PREMIUM RADIO WITH CD DASH MOUNTED RADIO  
(4) RADIO SPEAKERS: (2) IN EACH DOOR  
COBRA 29LTDST FACTORY INSTALLED CB RADIO ROOF/OVERHEAD CONSOLE CB RADIO PROVISION WITH FACE PLATE  
MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNT

ED ANTENNA SYSTEM  
ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER  
ELECTRONIC 3000 RPM TACHOMETER  
IGNITION SWITCH CONTROLLED ENGINE STOP  
BW TRACTOR PROTECTION VALVE  
TRAILER BRAKE VALVE, HAND CONTROL  
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY  
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY  
MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS  
TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR  
GROTE TURN SIGNAL SWITCH WITH DIMMER  
12 BULB 25 AMP HEAVY DUTY ELECTRONIC FLASHER

## **PAINT**

PAINT: ONE SOLID COLOR  
CAB COLOR A: N0225EA  
WHITE ELITE SS  
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT  
VENDOR WHITE REAR WHEELS/RIMS  
NO BUMPER PAINT  
SUNVISOR PAINTED SAME AS CAB COLOR A  
ADDITIONAL SPECIFICATIONS  
CANADIAN CERTIFICATION/COMPLIANCE/SERVICE

