

# Sales Adviser: Vehicle Data Code Inquiry

Stock#: **1482**

VIN:**1FUJCRCK17PX46190**

CURRIE TRUCK CENTRE  
PO BOX 20150  
2 CURRIE DRIVE  
BARRIE , ON  
L4M 6E9  
CAN

705 734-1953

## SALES CONTACTS:

GLEN SAGE  
EMAIL: [glens@currietruckcentre.com](mailto:glens@currietruckcentre.com)

MARTIN THIFFAULT  
CELL# **705 309-1500**  
EMAIL: [martint@currietruckcentre.com](mailto:martint@currietruckcentre.com)

## Description

## Value

GENERAL APPLICATION INFORMATION  
TRACTOR/TRAILER CONFIGURATION  
DOMICILED, CANADA (OTHER THAN QUEBEC)  
LINEHAUL/LONG HAUL SERVICE  
INDIVIDUAL BUSINESS SEGMENT  
NO BODY SPECIFIED  
VAN TRAILER  
SINGLE (1) TRAILER  
TERRAIN/DUTY: 100% (ALL) OF THE TIME,  
IN TRANSIT, IS SPENT ON PAVED ROADS  
SMOOTH CONCRETE OR ASPHALT PAVEMENT -  
MOST SEVERE IN-TRANSIT (BETWEEN SITES)  
ROAD SURFACE  
MAXIMUM 6% EXPECTED GRADE  
GENERAL FREIGHT COMMODITY

CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	87.008	IN
EXPECTED MAXIMUM TRAILER SWING RADIUS	62.5	IN
EXPECTED MAXIMUM TRAILER DIP ANGLE	4	DEG
CALC'D MAXIMUM FORWARD 5TH WHEEL LOC	14	IN
CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC	64.488	IN
CALC'D MIN TRLR KP TO LANDING GEAR CLEAR	71	IN
CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	93.483	MPH
CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	37.901	IN
CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	39.571	IN
MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
RATED MAXIMUM VEHICLE CAPACITY – GVWR	52000	LBS

## BASE MODEL

CORONADO CC132 CONVENTIONAL CHASSIS  
 2007 MODEL YEAR SPECIFIED  
 FREIGHTLINER LEVEL I WARRANTY  
 SET FORWARD AXLE - TRACTOR  
 LH PRIMARY STEERING LOCATION

## ENGINE

DDC 60-14.0L 515 HP @ 1800 RPM, 2100 GOV  
 RPM, 1650 LB/FT @ 1200 RPM  
 2004 EPA/CARB EMISSION CERTIFICATION  
 ENGINE AFTERTREATMENT DEVICE, NO AFTERTREATMENT WIRING  
 GOVERNOR RPM DROOP  
 FUNCTION LOCKOUT PASSWORD  
 CUSTOMER-SELECTED CUSTOMER PASSWORD  
 CUSTOMER-SELECTED RATING PASSWORD  
 NONE  
 MIN CRUISE CONTROL MPH  
 ROAD SPEED LIMIT MPH  
 MAX MPH WITH FUEL  
 MAX MPH WITHOUT FUEL  
 DDC/MBE IDLE TIMER SHUTDOWN ENABLE - Y  
 DDC/MBE PTO SHUTDOWN ENABLE  
 DDC/MBE IDLE TIMER SHUTDOWN OVERRIDE - Y  
 IDLE TIME MINUTES  
 PTO WITH CC SWITCHES - Y  
 PTO RPM W/CRSCTL SET SW OR CAT ON/OFF SW  
 PTO RPM INCREMENT  
 MIN RPM FOR PTO  
 MAX RPM FOR PTO

PTO DROOP RPM  
TRANSMISSION TOP GEAR MINUS ONE RATIO  
PROGRESSIVE SHIFTING ENABLE - N  
SERVICE BRAKE ACTIVATES RETARDER - OFF  
ENABLE ENGINE BRAKE ON CRUISE - Y  
ENGINE BRAKE MPH DELTA  
ENGINE BRAKE MPH INCREMENT  
DYNAMIC FAN BRAKING - NO  
ENGINE RETARDER MINIMUM VEHICLE SPEED  
NONE

## **ENGINE EQUIPMENT**

ENGINE MOUNTED OIL CHECK AND FILL  
ONE PIECE VALVE COVER  
DUAL HOOD MOUNTED AIR INTAKE WITH FIREWA  
LL MOUNTED HIGH CAPACITY DONALDSON AIR C  
LEANER  
DR 12V 135 AMP 35-SI QUADRAMOUNT PAD ALT  
ERNATOR  
(4) ALLIANCE MODEL 1231, GROUP 31, 12 VO  
LT MAINTENANCE FREE 4400 CCA THREADED ST  
UD BATTERIES  
PLASTIC BATTERY BOX MOUNTED BETWEEN RAIL  
S  
FRAME GROUND RETURN FOR BATTERY CABLES  
PLASTIC BATTERY BOX COVER  
BATTERY SHUTOFF SWITCH(ES) IN CAB MOUNTE  
D OUTBOARD OF DRIVER SEAT  
POSITIVE POST FOR JUMP START  
DELCO REMY/SURE POWER LOW VOLTAGE BATTER  
Y DISCONNECT AT 12.3 VOLTS FOR ISOLATED  
CIRCUITS WITH ONE MINUTE ALARM  
EATON FULLER 15-1/2" DAMPENED CERAMIC SO  
LO CLUTCH, 7 SPRING, ADJUSTMENT FREE, SO  
FT-RATE  
TORQUE LIMITING CLUTCH BRAKE  
ZERK FITTINGS WITH EXTENSION HOSES AT CL  
UTCH RELEASE BEARING AND X-SHAFT  
BW MODEL BA-921 15.9 CFM SINGLE CYLINDER  
COMPRESSOR WITH SAFETY VALVE  
TEFLON COMPRESSOR DISCHARGE LINE  
ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT  
ECTION SYSTEM  
JACOBS COMPRESSION BRAKE  
SINGLE HORIZONTAL RH MUFFLER WITH DUAL  
CAB MOUNTED VERTICAL EXHAUST PIPES  
FLEXIBLE STAINLESS STEEL EXHAUST PIPING

13' 06" (162"+0/-5") EXHAUST SYSTEM HEIGHT  
CHROME UPPER STACK(S), ELBOW(S) AND CLAMP(S)  
VERTICAL CURVED TAILPIPE(S), RH (SINGLE EXHAUST) OR RH AND LH SIDES (DUAL EXHAUST)  
DUAL STAINLESS STEEL MUFFLER/TAILPIPE SHIELDS  
HORTON DRIVEMASTER ON/OFF FAN DRIVE  
AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED  
OMIT FUEL FILTER(S)  
FULL FLOW OIL FILTER  
PENRAY NEED RELEASE WATER FILTER  
1500 SQUARE INCH ALUMINUM RADIATOR  
ANTIFREEZE TO -60F, ETHYLENE GLYCOL PRE-CHARGED SCA HEAVY DUTY COOLANT  
GATES BLUE STRIPE COOLANT HOSES  
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES  
RADIATOR DRAINCOCK  
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER  
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR  
ALUMINUM FLYWHEEL HOUSING  
DELCO 12V 42MT/OCP 450 SERIES STARTER WITH THERMAL PROTECTION

## **TRANSMISSION & EQUIPMENT**

EATON FULLER RTLO-16913A TRANSMISSION  
CHROMED SHIFT LEVER, SOLID LINKAGE  
ALUMINUM CLUTCH HOUSING  
AIR TO OIL TRANSMISSION COOLER  
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION FILL AND DRAIN, AXLE(S) FILL AND DRAIN, ALL YELLOW  
TRANSMISSION REAR SUPPORT LEAF SPRING

## **FRONT AXLE, SUSPENSION & EQUIPMENT**

STEERTEK WT 3.50" DROP FF1 FRONT AXLE @ 12,000#  
MERITOR 15X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES  
NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS  
FRONT BRAKE DUST SHIELDS  
CHICAGO RAWHIDE SCOTSEAL PLUS XL FRONT OIL SEALS  
VENTED FRONT HUB CAPS - OIL  
STANDARD SPINDLE NUTS FOR ALL AXLES  
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS  
TRW PCF-60 POWER STEERING  
POWER STEERING PUMP  
2 QUART SEE THROUGH POWER STEERING RESERVOIR  
HENDRICKSON AIRTEK 12,000# FRONT AIR SUSPENSION  
MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION  
FRONT SHOCK ABSORBERS

### **REAR AXLE, SUSPENSION & EQUIPMENT**

ART-40.0-4 40,000# R-SERIES TANDEM REAR AXLE  
3.73 REAR AXLE RATIO  
IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING  
STANDARD REAR AXLE SHAFT HOLES  
18N MERITOR MAIN DRIVELINE WITH FULL ROUND YOKES  
17T MERITOR INTERAXLE DRIVELINE WITH HALF ROUND YOKES  
INTERAXLE AND/OR DIFFERENTIAL LOCKOUT WITH INDICATOR LIGHT  
MOBIL SYNTHETIC 50W TRANSMISSION OIL AND 75W-90W ALL AXLES  
MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES  
NON-ASBESTOS REAR BRAKE LINING  
CAM BRAKE AUXILIARY SUPPORT BRACKETS  
CONMET CAST IRON REAR BRAKE DRUMS  
REAR BRAKE DUST SHIELDS  
CHICAGO RAWHIDE SCOTSEAL CLASSIC REAR OIL SEALS  
HALDEX GOLDSEAL LONGSTROKE 2-DRIVE AXLES  
SPRING PARKING CHAMBERS  
MERITOR AUTOMATIC REAR SLACK ADJUSTERS  
AIRLINER 40,000# EXTRA DUTY REAR SUSPENSION  
AIRLINER HIGH POSITION RIDE HEIGHT  
AXLE SEATS WITH RETAINERS

51" AXLE SPACING  
MANUAL DUMP VALVE FOR AIR SUSPENSION WITH INDICATOR LIGHT, BUZZER AND 2 PSI INCREMENT GAUGE  
SINGLE AIR REAR SUSPENSION LEVELING VALVE  
TRANSVERSE CONTROL RODS  
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

## **BRAKE SYSTEM**

WABCO 4S/4M ABS WITHOUT TRACTION CONTROL ENHANCEMENT  
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES  
STANDARD BRAKE SYSTEM VALVES  
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE  
BW AD-9 BRAKE LINE AIR DRYER WITH HEATER  
STEEL AIR BRAKE RESERVOIRS  
PULL CABLES ON ALL AIR RESERVOIR(S)  
12' COILED TRAILER AIR HOSE WITH 12" TRACTOR, 12" TRAILER LEADS  
36" STAINLESS STEEL SLIDE BAR WITH SPRING TYPE AIR HOSE HANGER  
COMBINATION GLAD HANDS AND LIGHT PLUG HOLDER INBOARD ON LH CAB SIDE EXTENDER SWITCH AND INDICATOR LIGHT FOR PRIMARY RECEPTACLE CENTER PIN, LABELED 'TRLR-AUX'  
SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED LOWER CENTER BACK OF CAB  
SUPPLEMENTAL ISO 3731 7-WAY RECEPTACLE LOCATED WITH PRIMARY RECEPTACLE  
12' DETACHABLE COILED PRIMARY TRAILER ELECTRICAL CABLE WITH SAE J560 CONNECTOR WITH 12" TRACTOR, 12" TRAILER LEADS  
12' DETACHABLE COILED SUPPLEMENTAL TRAILER ELECTRICAL CABLE; ISO 3731 7-WAY WITH 12" TRACTOR, 12" TRAILER LEADS

## **FRAME & WHEELBASE**

6200MM (244") WHEELBASE  
11/32" X 3-1/2" X 10-3/16" STEEL FRAME  
(8.73MM X 258.8MM/.344" X 10.19") 120KSI  
1450MM (57") REAR FRAME OVERHANG  
CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS

FLANGED TAPERED END OF FRAME  
HEAVY DUTY SUSPENSION CROSSMEMBER  
STANDARD REARMOST CROSSMEMBER

## **CHASSIS EQUIPMENT**

LH AND RH BACK OF CAB ACCESS, GRAB HANDLES WITH SINGLE RUBBER INSERT  
28" (700MM) DECK PLATE FLUSH MOUNTED BETWEEN RAILS  
POLISHING OF DECK PLATE  
18" CHROMED STEEL BUMPER  
FRONT TOW HOOKS - FRAME MOUNTED  
BUMPER MOUNTING FOR (3) LICENSE PLATES  
BETTS B-7 STAINLESS STEEL MUDFLAP BRACKETS  
OMIT STANDARD MUDFLAPS  
HUCK-SPIN ROUND COLLAR CHASSIS FASTENERS EXCLUDING FIFTH WHEEL  
PAINTED REAR QUARTER FENDERS WITHOUT LOGO  
NO TOOL/STORAGE BOX #1  
(2) CORONADO LOCKING TOOL BOXES WITH SEALED DOORS FOR BACK OF CAB ACCESS  
STORAGE BOX BRIGHTWORK

## **FIFTH WHEEL & EQUIPMENT**

HOLLAND SIMPLEX SE TAPERLOC 24.0" AIR SLIDE FIFTH WHEEL - 4" SLIDE INCREMENTS  
5TH WHEEL 457MM(18.0")AHEAD OF SUSP C/L  
NO 5TH WHEEL SLIDE STOP(S)  
197MM (7.75") FIFTH WHEEL HEIGHT  
CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.7"  
DASH MOUNTED CONTROL VALVE AND PLUMBING FOR FIFTH WHEEL  
LH FIFTH WHEEL RELEASE

## **FUEL TANK(S) & EQUIPMENT**

150 GALLON/567 LITER ALUMINUM FUEL TANK - RH  
150 GALLON/567 LITER ALUMINUM FUEL TANK - LH  
NO HYDRAULIC OIL TANK  
CYLINDRICAL FUEL TANK(S)  
POLISHING OF FUEL/HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS

FUEL TANK(S) FORWARD  
CHROME FUEL TANK CAP(S)  
DAVCO 382 FUEL/WATER SEPARATOR  
EQUIFLO INBOARD FUEL SYSTEM  
REINFORCED NYLON FUEL HOSE

## **TIRES**

MICHELIN XZA3 11R22.5 14 PLY RADIAL FRONT TIRES  
MICHELIN XDA HT 11R22.5 14 PLY RADIAL REAR TIRES  
HUBS  
CONMET PRE-SET BEARING ALUMINUM FRONT HUBS  
CONMET ALUMINUM REAR HUBS  
WHEELS  
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM FRONT WHEELS  
ACCURIDE 29644A 22.5X8.25 10-HUB PILOT ALUMINUM REAR WHEELS  
POLISHED DISC SIDE FRONT WHEELS WITH ACCU-SHIELD FINISH  
POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY ACCU-SHIELD FINISH

## **CAB EXTERIOR**

132" BBC ALUMINUM CONVENTIONAL CAB  
RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP  
LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP  
70" RAISED ROOF SLEEPER CAB  
TRIM TABS, RAISED ROOF CABS  
CAB/SLEEPER SIDE EXTENDERS - 102" WITH BLACK FLEXIBLE ENDS 11/7  
WHEEL TO WHEEL RUNNING BOARDS WITH POLISHED STEPS  
22" LH AND RH BAGGAGE DOORS WITH INTERIOR PULL CABLE  
AIR CAB MOUNTS  
NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE  
LH AND RH EXTERIOR GRAB HANDLES EXHAUST MOUNTED WITH INTERIOR GRAB HANDLES  
BRIGHT FINISH BEZEL WITH STYLIZED TILT HANDLE  
STAINLESS STEEL GRILLE  
NO HEAVY DUTY CAB/SLEEPER KIT

SHEET MOLDED COMPOUND HOOD  
HOOD AND TUNNEL/FIREWALL PREMIUM NOISE ABATEMENT AND INSULATION  
CHASSIS MOUNTED 19", 23" AND 25" ROUND G  
O CLASSIC TRI-TONE AIR HORNS  
SINGLE ELECTRIC HORN  
THREE HORN SHIELDS  
DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME  
REAR LICENSE PLATE MOUNT END OF FRAME  
SINGLE ROUND HALOGEN HEADLIGHTS WITH CHROME CONES AND BEZELS  
FREIGHTLINER LED MARKER LIGHTS INTEGRAL WITH EXTERIOR SUN VISOR  
LED ACCENT LIGHTS ON INTAKE BRACKET AND LOWER EDGE OF CAB AND SLEEPER  
4" ROUND CLEAR FOG LIGHTS RECESSED IN BUMPER  
DAYTIME RUNNING LIGHTS  
FREIGHTLINER LED FLANGE MOUNTED STOP/TAIL/TURN LIGHTS WITH SEPARATE INCANDESCENT BACKUP LIGHTS  
STANDARD FRONT TURN SIGNAL LAMPS  
(2) CHROME SWIVEL UTILITY LIGHTS MOUNTED LH AND RH HIGH OUTBOARD ON SIDE EXTENDERS  
DUAL BRIGHT FINISH HEATED AERODYNAMIC MIRRORS WITH INTEGRAL CONVEX AND DUAL AXIS LH AND RH REMOTE  
DOOR MOUNTED MIRRORS  
102" EQUIPMENT WIDTH  
LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS  
RH DOWN VIEW MIRROR  
CUSTOM NAME PLATE(S) " \_\_\_\_\_ "  
SHIPPED LOOSE  
STANDARD SIDE/REAR REFLECTORS  
REAR REFLECTIVE DEVICE  
(2) CHROME SLEEPER VENTS, LH AND RH  
FIBERGLASS EXTERIOR SUN VISOR WITH BRIGHT ACCENT BAND AND INTEGRAL MARKER LIGHTS  
TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS  
RH AND LH ELECTRIC POWERED WINDOWS  
NON-OPENING DARK TINTED SKYLIGHT, PRIVACY COVER WITH FASTENER  
TINTED AND SCREENED TIP-OUT WINDOWS ON EACH SIDE OF ROOF CAP

LOWER RH DOOR WINDOW WITH FRESNEL LENS  
2-PIECE TINTED CURVED BONDED WINDSHIELD  
8 LITER WINDSHIELD WASHER RESERVOIR WITH  
OUT FLUID LEVEL INDICATOR

## **CAB INTERIOR**

OASIS TAN CHAPARRAL VINYL INTERIOR  
VINYL/CARPET LH DOOR TRIM  
VINYL/CARPET RH DOOR TRIM  
CAB COLOR COORDINATED CARPET WITH  
PREMIUM NOISE ABATEMENT AND INSULATION  
SLEEPER COLOR COORDINATED CARPET WITH PR  
EMIUM NOISE ABATEMENT AND INSULATION  
FULL UNDER BUNK/BAGGAGE COMPARTMENT LINE  
R WITH BLACK MATS, PREMIUM NOISE ABATEME  
NT/INSULATION AND REMOVABLE PARTITIONS  
DASH MOUNTED ASH TRAY AND LIGHTER, DRIVE  
R SIDE  
LH LOWER SHORT REFRIGERATOR CABINET WITH  
DRAWER  
RH LOWER TALL CLOSET WITH DOORS AND WOOD  
GRAIN TRIM  
LH UPPER TALL STORAGE CABINET WITH 3 REM  
OVABLE SHELVES, DOORS AND WOOD GRAIN TRI  
M  
RH UPPER TALL STORAGE CABINET WITH 1 REM  
OVABLE SHELF, DOORS, WOOD GRAIN TRIM AND  
TELEVISION CABINET  
FORWARD ROOF MOUNTED CONSOLE WITH LOCKIN  
G DOORS RH AND LH  
FORWARD WASTE BIN MOUNTED BENEATH THE DA  
SH  
NO STORAGE INTERIOR, REAR  
LH AND RH DOOR STORAGE POCKETS INTEGRATE  
D INTO MOLDED DOOR PANELS  
STORAGE POCKET(S)/MIRROR MOUNTED INSIDE  
CABINET DOOR AND MAGAZINE RACK WITH CUP  
HOLDER MOUNTED ON CABINET  
LIFTABLE LOWER BUNK - 40" WIDE  
FOLDABLE UPPER BUNK  
TENT STYLE BUNK RESTRAINT FOR LOWER BUNK  
DIGITAL FLUSH MOUNTED ALARM CLOCK IN SLE  
EPER WITH ANALOG CLOCK IN OVERHEAD CONSO  
LE  
(2) CUP HOLDERS LH AND RH DASH  
TUMBLEWEED/BROWNSTONE WING DASH  
2-1/2 LB. FIRE EXTINGUISHER

FIRST AID KIT

HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL HVAC DUCTING WITH MAIN FRESH AIR FILTER MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

AUXILIARY HEATER/AIR CONDITIONER IN SLEEPER WITH CONSTANT TEMPERATURE WITH WEBASTO AIR TOP 2000 AIR HEATER

STANDARD PLUMBING WITH BALL SHUTOFF VALVES

SANDEN HEAVY DUTY AIR CONDITIONER COMPRESSOR

RADIATOR MOUNTED AIR CONDITIONER CONDENSER

BINARY CONTROL, R-134A

CAB AND SLEEPER PREMIUM NOISE ABATEMENT AND INSULATION

AUTO SELF-RESET CIRCUIT BREAKERS AND FUSES

12V NEGATIVE GROUND ELECTRICAL SYSTEM DOOR AND BUNK ACTIVATED LH AND RH BUNK MOUNTED BAGGAGE COMPARTMENT LIGHTS DOOR ACTIVATED DOME/RED MAP LIGHTS LH AND RH OVERHEAD; FOOT WELL LIGHTS LH AND RH WITH DASH SWITCH

(1) UPPER AND (1) LOWER READING LIGHTS WITH SWITCHES, (1) DOME LIGHT WITH DASH AND (2) BUNK SWITCHES, AND (1) DOME LIGHT WITH (2) BUNK SWITCHES

LH AND RH ELECTRIC DOOR LOCKS

SPRING LOWER MATTRESS AND FLAT FOAM UPPER MATTRESS

(3) 12 VOLT POWER OUTLETS IN SLEEPER PANEL, TV SHELF AND LH B-PILLAR ABOVE CABINET

AC 120 VOLT CAB WIRING AND AC OUTLET WITH SHORE POWER ONLY

CAB PRIVACY CURTAIN

TUNDRA MODEL T-18 BUILT-IN REFRIGERATOR TRIANGULAR REFLECTORS WITHOUT FLARES MOUNTED IN LH BAGGAGE COMPARTMENT

BOSTROM HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 4 CHAMBER AIR LUMBAR, THIGH SUPPORT, ADJUSTABLE DAMPER AND SWIVEL BASE BOSTROM HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 4 CHAMBER AIR LUMBAR, THIGH SUPPORT, ADJUSTABLE DAMPER AND SWIVEL B

ASE  
BLACK VINYL SUSPENSION COVER FOR AIR DRIVER AND PASSENGER SEATS  
DUAL DRIVER AND PASSENGER SEAT ARMRESTS  
CLOTH WITH CLOTH INSERT DRIVER SEAT  
CLOTH WITH CLOTH INSERT PASSENGER SEAT  
3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND PASSENGER SEAT BELTS  
SLEEPER CURTAIN  
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN  
4-SPOKE 18" (450MM) LEATHER AND WOOD RIM STEERING WHEEL  
DRIVER AND PASSENGER INTERIOR SUN VISORS WITH VANITY MIRRORS

## **CONTROLS & INSTRUMENTS**

CORONADO STANDARD GAUGE PACKAGE  
BRIGHT ARGENT FINISH GAUGE BEZELS  
OREGON BURL DRIVER INSTRUMENT PANEL  
OREGON BURL CENTER INSTRUMENT PANEL  
LOW AIR PRESSURE LIGHT AND BUZZER  
(1) TRACTOR AND (1) TRAILER BRAKE APPLICATION AIR GAUGE  
2" PRIMARY AND SECONDARY AIR PRESSURE GAUGES  
DASH MOUNTED AIR RESTRICTION GAUGE  
ELECTRONIC CRUISE CONTROL WITH SWITCHES ON AUXILIARY GAUGE PANEL (B DASH PANEL)  
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY  
ICU4M DRIVER MESSAGE CENTER WITH 2X20 DISPLAY, KEYPAD, DIAGNOSTICS AND DATA LINKED  
DIAGNOSTIC INTERFACE CONNECTOR, 9 PIN, SAE J1587/1708, LOCATED OUTBOARD LH SEAT  
2" ELECTRIC FUEL GAUGE  
DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD  
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE  
ENGINE OIL TEMPERATURE GAUGE  
2" TRANSMISSION OIL TEMPERATURE GAUGE  
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER  
HOBBS ENGINE HOUR METER

ELECTRIC ENGINE OIL PRESSURE GAUGE  
OVERHEAD INSTRUMENT PANEL  
QUALCOMM MCT/IMCT SYSTEM ANTENNA MOUNTING BRACKET OR INTEGRAL SHELF ONLY FOR CUSTOMER INSTALLED OUTDOOR ANTENNA UNIT  
NO DIGITAL SATELLITE AUDIO RECEIVER  
INTEROPERABLE SDAR ANTENNA  
STANDARD SMALL FACE PYROMETER  
DELPHI AM/FM/WB/SIRIUS PREMIUM RADIO WITH CD  
DASH MOUNTED RADIO  
(8) RADIO SPEAKERS: (2) IN EACH DOOR AND (2) IN SLEEPER WITH POWERED SUBWOOFERS  
COBRA 29LTDST FACTORY INSTALLED CB RADIO  
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION WITH FACE PLATE  
MULTI-BAND AM/FM/WB/CB DUAL MIRROR MOUNTED ANTENNA SYSTEM  
TV ANTENNA  
ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER  
ELECTRONIC 3000 RPM TACHOMETER  
IDLE LIMITER, ELECTRONIC ENGINE, PARK BRAKE ACTIVATED  
FOUR EXTRA SWITCHES IN DASH WITH INDICATOR LAMP AND WIRE TO CHASSIS AT BACK OF CAB/SLEEPER  
BW TRACTOR PROTECTION VALVE  
TRAILER BRAKE VALVE, HAND CONTROL  
2" TURBO AIR PRESSURE GAUGE  
VOLTMETER WITH "NO CHARGE" INDICATOR LIGHT  
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY  
MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS  
TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR  
GROTE TURN SIGNAL SWITCH WITH DIMMER  
12 BULB 25 AMP HEAVY DUTY ELECTRONIC FLASHER

## **PAINT**

PAINT: ONE SOLID COLOR  
CAB COLOR A: HSB906351  
WHITE PPG BASE/CLEAR  
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

PAINT

RUNNING BOARDS PAINTED SAME AS FENDERS

SUNVISOR PAINTED SAME AS CAB COLOR A