

Stock #3374

<u>DBCode</u>	<u>OTC</u>	<u>Notes</u>	<u>Description</u>	<u>Value</u>	
			PRICE LEVEL INFORMATION		
PRL-16D	001		SD PRL-16D (EFF:04/25/17)		
			GENERAL APPLICATION INFORMATION		
AA1-002	D		TRUCK CONFIGURATION		
AA6-003	D		DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-002D			PICKUP AND DELIVERY/SHORT HAUL SERVICE		
AA3-003	D		TANK BODY		
AA2-998	D		NO TRAILER SPECIFIED		
AH6-998	S		NO TRAILERS		
AA5-002	D		TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D		TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D		SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D		ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D		D SURFACE		
AB1-008	D		MAXIMUM 8% EXPECTED GRADE		
AA4-002	D		LIQUID BULK COMMODITY		
A84-1SP	D005		HEAVY HAULING BUSINESS SEGMENT		
A66-99D	D		EXPECTED FRONT AXLE(S) LOAD	20000	LBS
A68-99D	D		EXPECTED REAR DRIVE AXLE(S) LOAD	40000	LBS
A63-99D	D		EXPECTED GROSS VEHICLE WEIGHT CAPACITY	60000	LBS
A70-99D	S		EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	S		CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	174.606	IN

AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	15.78	IN
A88-99D	D	EXPECTED TRUCK BODY LENGTH	0	IN
AL4-99D	S	CALC'D FRAME LENGTH BACK OF CAB	294.685	IN
AL6-99D	S	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	- 278.906	IN
AM1-99D	S	CALC'D OVERALL LENGTH AT BODY OR EOF	408.106	IN
AC3-99D	S 002	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	87.491	MPH
A89-99D	H004	BRAKING-EXPECTED CAB TO BODY CLEARANCE	16	IN
AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S 002	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.915	IN
AR1-99D	S	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	43.193	IN
AM2-99D	S 002	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.459	IN
AM0-99D	S 002	TOP OF FRM TO RR TIRE TOP-UNLD	-0.341	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	71.854	IN
ALJ-99D	S 002	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	112.129	IN
ALH-99D	S 002	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	114.611	IN
AF3-2DX	D	DEPENDABLE TRUCK AND TANK LIMITED MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	20000	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	40000	LBS
A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	60000	LBS
		BASE MODEL		
001-177	D	114SD CONVENTIONAL CHASSIS	F 7934	R 6576
004-218	D	2018 MODEL YEAR SPECIFIED		
995-	D	FREIGHTLINER LEVEL II WARRANTY		

1AE

002-004 D	SET BACK AXLE - TRUCK
019-002 D	STRAIGHT TRUCK PROVISION
003-001 D	LH PRIMARY STEERING LOCATION
	ENGINE
101-2X7D	DETROIT DD13 12.8L 410 HP @ 1625 RPM, 19
D	00 GOV RPM, 1650 LB/FT @ 975 RPM
99C-017D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F
D	INAL GHG17 CONFIGURATION
99Z-004 S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D
S	OES NOT HAVE REGULATORY VEHICLE SPEED LI
S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN
S	(AES)
99D-011D	2008 CARB EMISSION CERTIFICATION - CLEAN
D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER
D	FORWARD CORNER OF DRIVER DOOR)
992-001 S	50 STATE EMISSIONS CERTIFICATION
28F-007 D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC
D	OVER THE ROAD ACTIVE REGENERATION AND DA
D	SH MOUNTED SINGLE REGENERATION REQUEST/I
D	NHIBIT SWITCH
79A-065D	65 MPH ROAD SPEED LIMIT
79B-006D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD
D	SPEED LIMIT, WITH AUTO RESUME AFTER SHIF
D	T
79C-998D	NO DRIVER FUEL ECONOMY INCENTIVE
79D-998D	NO PROGRESSIVE SHIFTING
79E-998 D	NO LOW RANGE TORQUE PROTECT
79F-998 D	NO FLEET MANAGEMENT
79G-998D	NO IDLE SHUTDOWN CONFIGURATION
79J-998 D	NO PTO SHUTDOWN CONFIGURATION
79K-006D	PTO MODE ENGINE RPM LIMIT - 1000 RPM
79L-998 D	PTO MODE THROTTLE OVERRIDE DISABLED
79M- D	PTO MODE BRAKE OVERRIDE - DISABLED
998	
79N-998D	NO PTO MODE CLUTCH OVERRIDE
79P-005 D	PTO RPM WITH CRUISE SET SWITCH - 1000 RP
D	M
79Q-005D	PTO RPM WITH CRUISE RESUME SWITCH - 1000
D	RPM
79R-998D	NO PTO MODE COOLING FAN
79S-998 D	NO PTO MODE CANCEL VEHICLE SPEED
79T-998 D	NO PTO MODE RPM INCREMENT

79U-998D	NO PTO GOVERNOR RAMP RATE	
79V-998D	NO PTO MODE DPF REGEN	
79W- 001	ONE REMOTE PTO SPEED	
79X-007D	REMOTE PTO SPEED 1 SETTING - 1000 RPM	
79Y-998D	NO REMOTE PTO SPEED 2 SETTING	
79Z-998D	NO REMOTE PTO SPEED 3 SETTING	
80A-998D	NO ALTERNATE ROAD SPEED LIMIT	
80B-009D D	ENABLE CHECK ENGINE LIGHT AT 66 MPH VEHI CLE SPEED	
80C-998D	NO ENGINE BRAKE WITH CRUISE CONTROL	
80D-998D	NO SOFT CRUISE CONTROL	
80E-998D	NO ENGINE FAN WITH RETARDER	
80F-998D	NO MAINTENANCE MONITOR	
80G-001D	PTO MINIMUM RPM - 600	
80H-998D	NO ACCELERATION MANAGEMENT	
80J-998D	NO REGEN INHIBIT SPEED THRESHOLD	
80R-000S	DRIVELINE TORQUE PROTECTION - ENABLED	
84E-998D	NO TCU-PRIMARY MODE SHIFT SCH	
84F-998D	NO TCU-SECONDARY MODE SHIFT SCH	
84G-998D	NO TCU-PRIMARY MODE SHIFT SPEED	
84H-998D	NO TCU-SECONDARY MODE SHIFT SPEED	
84L-998D	NO TCU-LOAD BASED OPTIMIZATION	
85E-998D D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	
85F-998D D	TCU-MAX PTO ENGINE SPEED OPERATION NOT C ONFIGURED	
85G-998D D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	
85H-998D D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION N OT CONFIGURED	
	ENGINE EQUIPMENT	
13E-001D	STANDARD OIL PAN	
105-001D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998D	NO ENGINE OIL DRAIN/SAMPLE	
133-004S	ONE PIECE VALVE COVER	
014-1B5D D D	SIDE OF HOOD AIR INTAKE WITH DONALDSON H IGH CAPACITY AIR CLEANER WITH SAFETY ELE MENT, FIREWALL MOUNTED	
124-1DJ D D	DR 12V 160 AMP 36-SI BRUSHLESS QUADRAMOU NT PAD ALTERNATOR WITH REMOTE BATTERY VO LT SENSE	F 10
292-071D	(3) ALLIANCE MODEL 1231, GROUP 31, 12 VO	

D	LT MAINTENANCE FREE 3375 CCA THREADED ST			
D	UD BATTERIES			
290-017 D	BATTERY BOX FRAME MOUNTED			
281-001 D	STANDARD BATTERY JUMPERS			
282-001 D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE			
D	UNDER CAB			
291-017 D	WIRE GROUND RETURN FOR BATTERY CABLES WI			
D	TH ADDITIONAL FRAME GROUND RETURN			
289-001 D	NON-POLISHED BATTERY BOX COVER			
33M-998	D NO AUXILIARY POWER DISTRIBUTION MANAGEMEN			
D	NT			
293-058 D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTE	F	8	
D	D CONTROL SWITCH MOUNTED OUTBOARD DRIVER			
D	SEAT			
295-998 D	NO JUMPSTART POST			
180-100 C001	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTI			
C	NG CLUTCH			
183-008 D	TORQUE LIMITING CLUTCH BRAKE			
181-002 D	ZERK FITTING WITH EXTENSION HOSE AT CLUT			
D	CH RELEASE BEARING			
182-005 D	HYDRAULIC CLUTCH CONTROL			
107-044 D	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER			
D	AIR COMPRESSOR WITH SAFETY VALVE			
152-041 D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT			
D	ECTION SYSTEM			
128-002 D	JACOBS COMPRESSION BRAKE			
016-1C2D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL	F	30	R 25
D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH			
D	B-PILLAR MOUNTED VERTICAL TAILPIPE			
239-044 D	12 FOOT 00 INCH (144 INCH+0/-5.9 INCH) E			
D	XHAUST SYSTEM HEIGHT			
233-017 D	STANDARD CURVE BRIGHT UPPER STACK(S)			
237-1CR	D RH CURVED VERTICAL TAILPIPE B-PILLAR MOU			
D	NTED ROUTED FROM STEP			
23U-001D	6 GALLON DIESEL EXHAUST FLUID TANK	F	-35	R -10
43W-001	S STANDARD DIESEL EXHAUST FLUID SYSTEM COO			
S	LANT PLUMBING			
30N-003D	100 PERCENT DIESEL EXHAUST FLUID FILL			
23Z-998 D	NO DIESEL EXHAUST FLUID TANK COVER			
43X-002D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F			
D	LUID TANK LOCATION			

23Y-001D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT		
D	ING		
43Y-001D	STANDARD DIESEL EXHAUST FLUID TANK CAP		
242-001D	STAINLESS STEEL AFTERTREATMENT DEVICE/MU		
D	FFLER/TAILPIPE SHIELD		
273-036D	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGI		
D	NE FAN CLUTCH		
276-001D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC		
D	H, NON ENGINE MOUNTED		
110-068D	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/		
D	FUEL WATER SEPARATOR WITH WATER-IN-FUEL		
D	INDICATOR		
118-001D	FULL FLOW OIL FILTER		
120-998D	NO COOLANT FILTER		
266-057D	1500 SQUARE INCH ALUMINUM RADIATOR		
103-040D	ANTIFREEZE TO -60F, OAT (NITRITE AND SIL		
D	ICATE FREE) EXTENDED LIFE COOLANT		
171-007D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV		
D	ALENT		
172-001D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT		
D	HOSES		
270-023D	HDEP FIXED RATIO COOLANT PUMP AND RADIAT		
D	OR DRAIN VALVE		
168-998D	NO RADIATOR/OIL PAN GUARD		
360-998D	NO FRONT ENGINE PTO		
361-998D	NO REAR ENGINE PTO		
138-005D	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK	F	4
D	HEATER		
141-998D	NO COOLANT HEATER - GAS/DSL		
166-998D	NO OIL PREHEATER		
140-022D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
D	UNDER LH DOOR		
132-998D	NO AIR INTAKE WARMER		
155-074D	DELCO 12V MOD 3.175-39MT+ OCP STARTER WI		
D	TH THERMAL PROTECTION AND INTEGRATED MAG		
D	NETIC SWITCH		
	TRANSMISSION & EQUIPMENT		
342-419D	EATON FULLER FRO-16210C TRANSMISSION	F	60 R 20
352-998D	NO AUXILIARY TRANSMISSION		
343-998D	NO TRANS CONTROL UNIT/SOFTWARE		
84B-998D	NO TCU-VOCATIONAL RATING		
84C-998D	NO TCU-PRIMARY MODE: GEARS		
84D-998D	NO TCU-SECONDARY MODE: GEARS		
97G-998D	NO TRANSMISSION PROGNOSTICS		

345-001 D	PAINTED SHIFT LEVER, SOLID LINKAGE	
347-002 D	ALUMINUM CLUTCH HOUSING	
370-015 D	WATER TO OIL TRANSMISSION COOLER, IN RAD	F -15
D	IATOR END TANK	
346-998 D	NO TRANSMISSION OIL CHECK AND FILL	
368-998 D	NO EXTERNAL TRANSMISSION OIL FILTER	
341-009 D	MAGNETIC TRANSMISSION FILL AND DRAIN, AX	
D	LE(S) FILL AND DRAIN, ENGINE DRAIN; PAIN	
D	T DRAIN PLUGS YELLOW	
84U-998D	TCU DRIVER SWITCH INPUTS NOT SUPPORTED	
353-023 D	VEHICLE INTERFACE WIRING CONNECTOR WITHO	
D	UT BLUNT CUTS, AT END OF FRAME	
34C-998D	NO AUX/ACC TRANSMISSION WIRING	
362-040 D	(2) CUSTOMER INSTALLED MUNCIE PTO'S: TG6	
D	AND TG8 SERIES	
363-009 D	PTO MOUNTING, RH AND BOTTOM OF MAIN TRAN	
D	SMISSION	
375-998 D	NO AUXILIARY OIL COOLER	
373-998 D	NO TRANSFER CASE	
376-998 D	NO SHIFT CONTROL, TRANSFER CASE	
371-998 D	NO AUX TRANS/TRANSFER CASE MTD POWER	
D	TAKEOFF	
35T-003 D	SYNTHETIC TRANSMISSION LUBE	
385-998 D	NO MAIN DRIVELINE HARDWARE	
	FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1BB D	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI	F 210
D	/3.74 DROP SINGLE FRONT AXLE	
398-998 D	NO FRONT AXLE RATIO	
389-998 D	NO FRONT AXLE DRIVESHAFT	
402-030 D	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT	F 10
D	BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	
403-002 D	NON-ASBESTOS FRONT BRAKE LINING	
419-023 D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-001 D	FRONT BRAKE DUST SHIELDS	F 5
409-006 D	FRONT OIL SEALS	
408-001 D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
D	R AND SIDE PLUGS - OIL	
416-022 D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2 S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002 D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
406-001 D	STANDARD KING PIN BUSHINGS	

536-055 D	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR	F	130	
537-005 S	STEEL STEERING SHAFT			
539-003 D	POWER STEERING PUMP			
534-003 D	4 QUART POWER STEERING RESERVOIR			
533-001 D	OIL/AIR POWER STEERING COOLER			
40T-002 D	SYNTHETIC 75W-90 FRONT AXLE LUBE			
620-025 D	20,000# TAPERLEAF FRONT SUSPENSION	F	200	
619-004 D	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
629-998 D	NO FRONT SWAYBAR			
410-001 D	FRONT SHOCK ABSORBERS			
	REAR AXLE, SUSPENSION & EQUIPMENT			
420-1K4D	MT-40-14XP 40,000# R-SERIES TANDEM REAR AXLE	R	-30	
421-355 D	3.55 REAR AXLE RATIO			
424-003 D	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING	R	30	
42T-001 D	STANDARD REAR AXLE BREATHER(S)			
382-998 D	NO (#1) DRIVELINE			
386-067 D	RPL25SD MERITOR MAIN DRIVELINE	F	60	R 60
388-039 D	RPL20 MERITOR INTERAXLE DRIVELINE			
452-006 D	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES			R 30
878-023 D	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE			
87A-001D	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF			
87B-004D	BLINKING LAMP WITH EACH MODE SWITCH, DIFFERENTIAL UNLOCK WITH IGNITION OFF, ACTIVE <5 MPH			
423-020 D	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002 D	NON-ASBESTOS REAR BRAKE LINING			
434-005 D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-023 D	CONMET CAST IRON REAR BRAKE DRUMS			
425-002 D	REAR BRAKE DUST SHIELDS	R	10	
440-006 D	REAR OIL SEALS			
426-101 D	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS			

428-002 D MERITOR AUTOMATIC REAR SLACK ADJUSTERS
 41T-002 D SYNTHETIC 75W-90 REAR AXLE LUBE
 622-199 D AIRLINER 46,000# REAR SUSPENSION
 034-998 D NO REAR SUSPENSION PACKAGE
 621-007 D AIRLINER HIGH POSITION RIDE HEIGHT
 431-005 D RESTRAINED AXLE SEATS IN AXLE CLAMP GROU
 D P
 624-016 D 51 INCH AXLE SPACING
 628-998 D NO SUSPENSION BEAMS
 888-047 D MANUAL DUMP VALVE FOR AIR SUSPENSION WIT
 D HOUT GAUGE
 87D-006D INDICATOR LIGHT FOR EACH REAR SUSPENSION
 D CONTROL SWITCH
 910-001 D SINGLE AIR REAR SUSPENSION LEVELING VALV
 D E
 623-002 D TRANSVERSE CONTROL RODS
 630-998 D NO REAR SUSPENSION STABILIZER
 625-998 D NO REAR SUSPENSION OPTIONS
 439-005 D REAR SHOCK ABSORBERS - TWO AXLES (TANDEM

 D) (AIR RIDE SUSPENSION)
 035-998 D NO DEAD AXLE PACKAGE
 443-998 D NO PUSHER OR TAG AXLE
 456-998 D NO PUSHER/TAG BRAKES
 457-998 D NO BRAKE LINING-PUSHER/TAG(SCO)
 448-998 D NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA
 D G
 429-998 D NO PUSHER/TAG BRAKE DUST SHIELDS
 442-998 D NO PUSHER OR TAG OIL SEALS
 444-998 D NO PUSHER OR TAG HUB CAPS
 445-998 D NO PUSHER OR TAG BRAKE CHAMBERS
 458-998 D NO PUSHER/TAG SLACK ADJUSTERS
 626-998 D NO PUSHER OR TAG SUSPENSION
 627-998 D NO PUSHER/TAG AXLE SPACING
 874-998 D NO PUSHER/TAG AXLE LIFT
 896-998 D NO PLUMBING FOR LIFT AXLE
 87F-998 D NO LIFT AXLE WIRING/LOGIC
 D BRAKE SYSTEM
 490-100 D WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
 871-001 D REINFORCED NYLON, FABRIC BRAID AND WIRE
 D BRAID CHASSIS AIR LINES
 46E-001 S STANDARD AIR MANAGEMENT UNIT
 904-001 D FIBER BRAID PARKING BRAKE HOSE
 412-001 D STANDARD BRAKE SYSTEM VALVES
 46D-002D STANDARD AIR SYSTEM PRESSURE PROTECTION

D	SYSTEM		
413-002 D	STD U.S. FRONT BRAKE VALVE		
432-003 D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,		
D	NO REAR PROPORTIONING VALVE		
480-009 D	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F	20
483-003 D	BENDIX OIL COALESCING FILTER FOR AIR DRY		
D	ER		
479-005 D	AIR DRYER MOUNTED INBOARD ON RH RAIL		
460-058 D	STEEL AIR TANKS MOUNTED AFT INSIDE AND/O		
D	R BELOW FRAME JUST FORWARD OF REAR SUSPE		
D	NSION		
46A-998D	NO AUXILIARY AIR TANK		
607-007 D	CLEAR FRAME RAILS 36 INCHES FROM BACK OF		
D	CAB INSIDE/OUTBOARD/BELOW BOTH FRAME RA		
D	ILS		
477-019 D	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO		
D	WET TANK; DRAIN VALVE CABLES ON ALL OTHE		
D	R TANKS		
485-998 D	NO EXTERNAL CHARGING GLADHAND		
481-998 D	NO TRAILER AIR HOSE		
476-998 D	NO AIR HOSE HANGER		
914-998 D	NO PLUMBING FOR AIR TO END OF FRAME		
919-998 D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,		
D	VALVES, OR AIR UNLOADER SYSTEM		
484-998 D	NO TRAILER CABLE AND GLAD HANDS STORAGE		
296-998 D	NO SPECIAL PRIMARY RECEPTACLE WIRING		
297-998 D	NO TRAILER CABLE RECEPTACLE		
335-004 D	UPGRADED CHASSIS MULTIPLEXING UNIT		
331-998 D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R		
D	ECEPTACLE		
303-998 D	NO ADDITIONAL TRAILER CABLE RECEPTACLE		
334-998 D	NO ADDITIONAL SUPPLEMENTAL 7-WAY		
D	TRAILER CABLE RECEPTACLE		
310-998 D	NO TRAILER ELECTRICAL CABLE		
	FRAME & WHEELBASE		
545-610 D	6100MM (240 INCH) WHEELBASE		
546-101 D	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8	F	480 R -50
D	.73MMX277.8MM/0.344X10.94 INCH) 120KSI		
547-001 D	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME	F	220 R 410
D	REINFORCEMENT		
548-998 D	NO OUTER FRAME REINFORCEMENT		
549-998 D	NO FRONT FRAME EXTENSION		

552-009 D	3050MM (120 INCH) REAR FRAME OVERHANG	F	-100	R	450
AB8- 99D	S 002 CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS		-0.209		%
553-001 D	SQUARE END OF FRAME				
550-001 D	FRONT CLOSING CROSSMEMBER				
559-001 D	STANDARD WEIGHT ENGINE CROSSMEMBER				
562-001 D	STANDARD MIDSHIP #1 CROSSMEMBER(S)				
565-002 D	HEAVY DUTY SUSPENSION CROSSMEMBER			R	30
572-001 D	STANDARD REARMOST CROSSMEMBER				
AL5- 99D	S CALC'D BUMPER TO REAR TOWING C/M FACE		408.106		IN
587-998 D	NO REAR TOWING DEVICE				
588-998 D	NO REAR TOW DEVICE HEIGHT				
	CHASSIS EQUIPMENT				
674-998 D	NO LH OR RH BACK OF CAB ACCESS				
592-998 D	NO DECK PLATE				
556-1E6 D	14 INCH CHROMED STEEL BUMPER	F	20		
557-002 D	LOOP STEP MOUNTED BELOW BUMPER	F	10		
558-033 D	REMOVABLE FRONT TOW HOOKS STORED ON THE	F	25		
	D CHASSIS FRAME				
55E-998 D	NO BUMPER MOUNTING BRACKETS				
642-998 D	NO BUMPER/FENDER MOUNTED SIGHT RODS				
574-001 D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE				
585-998 D	NO MUDFLAP BRACKETS				
590-998 D	NO REAR MUDFLAPS				
586-024 S	FENDER AND FRONT OF HOOD MOUNTED FRONT M	F	10		
	S UDFLAPS				
551-007 D	GRADE 8 THREADED HEX HEADED FRAME FASTEN				
	D ERS				
583-998 D	NO REAR QUARTER FENDERS				
794-998 D	NO JACK OR WHEEL WRENCH PROVISION				
795-998 D	NO TOOLS				
605-003 D	LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS				
	D IS LOADED TO FRONT AND REAR SUSPENSION R				
	D ATINGS				
606-998 D	NO TRUCK BODY				
601-998 D	NO BODY BUILDER DIAGRAMS				
970-998 D	NO BODY TYPE				
	FIFTH WHEEL & EQUIPMENT				
578-998 D	NO FIFTH WHEEL				
577-998 D	NO FIFTH WHEEL LOCATION				
580-998 D	NO ADDITIONAL FIFTH WHEEL DRILLINGS				
582-998 D	NO FIFTH WHEEL LEG HEIGHT				
570-998 D	NO FIFTH WHEEL MOUNTING				

890-998 D	NO FIFTH WHEEL PLUMBING		
579-998 D	NO FIFTH WHEEL RELEASE/INST.		
591-998 D	NO FIFTH WHEEL ADD-ONS		
581-998 D	NO FIFTH WHEEL RAMP		
	FUEL TANK(S) & EQUIPMENT		
206-998 D	NO RH FUEL TANK		
201-998 D	NO RH AUXILIARY FUEL TANK		
204-152 D	70 GALLON/264 LITER ALUMINUM FUEL TANK -	F	5
D	LH		
200-998 D	NO LH AUXILIARY FUEL TANK		
230-998 D	NO BETWEEN RAIL FUEL TANK		
203-998 D	NO HYDRAULIC OIL TANK		
218-006 D	25 INCH DIAMETER FUEL TANK(S)		
215-007 D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU		
D	LIC TANK(S) WITH POLISHED STAINLESS STEE		
D	L BANDS		
212-007 D	FUEL TANK(S) FORWARD		
231-998 D	NO FUEL TANK MTG BETWEEN RAILS		
232-998 D	NO ADDITIONAL FUEL PROVIDED		
664-001 D	PLAIN STEP FINISH		
207-998 D	NO FUEL TANK SCREENS		
205-001 D	FUEL TANK CAP(S)		
220-998 D	NO FUEL HEATER		
122-998 D	NO FUEL/WATER SEPARATOR		
216-020 D	EQUIFLO INBOARD FUEL SYSTEM		
20E-998 D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
D	S		
202-016 D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
D	INE		
213-998 D	NO FUEL LINE INSULATION		
221-998 D	NO FUEL COOLER		
	TIRES		
093-0TBD	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL	F	196
D	FRONT TIRES		
094-1UX	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL		R 192
C002			
C	REAR TIRES		
095-998 D	NO PUSHER/TAG TIRES		
510-998 D	NO SPARE TIRE		
	HUBS		
418-060 D	CONMET PRESET PLUS PREMIUM IRON FRONT HU		
D	BS		
450-060 D	CONMET PRESET PLUS PREMIUM IRON REAR HUB		
D	S		

449-998 D	NO PUSHER OR TAG HUBS WHEELS		
502-1H5D	ALCOA LVL ONE 82462X 22.5X12.25 10-HUB P	F	-8
D	ILOT 4.68 INSET 10-HAND ALUMINUM DISC FR		
D	ONT WHEELS		
505-720 D	ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A	R	-56
D	CCURIDE 29637 STEEL INSIDE; 22.5X8.25 10		
D	-HUB PILOT DISC REAR WHEELS		
509-998 D	NO PUSHER/TAG DISC WHEELS		
511-998 D	NO SPARE WHEEL		
51A-998D	NO ADDITIONAL SPARE WHEEL		
524-001 D	POLISHED FRONT WHEELS; OUTSIDE ONLY		
525-001 D	POLISHED REAR WHEELS; OUTSIDE OF OUTER W		
D	HEELS ONLY		
526-998 D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
D	ELS		
498-011 D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN		
D	TERFACES		
	CAB EXTERIOR		
829-1A2D	114 INCH BBC FLAT ROOF ALUMINUM CONVENTI		
D	ONAL CAB		
682-998 D	NO SLEEPER BOX/SLEEPERCAB		
784-998 D	NO AIR SHIELD OR BRACKETS		
783-998 D	NO SIDE EXTENDERS		
782-998 D	NO FRAME SIDE FAIRINGS		
650-008 D	AIR CAB MOUNTING		
705-998 D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS		
648-002 D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR		
D	ILLE		
667-004 D	FRONT FENDERS SET-BACK AXLE		
754-017 D	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSION	F	10
D	S		
678-001 D	LH AND RH GRAB HANDLES		
645-002 D	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL		
646-042 D	STATIONARY BLACK GRILLE WITH BRIGHT ACCE		
D	NTS		
65X-003D	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004 D	FIBERGLASS HOOD		
690-016 D	CAB FLOOR, TOE BOARD AND FIREWALL HEAT S	F	5
D	HIELD		
727-066 D	DUAL 26 INCH RECTANGULAR POLISHED ALUMIN	F	4
D	UM AIR HORNS ROOF MOUNTED		
726-002 D	DUAL ELECTRIC HORNS		

728-002	D	DUAL HORN SHIELDS	
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE	
	D	SAME WITH (4) KEYS	
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME	
327-998	D	NO OTHER LIGHTS	
312-067	D	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS	
302-047	D	LED AERODYNAMIC MARKER LIGHTS	
315-998	D	NO FOG LIGHTS	
311-012	D	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY	
316-998	D	NO SPOTLIGHTS	
294-1AY	D	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS	
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS	
318-998	D	NO UTILITY/ADVERTISING LIGHT	
744-1BM	D	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS	
797-001	D	DOOR MOUNTED MIRRORS	
796-001	D	102 INCH EQUIPMENT WIDTH	
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS	
74A-001	D	RH DOWN VIEW MIRROR	
74B-998	D	NO AUXILIARY MIRROR	
712-998	D	NO CUSTOM NAMEPLATE	
713-998	D	NO PERMIT PLAQUE	
729-001	D	STANDARD SIDE/REAR REFLECTORS	
73A-998	D	NO REFLECTIVE DEVICES	
677-054	D	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER	
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM	
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS	
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F 10
768-043	D	63X14 INCH TINTED REAR WINDOW	
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED	
	D	NON-OPERATING WING WINDOWS	
654-027	D	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S)	F 4
767-998	D	NO SIDE WINDOW	

769-998 D	NO LOWER DOOR WINDOW	
663-013 D	TINTED WINDSHIELD	
659-020 D	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED	
647-998 D	NO WINTERFRONT CAB INTERIOR	
707-1AK D	OPAL GRAY VINYL INTERIOR	
055-002 D	INTERIOR CONVENIENCE PACKAGE	
706-026 D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	
708-026 D	MOLDED PLASTIC DOOR PANEL WITHOUT VINYL INSERT WITH ALUMINUM KICKPLATE LOWER DOOR	
772-006 D	BLACK MATS WITH SINGLE INSULATION	
785-004 D	DASH MOUNTED ASH TRAY(S) WITHOUT LIGHTER	
691-014 D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING	
694-998 D	NO INTERIOR GLOVE BOX/CAB FLOOR STORAGE	
696-012 D	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	F 20
693-998 D	NO INTERIOR DOOR STORAGE	
826-998 D	NO LOWER BUNK	
666-998 D	NO BUNK RESTRAINT	
738-998 D	NO CLOCK	
742-007 D	(2) CUP HOLDERS LH AND RH DASH	
680-007 D	GRAY/CHARCOAL WING DASH	
860-004 D	SMART SWITCH EXPANSION MODULE	
33A-998D	NO WARNING LIGHT SWITCHES	
720-003 D	5 LB. FIRE EXTINGUISHER	F 10
71T-998 D	NO SMOKE/GAS DETECTOR	
714-001 D	FIRST AID KIT	F 2
700-002 D	HEATER, DEFROSTER AND AIR CONDITIONER	
701-008 D	STANDARD HVAC DUCTING WITH SNOW SHIELD FOR FRESH AIR INTAKE	
703-005 D	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	
689-998 D	NO AUXILIARY HVAC UNIT	
170-045 D	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY	
130-033 D	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR	

702-002	D	BINARY CONTROL, R-134A		
739-034	D	PREMIUM INSULATION		
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
96R-002	S 003	STANDARD ELECTRICAL PROTECTIVE COATING,		
	S	WHITE LITHIUM GREASE ON BATTERY TERMINAL		
	S	S AND RED ENAMEL PAINT IN ENGINE COMPART		
	S	MENT AND ON CHASSIS CONNECTIONS		
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
324-011	D	DOMED DOOR ACTIVATED LH AND RH, DUAL READ		
	D	ING LIGHTS, FORWARD CAB ROOF		
655-005	D	LH AND RH ELECTRIC DOOR LOCKS		
740-998	D	NO MATTRESS		
284-023	D	(1) 12 VOLT POWER SUPPLY IN DASH		
710-998	D	NO CAB PRIVACY CURTAIN		
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10
756-1D9	D	PREMIUM HIGH BACK AIR SUSPENSION DRIVER	F	70
	D	SEAT WITH 3 CHAMBER AIR LUMBAR, INTEGRAT		
	D	ED CUSHION EXTENSION, FORWARD AND REAR C		
	D	USHION TILT, ADJUSTABLE SHOCK ABSORBER		
760-1DC	D	BASIC HIGH BACK NON SUSPENSION PASSENGER		
	D	SEAT		
762-998	D	NO REAR PASSENGER SEAT		
757-998	D	NO SEAT SKIRT(S)		
759-007	D	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER	F	4
	D	SEAT ARMRESTS		
711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
699-998	D	NO SEAT OPTIONS		
758-025	D	GRAY MORDURA CLOTH DRIVER SEAT COVER		
761-025	D	GRAY MORDURA CLOTH PASSENGER SEAT COVER		
755-998	D	NO REAR PASSENGER SEAT COVERS		
763-103	D	BLACK SEAT BELTS WITH DRIVER INDICATOR L		
	D	IGHT AND AUDIBLE ALARM		
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F	10
	D	COLUMN		
540-015	D	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS		
	D	CONTROLS & INSTRUMENTS		
870-001	D	BLACK GAUGE BEZELS		
732-003	D	WOODGRAIN DRIVER INSTRUMENT PANEL		
734-003	D	WOODGRAIN CENTER INSTRUMENT PANEL		
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL		
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD		
	D	IBLE ALARM		

838-998 D NO AIR APPLICATION GAUGE
 840-002 D 2 INCH PRIMARY AND SECONDARY AIR PRESSUR
 D E GAUGES
 198-002 D INTAKE MOUNTED AIR RESTRICTION INDICATOR
 D WITH GRADUATIONS
 721-001 D 97 DB BACKUP ALARM
 149-017 D ELECTRONIC CRUISE CONTROL WITH SWITCHES
 D ON AUXILIARY GAUGE PANEL (B DASH PANEL)

156-007 D KEY OPERATED IGNITION SWITCH AND INTEGRA
 D L START POSITION; 4 POSITION OFF/RUN/STA
 D RT/ACCESSORY
 157-998 D NO REMOTE START
 811-042 D ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,
 D 28 LED WARNING LAMPS AND DATA LINKED
 160-038 D HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE
 D CONNECTOR LOCATED BELOW LH DASH
 844-001 D 2 INCH ELECTRIC FUEL GAUGE
 845-011 D FUEL FILTER RESTRICTION INDICATOR
 148-085 D EMISSIONS LIMITED IDLE ADJUST
 163-998 D NO ENGINE OPT/RPM CONTROLS WIRING
 87L-998 D NO REMOTE ENGINE CONTROL-ENABLE
 33U-998D NO CUSTOMER DEFINED WIRING FUNCTION
 866-998 D NO AXLE TEMPERATURE GAUGE
 856-001 D ELECTRICAL ENGINE COOLANT TEMPERATURE GA
 D UGE
 854-998 D NO ENGINE OIL TEMPERATURE GAUGE
 864-001 D 2 INCH TRANSMISSION OIL TEMPERATURE GAUG
 D E
 867-998 D NO OUTSIDE AIR TEMPERATURE GAUGE
 830-017 D ENGINE AND TRIP HOUR METERS INTEGRAL WIT
 D HIN DRIVER DISPLAY
 438-998 D NO HUBODOMETER
 372-051 D CUSTOMER FURNISHED AND INSTALLED PTO CON
 D TROLS
 73H-998D NO CAMERA/VIDEO/IMAGING SYSTEM
 49B-998D NO VEHICLE STABILITY ADVISOR OR CONTROL
 852-002 D ELECTRIC ENGINE OIL PRESSURE GAUGE
 679-998 D NO OVERHEAD INSTRUMENT PANEL
 35M- D NO WRG-BDY MULTIPLEX EXPNSN UNIT
 998
 786-998 D NO POSITIONING/LOCATING SYSTEM
 78C-998D NO DIGITAL SATELLITE AUDIO RECEIVER ANTE

	D	NNA	
746-1B4	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYE	F 10
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU	
	D	XILIARY INPUTS, J1939	
747-001	D	DASH MOUNTED RADIO	
74D-002	D	RADIO WIRING WITH POWER CUTOFF WHEN	
	D	VEHICLE IN REVERSE GEAR	
750-002	D	(2) RADIO SPEAKERS IN CAB	
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	
748-001	D	POWER AND GROUND STUDS IN/UNDER DASH	
749-998	D	NO CB RADIO MOUNTING PROVISION	
752-998	D	NO CB ANTENNA, BRACKET OR LEAD	
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR	
	D	Y MPH SCALE, WITHOUT ODOMETER	
817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-001	D	ELECTRONIC 3000 RPM TACHOMETER	
813-1B4	D	VT-HU CONNECTIVITY PLATFORM HARDWARE	
8D1-002	D	2 YEARS DETROIT CONNECT BASE PACKAGE (VI	
	D	RTUAL TECHNICIAN, DETROIT CONNECT PORTAL	
	D	ACCESS)FOR VT-HU CONNECTIVITY PLATFORM	
8Z1-998	D	NO ZONAR SERVICES SELECTED	
80K-998	D	NO SHUTDOWN OVERRIDE	
80L-001	D	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTEN	
	D	DED IDLE	
80M-998	S	NO ALTERNATE PTO SPEED	
80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE	
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION	
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG	
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP	
885-998	D	NO CONTROLS-FIRE PUMP	
329-010	D	TWO ON/OFF ROCKER SWITCHES IN THE DASH W	
	D	ITH INDICATOR LIGHTS AND WIRE ROUTED TO	
	D	CHASSIS AT BACK OF CAB, LABEL OPT	
81Y-001	D	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FL	
	D	ASH, WITH SMART SWITCH	
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH	
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH	
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH	
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH	
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS	
44W-998	D	NO UNDEFINED SMARTPLEX INDICATOR LAMPS	

264-998 D	NO CONTROLS-SIREN/AIR HORN
482-998 D	NO TRACTOR PROTECTION VALVE
883-998 D	NO TRAILER HAND CONTROL BRAKE VALVE
836-015 D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
	IVER DISPLAY
660-025 D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
	ITH DELAY PROGRAMMED TO SLOWEST SPEED WI
	TH PARK BRAKE SET
304-003 D	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR
	ATE INTERRUPTER FOR CLEARANCE LIGHTS
882-009 D	ONE VALVE PARKING BRAKE SYSTEM WITH WARN
	ING INDICATOR
299-013 D	SELF CANCELING TURN SIGNAL SWITCH WITH D
	IMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039 D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
	WITH HAZARD LAMPS OVERRIDING STOP LAMPS
869-998 D	NO MISCELLANEOUS GAUGES
	PAINT
065-000 D	PAINT: ONE SOLID COLOR
980-5F8 D	CAB COLOR A: L0225EB
	WHITE ELITE BC
986-020 D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
	PAINT
98K-998D	NO FUEL TANK CABINET PAINT
962-998 D	PAINT-FRT WHEEL COLOR: NONE
966-972 D	POWDER WHITE (N0006EA) REAR WHEELS/RIMS
	(PKWHT21, TKWHT21, W, TW)
96E-998 D	NO PUSHER/TAG WHEEL PAINT
96F-998 D	NO SPARE WHEEL PAINT
964-998 D	NO BUMPER PAINT
976-995 D	SUNVISOR PAINTED SAME AS CAB COLOR A
963-003 D	STANDARD E COAT/UNDERCOATING
	ADDITIONAL SPECIFICATIONS
998-998 D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	VICE PDI INSPECTION
958-998 D	NO INSPECTION-LABOR ONLY
99B-998 D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	IONS
999-998 D	NONE
996-002 D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	CABS AND GLIDER KITS
RCE- 004	STOCK FIXED CANADIAN EXCHANGE
00K	
MWF- S	DETROIT FRONT AXLE COVERAGE, VOCATIONAL,

003

S

3 YEAR/300,000 MILES/480 000 KILOMETERS
