

Stock #3380

<u>DBCode</u>	<u>Description</u>	<u>Value</u>	
	PRICE LEVEL INFORMATION		
PRL-16M	M2 PRL-16M (EFF:04/25/17)		
	GENERAL APPLICATION INFORMATION		
AA1-002	TRUCK CONFIGURATION		
AA6-003	DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE		
AA3-001	DRY VAN BODY		
AA2-998	NO TRAILER SPECIFIED		
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AA4-001	GENERAL FREIGHT COMMODITY		
A84-1GF	GENERAL FREIGHT BUSINESS SEGMENT		
A66-99D	EXPECTED FRONT AXLE(S) LOAD	12000	LBS
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD	21000	LBS
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	33000	LBS
A70-99D	EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	186.417	IN
AL8-99D	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	EXPECTED TRUCK BODY LENGTH	264	IN
AL4-	CALC'D FRAME LENGTH BACK OF CAB	306.496	IN

99D			
AL6-99D	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-39.496	IN
AM1-99D	CALC'D OVERALL LENGTH AT BODY OR EOF	412.795	IN
AC3-99D	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	80.038	MPH
AF7-99D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
AK2-99D	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.908	IN
AR1-99D	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	41.288	IN
AM2-99D	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.409	IN
AM0-99D	TOP OF FRM TO RR TIRE TOP-UNLD	-0.291	IN
ALG-99D	CALC'D CAB HEIGHT ABOVE FRAME	62.799	IN
ALJ-99D	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	101.791	IN
ALH-99D	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	104.116	IN
AF3-146	MULTIVANS, INC. MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
A59-99D	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000	LBS
A60-99D	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	RATED MAXIMUM VEHICLE CAPACITY - GVWR	33000	LBS
	BASE MODEL		
001-172	M2 106 CONVENTIONAL CHASSIS	F 5759	R 3503
004-218	2018 MODEL YEAR SPECIFIED		
995-091	MEDIUM TRUCK WARRANTY		
002-004	SET BACK AXLE - TRUCK		
019-002	STRAIGHT TRUCK PROVISION		
003-001	LH PRIMARY STEERING LOCATION ENGINE		
101-21V	CUM B6.7 260 HP @ 2400 RPM, 2600 GOV, 66 0 LB/FT @ 1600 RPM		
99C-017	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		

INAL GHG17 CONFIGURATION

- 99Z-004 VEHICLE IS SUBJECT TO EPA GHG14/GHG17, DOES NOT HAVE REGULATORY VEHICLE SPEED LIMITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN (AES)
- 99D-010 NO 2008 CARB EMISSION CERTIFICATION
- 992-001 50 STATE EMISSIONS CERTIFICATION
- 28F-002 ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
- 79A-065 65 MPH ROAD SPEED LIMIT
- 79B-000 CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
- 79C-998 NO DRIVER FUEL ECONOMY INCENTIVE
- 79D-998 NO PROGRESSIVE SHIFTING
- 79E-998 NO LOW RANGE TORQUE PROTECT
- 79F-998 NO FLEET MANAGEMENT
- 79G-998 NO IDLE SHUTDOWN CONFIGURATION
- 79J-998 NO PTO SHUTDOWN CONFIGURATION
- 79K-007 PTO MODE ENGINE RPM LIMIT - 1100 RPM
- 79L-998 PTO MODE THROTTLE OVERRIDE DISABLED
- 79M-001 PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
- 79N-998 NO PTO MODE CLUTCH OVERRIDE
- 79P-002 PTO RPM WITH CRUISE SET SWITCH - 700 RPM
- 79Q-003 PTO RPM WITH CRUISE RESUME SWITCH - 800 RPM
- 79R-998 NO PTO MODE COOLING FAN
- 79S-001 PTO MODE CANCEL VEHICLE SPEED - 5 MPH
- 79T-998 NO PTO MODE RPM INCREMENT
- 79U-007 PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
- 79V-998 NO PTO MODE DPF REGEN
- 79W-998 REMOTE PTO DISABLED
- 79X-998 NO REMOTE PTO SPEED 1 SETTING
- 79Y-998 NO REMOTE PTO SPEED 2 SETTING
- 79Z-998 NO REMOTE PTO SPEED 3 SETTING
- 80A-998 NO ALTERNATE ROAD SPEED LIMIT
- 80B-998 NO CHECK ENGINE LIGHT ON OVERSPEED
- 80C-998 NO ENGINE BRAKE WITH CRUISE CONTROL
- 80D-998 NO SOFT CRUISE CONTROL
- 80E-998 NO ENGINE FAN WITH RETARDER
- 80F-998 NO MAINTENANCE MONITOR

80G-002 PTO MINIMUM RPM - 700
80H-998 NO ACCELERATION MANAGEMENT
80J-002 REGEN INHIBIT SPEED THRESHOLD - 5 MPH
80R-998 NO DRIVETRAIN TORQUE PROTECTION
84E-000 PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000 SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000 PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000 SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84J-000 ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84K-000 ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84L-000 DYNAMIC SHIFT SENSING AND ACCELERATION RATE MANAGEMENT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE
84N-000 NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED
85E-998 TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED
85F-998 TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED
85G-998 TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED
85H-998 TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED
ENGINE EQUIPMENT
13E-001 STANDARD OIL PAN
105-001 ENGINE MOUNTED OIL CHECK AND FILL
104-998 NO ENGINE OIL DRAIN/SAMPLE
133-004 ONE PIECE VALVE COVER
014-099 SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER
124-1D7 DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-098 (2) ALLIANCE MODEL 1231, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED ST

UD BATTERIES

290-017 BATTERY BOX FRAME MOUNTED

281-001 STANDARD BATTERY JUMPERS

282-003 SINGLE BATTERY BOX FRAME MOUNTED LH SIDE
BACK OF CAB

291-017 WIRE GROUND RETURN FOR BATTERY CABLES WITH
ADDITIONAL FRAME GROUND RETURN

289-001 NON-POLISHED BATTERY BOX COVER

33M-
998 NO AUXILIARY POWER DISTRIBUTION MANAGEMENT

NT

293-058 POSITIVE LOAD DISCONNECT WITH CAB MOUNTED
CONTROL SWITCH MOUNTED OUTBOARD DRIVER
SEAT F 8

295-998 NO JUMPSTART POST

180-998 NO CLUTCH

183-998 NO CLUTCH BRAKE

181-998 NO CLUTCH RELEASE BEARING LUBE

182-998 NO CLUTCH RELEASE

107-032 CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR
WITH INTERNAL SAFETY VALVE

108-002 STANDARD MECHANICAL AIR COMPRESSOR COVER
NOR

131-013 AIR COMPRESSOR DISCHARGE LINE

152-041 ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION
SYSTEM

128-076 CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE
GEOMETRY TURBO WITH ON/OFF DASH SWITCH F 20

016-1C3 RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL
AFTERTREATMENT SYSTEM ASSEMBLY WITH RH
HORIZONTAL TAILPIPE

239-001 STANDARD EXHAUST SYSTEM LENGTH

233-998 NO EXHAUST BRIGHTWORK (PLAIN)

237-052 RH STANDARD HORIZONTAL TAILPIPE

23U-002 13 GALLON DIESEL EXHAUST FLUID TANK F 35 R 10

43W-
001 STANDARD DIESEL EXHAUST FLUID SYSTEM COOLANT
PLUMBING

30N-003 100 PERCENT DIESEL EXHAUST FLUID FILL

23Z-998 NO DIESEL EXHAUST FLUID TANK COVER

43X-002 LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID
TANK LOCATION

23Y-001 STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING

43Y-001 STANDARD DIESEL EXHAUST FLUID TANK CAP

242-998 NO MUFFLER/TAILOPIPE SHIELD
 273-035 HORTON HT650 FRONTAL AIR ON/OFF ENGINE F
 AN CLUTCH
 276-001 AUTOMATIC FAN CONTROL WITHOUT DASH SWITC
 H, NON ENGINE MOUNTED
 110-003 CUMMINS SPIN ON FUEL FILTER
 118-001 FULL FLOW OIL FILTER
 120-998 NO COOLANT FILTER
 266-078 950 SQUARE INCH ALUMINUM RADIATOR
 103-040 ANTIFREEZE TO -60F, OAT (NITRITE AND SIL
 ICATE FREE) EXTENDED LIFE COOLANT
 171-007 GATES BLUE STRIPE COOLANT HOSES OR EQUIV
 ALENT
 172-001 CONSTANT TENSION HOSE CLAMPS FOR COOLANT
 HOSES
 270-016 RADIATOR DRAIN VALVE
 168-002 LOWER RADIATOR GUARD
 360-998 NO FRONT ENGINE PTO
 361-998 NO REAR ENGINE PTO
 138-010 PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK H F 4
 EATER
 141-998 NO COOLANT HEATER - GAS/DSL
 166-998 NO OIL PREHEATER
 140-022 CHROME ENGINE HEATER RECEPTACLE MOUNTED
 UNDER LH DOOR
 134-001 ALUMINUM FLYWHEEL HOUSING
 132-004 ELECTRIC GRID AIR INTAKE WARMER
 155-058 DELCO 12V 38MT HD STARTER WITH INTEGRATE
 D MAGNETIC SWITCH
 TRANSMISSION & EQUIPMENT
 342-
 1MN ALLISON 2500 RDS AUTOMATIC TRANSMISSION
 WITH PTO PROVISION
 352-998 NO AUXILIARY TRANSMISSION
 343-301 ALLISON VOCATIONAL PACKAGE 354 - AVAILAB
 LE ON 1000/2000 PRODUCT FAMILIES WITH VO
 CATIONAL MODELS RDS, EVS, HS, MH, PTS AN
 D SPS
 84B-012 ALLISON VOCATIONAL RATING FOR ON/OFF HIG
 HWAY APPLICATIONS AVAILABLE WITH ALL PRO
 DUCT FAMILIES
 84C-007 PRIMARY MODE GEARS, 6 FORWARD GEARS WITH
 MANUAL SELECTION FOR 3, 2 AND 1, AVAILA
 BLE FOR 1000/2000 PRODUCT FAMILIES ONLY
 84D-998 NO TCU-SECONDARY MODE: GEARS
 341-018 MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI

ON DRAIN, AXLE(S) FILL AND DRAIN

345-072 DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION

97G-006 TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY

348-998 NO TRANSMISSION ACCESSORIES

347-998 NO CLUTCH HOUSING MATERIAL

370-015 WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

346-001 TRANSMISSION OIL CHECK AND FILL

368-998 NO EXTERNAL TRANSMISSION OIL FILTER F -2

84T-000 DISABLE - NEUTRAL RANGE ASSIST

84U-000 DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES

353-038 MARKER LAMP CONNECTION FOR BODY BUILDERS

34C-001 ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED

362-1BU CUSTOMER INSTALLED CHELSEA 230/231/236 SERIES PTO

363-001 PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION

375-998 NO AUXILIARY OIL COOLER

373-998 NO TRANSFER CASE

376-998 NO SHIFT CONTROL, TRANSFER CASE

371-998 NO AUX TRANS/TRANSFER CASE MTD POWER TAKEOFF

35T-001 SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

385-998 NO MAIN DRIVELINE HARDWARE FRONT AXLE, SUSPENSION & EQUIPMENT

400-1A6 DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI /3.74 DROP SINGLE FRONT AXLE

398-998 NO FRONT AXLE RATIO

389-998 NO FRONT AXLE DRIVESHAFT

402-049 MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

403-002 NON-ASBESTOS FRONT BRAKE LINING

419-023 CONMET CAST IRON FRONT BRAKE DRUMS

427-001 FRONT BRAKE DUST SHIELDS F 5

409-006 FRONT OIL SEALS

408-001 VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

416-022 STANDARD SPINDLE NUTS FOR ALL AXLES

404-1B2 WABCO LONGSTROKE FRONT BRAKE CHAMBERS

405-002 MERITOR AUTOMATIC FRONT SLACK ADJUSTERS

536-050	TRW THP-60 POWER STEERING			
537-005	STEEL STEERING SHAFT			
539-003	POWER STEERING PUMP			
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			
533-998	NO POWER STEERING OIL COOLER			
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE			
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	F		42
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			
62H-998	NO FRONT SUSPENSION SPRING BRACKET OPTIONS			
629-998	NO FRONT SWAYBAR			
410-001	FRONT SHOCK ABSORBERS REAR AXLE, SUSPENSION & EQUIPMENT			
420-1GK	DETROIT DA-RS-23.0-4 23,000# R-SERIES SINGLE REAR AXLE		R	30
421-614	6.14 REAR AXLE RATIO			
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
382-998	NO (#1) DRIVELINE			
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE LINE WITH HALF ROUND YOKES	F	40	R 40
388-998	NO INTERAXLE (#3) DRIVELINE			
452-998	NO TRACTION EQUALIZER			
878-998	NO AIR PP & CONT-DIFF LKOUT,CAB			
87A-998	NO INTERAXLE LOCK WIRING/LOGIC			
87B-998	NO DIFFERENTIAL LOCK WIRING/LOGIC			
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
433-002	NON-ASBESTOS REAR BRAKE LINING			
434-005	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS			
451-023	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	REAR BRAKE DUST SHIELDS		R	5
440-006	REAR OIL SEALS			
435-998	NO DRIVELINE PARKING BRAKE			
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
876-998	NO AIR PP/ELECT AXLE SHIFT,CAB			
87C-998	NO DRIVE/SHIFT AXLE WIRING/LOGIC			
898-998	NO AIR PP/ELECT-AXLE SHIFT,CHAS			
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE			

622-216 AIRLINER 23,000# REAR SUSPENSION WITH CH
AIN CLEARANCE
034-998 NO REAR SUSPENSION PACKAGE
621-007 AIRLINER HIGH POSITION RIDE HEIGHT
431-001 STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-998 NO AXLE SPACING
628-998 NO SUSPENSION BEAMS
888-056 IGNITION CONTROLLED ELECTRIC DUMP SWITCH
FOR AIR SUSPENSION WITH AUTOFILL OVERRI
DE VALVE
87D-009 REAR AIR SUSPENSION DUMP VALVE WITH AUTO
FILL FOR IGNITION OFF AND >5 MPH, INCLUD
E OVERRIDE CONTROL AND BUZZER ON DUMP VA
LVE SWITCH
910-001 SINGLE AIR REAR SUSPENSION LEVELING VALV
E
623-002 TRANSVERSE CONTROL RODS
630-998 NO REAR SUSPENSION STABILIZER
439-004 REAR SHOCK ABSORBERS - ONE AXLE (AIR RID
E SUSPENSION)
035-998 NO DEAD AXLE PACKAGE
443-998 NO PUSHER OR TAG AXLE
456-998 NO PUSHER/TAG BRAKES
457-998 NO BRAKE LINING-PUSHER/TAG(SCO)
448-998 NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA
G
429-998 NO PUSHER/TAG BRAKE DUST SHIELDS
442-998 NO PUSHER OR TAG OIL SEALS
444-998 NO PUSHER OR TAG HUB CAPS
445-998 NO PUSHER OR TAG BRAKE CHAMBERS
458-998 NO PUSHER/TAG SLACK ADJUSTERS
626-998 NO PUSHER OR TAG SUSPENSION
874-998 NO PUSHER/TAG AXLE LIFT
896-998 NO PLUMBING FOR LIFT AXLE
87F-998 NO LIFT AXLE WIRING/LOGIC
BRAKE SYSTEM
018-002 AIR BRAKE PACKAGE
490-100 WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001 REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
46E-001 STANDARD AIR MANAGEMENT UNIT
904-001 FIBER BRAID PARKING BRAKE HOSE
412-001 STANDARD BRAKE SYSTEM VALVES
46D-002 STANDARD AIR SYSTEM PRESSURE PROTECTION
SYSTEM
413-002 STD U.S. FRONT BRAKE VALVE

432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
480-009	BW AD-9 BRAKE LINE AIR DRYER WITH HEATER	F	20	
483-998	NO AIR SYSTEM OIL FILTER			
479-012	AIR DRYER MOUNTED UNDER HOOD			
460-001	STEEL AIR BRAKE RESERVOIRS			
46A-998	NO AUXILIARY AIR TANK			
607-998	CHASSIS CONFIGURATION - NONE			
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHE R TANKS			
485-998	NO EXTERNAL CHARGING GLADHAND			
481-998	NO TRAILER AIR HOSE			
476-998	NO AIR HOSE HANGER			
914-998	NO PLUMBING FOR AIR TO END OF FRAME			
919-998	NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM			
484-998	NO TRAILER CABLE AND GLAD HANDS STORAGE			
296-998	NO SPECIAL PRIMARY RECEPTACLE WIRING			
297-998	NO TRAILER CABLE RECEPTACLE			
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			
32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			
308-998	NO SUPPLEMENTAL TRAILER CABLE WIRING			
331-998	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R ECEPTACLE			
30K-998	NO HIGH CURRENT RECEPTACLE/WIRING			
30L-998	NO HIGH CURRENT TRAILER/BODY CABLE			
310-998	NO TRAILER ELECTRICAL CABLE FRAME & WHEELBASE			
545-640	6400MM (252 INCH) WHEELBASE			
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8 .73MMX277.8MM/0.344X10.94 INCH) 120KSI	F	390	R 150
547-998	NO INNER FRAME REINFORCEMENT			
548-998	NO OUTER FRAME REINFORCEMENT			
549-998	NO FRONT FRAME EXTENSION			
552-009	3050MM (120 INCH) REAR FRAME OVERHANG	F	-70	R 310
AB8- 99D	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.473		%
553-001	SQUARE END OF FRAME			
554-998	NO BUMPER/UNDERRIDE GUARD			
550-001	FRONT CLOSING CROSSMEMBER			
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER			R 30
572-001	STANDARD REARMOST CROSSMEMBER			
AL5-	CALC'D BUMPER TO REAR TOWING C/M FACE	412.795		IN

99D

587-998 NO REAR TOWING DEVICE
CHASSIS EQUIPMENT

674-998 NO LH OR RH BACK OF CAB ACCESS

592-998 NO DECK PLATE

556-
1AR THREE-PIECE 14 INCH CHROMED STEEL BUMPER F 30
WITH COLLAPSIBLE ENDS

558-001 FRONT TOW HOOKS - FRAME MOUNTED F 15

574-001 BUMPER MOUNTING FOR SINGLE LICENSE PLATE

642-998 NO BUMPER/FENDER MOUNTED SIGHT RODS

585-998 NO MUDFLAP BRACKETS

590-998 NO REAR MUDFLAPS

586-024 FENDER AND FRONT OF HOOD MOUNTED FRONT M
UDFLAPS

551-007 GRADE 8 THREADED HEX HEADED FRAME FASTEN
ERS

583-998 NO REAR QUARTER FENDERS

600-998 NO CAB GUARD

604-998 NO TIRE CARRIER

794-998 NO JACK OR WHEEL WRENCH PROVISION

795-998 NO TOOLS

605-003 LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS
IS LOADED TO FRONT AND REAR SUSPENSION R
ATINGS

601-998 NO BODY BUILDER DIAGRAMS

970-998 NO BODY TYPE
FIFTH WHEEL & EQUIPMENT

578-998 NO FIFTH WHEEL

577-998 NO FIFTH WHEEL LOCATION

580-998 NO ADDITIONAL FIFTH WHEEL DRILLINGS

582-998 NO FIFTH WHEEL LEG HEIGHT

570-998 NO FIFTH WHEEL MOUNTING

890-998 NO FIFTH WHEEL PLUMBING

579-998 NO FIFTH WHEEL RELEASE/INST.

591-998 NO FIFTH WHEEL ADD-ONS
FUEL TANK(S) & EQUIPMENT

206-998 NO RH FUEL TANK

201-998 NO RH AUXILIARY FUEL TANK

204-194 100 GALLON/378 LITER RECTANGULAR ALUMINU F 80 R 10
M FUEL TANK - LH

200-998 NO LH AUXILIARY FUEL TANK

230-998 NO BETWEEN RAIL FUEL TANK

203-998 NO HYDRAULIC OIL TANK

218-005 RECTANGULAR FUEL TANK(S)

215-005 PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU

LIC TANK(S) WITH PAINTED BANDS

212-007 FUEL TANK(S) FORWARD

231-998 NO FUEL TANK MTG BETWEEN RAILS

232-998 NO ADDITIONAL FUEL PROVIDED

664-004 POLISHED STAINLESS STEEL STEP FINISH

207-998 NO FUEL TANK SCREENS

205-001 FUEL TANK CAP(S)

220-998 NO FUEL HEATER

122-1J1 DETROIT FUEL/WATER SEPARATOR WITH WATER F -5
IN FUEL SENSOR, HAND PRIMER AND 12 VOLT
PREHEATER

216-020 EQUIFLO INBOARD FUEL SYSTEM

20E-998 NO AUXILIARY FUEL SUPPLY AND RETURN PORT
S

202-016 HIGH TEMPERATURE REINFORCED NYLON FUEL L
INE

213-998 NO FUEL LINE INSULATION

221-998 NO FUEL COOLER
TIRES

093-1KJ MICHELIN X LINE ENERGY Z 11R22.5 14 PLY F 8
RADIAL FRONT TIRES

094-
0GK MICHELIN XDN2 11R22.5 14 PLY RADIAL REAR R 76
TIRES

095-998 NO PUSHER/TAG TIRES

510-998 NO SPARE TIRE
HUBS

418-060 CONMET PRESET PLUS PREMIUM IRON FRONT HU
BS

450-060 CONMET PRESET PLUS PREMIUM IRON REAR HUB
S

449-998 NO PUSHER OR TAG HUBS
WHEELS

502-1EF ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI F -50
LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL
S

505-720 ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, A R -28
CCURIDE 29637 STEEL INSIDE; 22.5X8.25 10
-HUB PILOT DISC REAR WHEELS

509-998 NO PUSHER/TAG DISC WHEELS

511-998 NO SPARE WHEEL

51A-998 NO ADDITIONAL SPARE WHEEL

524-001 POLISHED FRONT WHEELS; OUTSIDE ONLY

525-001 POLISHED REAR WHEELS; OUTSIDE OF OUTER W
HEELS ONLY

526-998 NO POLISHED, BRIGHT STANDARD POLISH, CLE

AN BUFF OR BRUSHED FINISH PUSHER/TAG WHEELS
 496-011 FRONT WHEEL MOUNTING NUTS
 497-011 REAR WHEEL MOUNTING NUTS
 498-011 NYLON WHEEL GUARDS FRONT AND REAR ALL IN
 TERFACES
 CAB EXTERIOR
 829-071 106 INCH BBC FLAT ROOF ALUMINUM CONVENTI
 ONAL CAB
 682-998 NO SLEEPER BOX/SLEEPER CAB
 784-998 NO AIR SHIELD OR BRACKETS
 783-998 NO SIDE EXTENDERS
 782-998 NO FRAME SIDE FAIRINGS
 650-008 AIR CAB MOUNTING
 705-998 NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS
 648-002 NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR
 ILLE
 754-998 NO FENDER EXTENSION
 678-001 LH AND RH GRAB HANDLES
 646-023 HOOD MOUNTED CHROMED PLASTIC GRILLE
 65X-003 CHROME HOOD MOUNTED AIR INTAKE GRILLE
 644-004 FIBERGLASS HOOD
 690-016 CAB FLOOR, TOE BOARD AND FIREWALL HEAT S F 5
 HIELD
 727-1AF SINGLE 14 INCH ROUND HADLEY AIR HORN UND F 4
 ER LH DECK
 726-002 DUAL ELECTRIC HORNS
 728-001 SINGLE HORN SHIELD
 657-
 1CV DOOR LOCKS AND IGNITION SWITCH KEYED THE
 SAME WITH (4) KEYS
 575-001 REAR LICENSE PLATE MOUNT END OF FRAME
 327-998 NO OTHER LIGHTS
 312-038 INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH
 CHROME BEZEL
 302-047 LED AERODYNAMIC MARKER LIGHTS
 315-998 NO FOG LIGHTS
 311-012 DAYTIME RUNNING LIGHTS - LOW BEAM ONLY
 316-998 NO SPOTLIGHTS
 294-
 1AY INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
 300-015 STANDARD FRONT TURN SIGNAL LAMPS
 318-998 NO UTILITY/ADVERTISING LIGHT
 744-
 1BM DUAL WEST COAST BRIGHT FINISH HEATED MIR
 RORS

797-001 DOOR MOUNTED MIRRORS
796-001 102 INCH EQUIPMENT WIDTH
743-204 LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
74A-998 NO AUXILIARY MIRROR
74B-998 NO AUXILIARY MIRROR
713-998 NO PERMIT PLAQUE
729-001 STANDARD SIDE/REAR REFLECTORS
73A-998 NO REFLECTIVE DEVICES
677-016 DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES
725-061 ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS
764-010 COMPOSITE EXTERIOR SUN VISOR F 10
768-043 63X14 INCH TINTED REAR WINDOW
661-003 TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-027 RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S) F 4
767-998 NO SIDE WINDOW
769-998 NO LOWER DOOR WINDOW
663-013 TINTED WINDSHIELD
659-020 2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED
647-998 NO WINTERFRONT CAB INTERIOR
707-1AM OPAL GRAY CLOTH INTERIOR
055-002 INTERIOR CONVENIENCE PACKAGE
706-016 MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
708-016 MOLDED DOOR PANEL WITH UPPER VINYL INSERTS
772-006 BLACK MATS WITH SINGLE INSULATION
785-998 NO DASH MOUNTED ASH TRAYS AND LIGHTER
691-014 FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING
694-010 IN DASH STORAGE BIN
696-012 CENTER STORAGE CONSOLE MOUNTED ON BACKWALL F 20
693-998 NO INTERIOR DOOR STORAGE
826-998 NO LOWER BUNK
666-998 NO BUNK RESTRAINT
738-998 NO CLOCK
742-007 (2) CUP HOLDERS LH AND RH DASH

680-006	GRAY/CHARCOAL FLAT DASH				
860-004	SMART SWITCH EXPANSION MODULE				
716-998	NO WINDSHIELD FAN				
720-002	2-1/2 LB. FIRE EXTINGUISHER	F	5		
71T-998	NO SMOKE/GAS DETECTOR				
714-001	FIRST AID KIT	F	2		
700-002	HEATER, DEFROSTER AND AIR CONDITIONER				
701-008	STANDARD HVAC DUCTING WITH SNOW SHIELD F OR FRESH AIR INTAKE				
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SW ITCH				
689-998	NO AUXILIARY HVAC UNIT				
170-015	STANDARD HEATER PLUMBING				
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRES SOR				
702-002	BINARY CONTROL, R-134A				
739-034	PREMIUM INSULATION				
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES				
96R-002	STANDARD ELECTRICAL PROTECTIVE COATING, WHITE LITHIUM GREASE ON BATTERY TERMINAL S AND RED ENAMEL PAINT IN ENGINE COMPART MENT AND ON CHASSIS CONNECTIONS				
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM				
324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READ ING LIGHTS, FORWARD CAB ROOF				
655-005	LH AND RH ELECTRIC DOOR LOCKS				
740-998	NO MATTRESS				
284-023	(1) 12 VOLT POWER SUPPLY IN DASH				
710-998	NO CAB PRIVACY CURTAIN				
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10		
756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SE AT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	F	30		
760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRA TED CUSHION EXTENSION	F	25	R	10
762-998	NO REAR PASSENGER SEAT				
757-998	NO SEAT SKIRT(S)				
759-009	INBOARD DRIVER SEAT ARMREST, NO PASSEN GE R SEAT ARMREST	F	2		
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS				
699-998	NO SEAT OPTIONS				
758-025	GRAY MORDURA CLOTH DRIVER SEAT COVER				
761-025	GRAY MORDURA CLOTH PASSENGER SEAT COVER				
755-998	NO REAR PASSENGER SEAT COVERS				
763-101	BLACK SEAT BELTS				

532-002 ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN F 10

540-015 4-SPOKE 18 INCH (450MM) STEERING WHEEL

765-002 DRIVER AND PASSENGER INTERIOR SUN VISORS CONTROLS & INSTRUMENTS

870-001 BLACK GAUGE BEZELS

732-003 WOODGRAIN DRIVER INSTRUMENT PANEL

734-003 WOODGRAIN CENTER INSTRUMENT PANEL

68J-998 NO SWITCH BLANK - INSTRUMENT PANEL

486-001 LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

838-998 NO AIR APPLICATION GAUGE

840-002 2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

198-002 INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

721-001 97 DB BACKUP ALARM R 3

149-013 ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL

156-007 KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

157-998 NO REMOTE START

811-042 ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED

160-039 (1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH

844-001 2 INCH ELECTRIC FUEL GAUGE

845-998 NO FUEL FLOW GAUGE

148-003 PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE

163-998 NO ENGINE OPT/RPM CONTROLS WIRING

87L-998 NO REMOTE ENGINE CONTROL-ENABLE

33U-998 NO CUSTOMER DEFINED WIRING FUNCTION

866-998 NO AXLE TEMPERATURE GAUGE

856-001 ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

854-998 NO ENGINE OIL TEMPERATURE GAUGE

864-001 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE

867-998 NO OUTSIDE AIR TEMPERATURE GAUGE

830-017 ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY

438-998 NO HUBODOMETER

33A-998 NO WARNING LIGHT SWITCHES
 372-051 CUSTOMER FURNISHED AND INSTALLED PTO CONTROLS
 736-998 NO OBSTACLE DETECTION SYSTEM
 73H-998 NO CAMERA/VIDEO/IMAGING SYSTEM
 49B-998 NO VEHICLE STABILITY ADVISOR OR CONTROL
 73B-998 NO LANE DEPARTURE WARNING SYSTEM
 852-002 ELECTRIC ENGINE OIL PRESSURE GAUGE
 679-998 NO OVERHEAD INSTRUMENT PANEL
 35M-998 NO WRG-BDY MULTIPLEX EXPNSN UNIT
 786-998 NO POSITIONING/LOCATING SYSTEM
 746-1B4 AM/FM/WB WORLD TUNER RADIO WITH CD PLAYER, BLUETOOTH, IPOD INTERFACE, USB AND AUXILIARY INPUTS, J1939 F 10
 747-001 DASH MOUNTED RADIO
 74D-002 RADIO WIRING WITH POWER CUTOFF WHEN VEHICLE IN REVERSE GEAR
 750-002 (2) RADIO SPEAKERS IN CAB
 753-001 AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
 748-998 NO CB RADIO/PROVISION
 749-998 NO CB RADIO MOUNTING PROVISION
 752-998 NO CB ANTENNA, BRACKET OR LEAD
 78C-998 NO DIGITAL SATELLITE AUDIO RECEIVER ANTENNA
 810-028 ELECTRONIC KPH SPEEDOMETER WITH SECONDARY MPH SCALE, WITHOUT ODOMETER
 817-001 STANDARD VEHICLE SPEED SENSOR
 812-001 ELECTRONIC 3000 RPM TACHOMETER
 813-998 NO VEHICLE PERFORMANCE MONITOR F -5
 8D1-998 NO DETROIT CONNECT SERVICES SELECTED
 8Z1-998 NO ZONAR SERVICES SELECTED
 80K-998 NO SHUTDOWN OVERRIDE
 80L-998 NO REGEN SYSTEM TAILORING
 80M-998 NO ALTERNATE PTO SPEED
 80N-998 NO REDUCED ENGINE SPEED ON VSS FAILURE
 80P-998 NO FLEET SPEC FOR PARAMETERIZATION
 80Q-998 NO VEHICLE SPEED LIMIT - GHG
 162-011 IDLE LIMITER, ELECTRONIC ENGINE
 885-998 NO CONTROLS-FIRE PUMP
 329-015 ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT
 81Y-001 PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH

44R-998 NO ON/OFF LATCHING SMARTPLEX SWITCH
44S-998 NO ON/OFF MOMENTARY SMARTPLEX SWITCH
44T-998 NO ON/OFF/ON LATCHING SMARTPLEX SWITCH
44U-998 NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH
44V-998 NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS
44W-
998 NO UNDEFINED SMARTPLEX INDICATOR LAMPS
264-998 NO CONTROLS-SIREN/AIR HORN
482-998 NO TRACTOR PROTECTION VALVE
883-998 NO TRAILER HAND CONTROL BRAKE VALVE
836-015 DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR
IVER DISPLAY
660-025 SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W
ITH DELAY PROGRAMMED TO SLOWEST SPEED WI
TH PARK BRAKE SET
304-003 MARKER LIGHT/HEADLIGHT SWITCH WITH SEPAR
ATE INTERRUPTER FOR CLEARANCE LIGHTS
27D-998 NO ALTERNATING FLASHING HEADLAMP SYSTEM
882-009 ONE VALVE PARKING BRAKE SYSTEM WITH WARN
ING INDICATOR
299-013 SELF CANCELING TURN SIGNAL SWITCH WITH D
IMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039 INTEGRAL ELECTRONIC TURN SIGNAL FLASHER
WITH HAZARD LAMPS OVERRIDING STOP LAMPS
869-998 NO MISCELLANEOUS GAUGES
PAINT
065-000 PAINT: ONE SOLID COLOR
980-5F8 CAB COLOR A: L0225EB
WHITE ELITE BC
986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
98K-998 NO FUEL TANK CABINET PAINT
962-998 PAINT-FRT WHEEL COLOR: NONE
966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS
(PKWHT21, TKWHT21, W, TW)
96E-998 NO PUSHER/TAG WHEEL PAINT
96F-998 NO SPARE WHEEL PAINT
964-998 NO BUMPER PAINT
976-995 SUNVISOR PAINTED SAME AS CAB COLOR A
963-003 STANDARD E COAT/UNDERCOATING
ADDITIONAL SPECIFICATIONS
998-998 DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
VICE PDI INSPECTION
958-998 NO INSPECTION-LABOR ONLY
99B-998 NO MODIFICATION CENTER SHIPPING INSTRUCT
IONS

82N-998 NO SHIPPING PROTECTION

999-998 NONE

996-002 CANADA CMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS

RCE-
00K STOCK FIXED CANADIAN EXCHANGE

MWF-
004 DETROIT FRONT AXLE COVERAGE, GENERAL SER
VICE, 2 YEAR/UNLIMITED MILES/KILOMETERS

MWD-
001 DETROIT REAR AXLE COVERAGE, GENERAL SERV
ICE PLUS, 4 YEAR/UNLIMITED MILES/KILOMETRES
