

3498

<u>DBCode</u>	<u>OTCONotes</u>	<u>Description</u>	<u>Value</u>	
AA1-002	D	TRUCK CONFIGURATION		
AA6-003	D	DOMICILED, CANADA (OTHER THAN QUEBEC)		
A85-002	D	PICKUP AND DELIVERY/SHORT HAUL SERVICE		
AA3-001	D	DRY VAN BODY		
AA2-998	D	NO TRAILER SPECIFIED		
AA5-002	D	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN		
	D	TRANSIT, IS SPENT ON PAVED ROADS		
AB5-001	D	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MO		
	D	ST SEVERE IN-TRANSIT (BETWEEN SITES) ROA		
	D	D SURFACE		
AB1-008	D	MAXIMUM 8% EXPECTED GRADE		
AA4-001	D	GENERAL FREIGHT COMMODITY		
A84-1GF	D	GENERAL FREIGHT BUSINESS SEGMENT		
A66-99D	D	EXPECTED FRONT AXLE(S) LOAD	12000	LBS
A68-99D	D	EXPECTED REAR DRIVE AXLE(S) LOAD	23000	LBS
A63-99D	D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY	35000	LBS
A70-99D	S	EXPECTED GROSS COMBINATION WEIGHT	0	LBS
AC8-99D	S	CALC'D BACK OF CAB TO REAR SUSP C/L (CA)	186.417	IN
AL8-99D	S	CALC'D CAB TO BODY (INCL 2" CLEARANCE)	3	IN
A88-99D	D	EXPECTED TRUCK BODY LENGTH	264	IN
AL4-99D	S	CALC'D FRAME LENGTH BACK OF CAB	306.496	IN
AL6-99D	S	CALC'D BODY AFT OF EOF (+=BODY OVERHANG)	-39.496	IN
AM1-99D	S	CALC'D OVERALL LENGTH AT BODY OR EOF	412.795	IN
AC3-99D	S	CALC'D VEHICLE SPEED @ GOVERNED ENG RPM	78.806	MPH
AF7-99D	D	BRAKING-EXP CG OF BODY&LOAD ABOVE FRAME	32	IN
AK2-99D	S	BRAKING-MAX CG OF LOAD ABOVE FRAME @GVWR	32	IN
AM3-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD	39.441	IN
AR1-99D	S	CAL'D FRAME HT AT FRONT SUSP-UNLADEN	40.576	IN
AM2-99D	S	CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN	41.007	IN
AM0-99D	S	TOP OF FRM TO RR TIRE TOP-UNLD	-0.793	IN
ALG-99D	S	CALC'D CAB HEIGHT ABOVE FRAME	63.236	IN
ALJ-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; EXP LOAD	101.75	IN
ALH-99D	S	CALC'D CAB HEIGHT ABOVE GROUND; UNLADEN	103.916	IN
AF3-146	D	MULTIVANS, INC.		
		MAXIMUM GVW & AXLE SYSTEM CAPACITIES		
A61-99D	S	CALC'D MAX CAPACITY FRONT AXLE(S)TOTAL	12000	LBS
A59-99D	S	CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL	23000	LBS

A60-99D	S	CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL	0	LBS
A62-99D	S	RATED MAXIMUM VEHICLE CAPACITY - GVWR	35000	LBS
		BASE MODEL		
001-172	D	M2 106 CONVENTIONAL CHASSIS	F	5759 R 3503
004-219	D	2019 MODEL YEAR SPECIFIED		
995-091	D	MEDIUM TRUCK WARRANTY		
002-004	D	SET BACK AXLE - TRUCK		
019-002	D	STRAIGHT TRUCK PROVISION		
003-001	D	LH PRIMARY STEERING LOCATION		
		ENGINE		
101-2M5	D	DD8 7.7L 6 CYL SINGLE STAGE 260 HP @ 220	F	450 R 30
	D	0 RPM, 2600 GOV RPM, 660 LB/FT @ 1200 RP		
	D	M OPTIMIZED TC		
99C-017	D	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/F		
	D	INAL GHG17 CONFIGURATION		
99Z-004	S	VEHICLE IS SUBJECT TO EPA GHG14/GHG17, D		
	S	OES NOT HAVE REGULATORY VEHICLE SPEED LI		
	S	MITER (VSL) OR AUTOMATIC ENGINE SHUTDOWN		
	S	(AES)		
99D-011	D	2008 CARB EMISSION CERTIFICATION - CLEAN		
	D	IDLE (INCLUDES 6X4 INCH LABEL ON LOWER		
	D	FORWARD CORNER OF DRIVER DOOR)		
992-001	S	50 STATE EMISSIONS CERTIFICATION		
28F-002	D	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC		
	D	OVER THE ROAD REGENERATION AND DASH MOUN		
	D	TED REGENERATION REQUEST SWITCH		
79A-065	D	65 MPH ROAD SPEED LIMIT		
79B-000	D	CRUISE CONTROL SPEED LIMIT SAME AS ROAD		
	D	SPEED LIMIT		
79C-998	D	NO DRIVER FUEL ECONOMY INCENTIVE		
79D-998	D	NO PROGRESSIVE SHIFTING		
79E-998	D	NO LOW RANGE TORQUE PROTECT		
79F-998	D	NO FLEET MANAGEMENT		
79G-998	D	NO IDLE SHUTDOWN CONFIGURATION		
79J-998	D	NO PTO SHUTDOWN CONFIGURATION		
79K-007	S	PTO MODE ENGINE RPM LIMIT - 1100 RPM		
79L-998	D	PTO MODE THROTTLE OVERRIDE DISABLED		
79M-002	S	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE		
	S	APPLIED OR PARK BRAKE NOT APPLIED		
79N-998	D	NO PTO MODE CLUTCH OVERRIDE		
79P-002	H006	PTO RPM WITH CRUISE SET SWITCH - 700 RPM		
79Q-002	H006	PTO RPM WITH CRUISE RESUME SWITCH - 700		
	H	RPM		
79R-998	D	NO PTO MODE COOLING FAN		

79S-998	D	NO PTO MODE CANCEL VEHICLE SPEED
79T-001	S	PTO MODE RPM INCREMENT - 25 RPM
79U-998	D	NO PTO GOVERNOR RAMP RATE
79V-998	D	NO PTO MODE DPF REGEN
79W-001	S	ONE REMOTE PTO SPEED
79X-005	S	REMOTE PTO SPEED 1 SETTING - 900 RPM
79Y-998	D	NO PTO 2 SET SPEED
79Z-998	D	NO PTO 3 SET SPEED
80A-998	D	NO ALTERNATE ROAD SPEED LIMIT
80B-998	D	NO CHECK ENGINE LIGHT ON OVERSPEED
80C-998	D	NO ENGINE BRAKE WITH CRUISE CONTROL
80D-998	D	NO SOFT CRUISE CONTROL
80E-998	D	NO ENGINE FAN WITH RETARDER
80F-998	D	NO MAINTENANCE MONITOR
80G-002	S	PTO MINIMUM RPM - 700
80S-998	S	NO PTO 1 CONTROLS
80T-998	S	NO PTO 2 CONTROLS
80U-998	S	NO PTO 3 CONTROLS
80V-998	S	NO ENGINE MOUNT PTO CONTROLS
85K-998	S	NO PTO 1 J1939 CONTROL
85L-998	S	NO PTO 2 J1939 CONTROL
85M-998	S	NO PTO 3 J1939 CONTROL
85N-998	S	NO ENGINE MOUNT PTO J1939 CONTROL
80H-998	D	NO ACCELERATION MANAGEMENT
80J-998	S	NO REGEN INHIBIT SPEED THRESHOLD
80R-998	S	NO DRIVETRAIN TORQUE PROTECTION
84E-000	D	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DT
	D	NA AND ALLISON, THIS DEFINED BY ENGINE A
	D	ND VOCATIONAL USAGE
84F-000	D	SECONDARY SHIFT SCHEDULE RECOMMENDED BY
	D	DTNA AND ALLISON, THIS DEFINED BY ENGINE
	D	AND VOCATIONAL USAGE
84G-000	D	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA
	D	AND ALLISON, THIS DEFINED BY ENGINE AND
	D	VOCATIONAL USAGE
84H-000	D	SECONDARY SHIFT SPEED RECOMMENDED BY DTN
	D	A AND ALLISON, THIS DEFINED BY ENGINE AN
	D	D VOCATIONAL USAGE
84J-000	S	ENGINE BRAKE RANGE PRESELECT RECOMMENDED
	S	BY DTNA AND ALLISON, THIS DEFINED BY EN
	S	GINE AND VOCATIONAL USAGE
84K-000	S	ENGINE BRAKE RANGE ALTERNATE PRESELECT R

	S	RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	
	S	ECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE	
84L-000	D	DYNAMIC SHIFT SENSING AND ACCELERATION RATE MANAGEMENT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE	
	D	TCU-PUMP MODE OPTION NOT CONFIGURED	
84M-998	D	TCU-PUMP MODE OPTION NOT CONFIGURED	
84N-000	D	NEUTRAL AT STOP - DISABLED, FUELSENSE - DISABLED	
	D	TCU-RANGE INDICATION NOT CONFIGURED	
85B-998	D	TCU-RANGE INDICATION NOT CONFIGURED	
85E-998	D	TCU-MAX PTO ENGINE SPEED ENGAGEMENT NOT CONFIGURED	
	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	
85F-998	D	TCU-MAX PTO ENGINE SPEED OPERATION NOT CONFIGURED	
	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	
85G-998	D	TCU-MAXIMUM PTO OUTPUT SPEED ENGAGEMENT NOT CONFIGURED	
	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED	
85H-998	D	TCU-MAXIMUM PTO OUTPUT SPEED OPERATION NOT CONFIGURED	
	D	ENGINE EQUIPMENT	
13E-001	D	STANDARD OIL PAN	
105-001	D	ENGINE MOUNTED OIL CHECK AND FILL	
104-998	D	NO ENGINE OIL DRAIN/SAMPLE	
133-004	D	ONE PIECE VALVE COVER	
014-099	D	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER	
	D	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	
124-1D7	D	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE	
	D	(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED	
292-098	D	(2) ALLIANCE MODEL 1231XOE, GROUP 31, 12 VOLT MAINTENANCE FREE 2250 CCA THREADED	
	D	STUD BATTERIES	
290-017	D	BATTERY BOX FRAME MOUNTED	
281-001	D	STANDARD BATTERY JUMPERS	
282-003	D	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB	
	D	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	
291-017	D	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	
	D	NON-POLISHED BATTERY BOX COVER	
289-001	D	NON-POLISHED BATTERY BOX COVER	
33M-998	D	NO AUXILIARY POWER DISTRIBUTION MANAGEMENT	
	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	
293-058	D	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	F 8
	D	NO JUMPSTART POST	
295-998	D	NO JUMPSTART POST	
180-998	D	NO CLUTCH	
183-998	D	NO CLUTCH BRAKE	

181-998	D	NO CLUTCH RELEASE BEARING LUBE	
182-998	D	NO CLUTCH RELEASE	
107-047	D	WABCO 20.0 CFM SINGLE CYLINDER AIR COMPR	
	D	ESSOR	
108-002	D	STANDARD MECHANICAL AIR COMPRESSOR GOVER	
	D	NOR	
131-013	D	AIR COMPRESSOR DISCHARGE LINE	
152-041	D	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT	
	D	ECTION SYSTEM	
128-998	D	NO RETARDER	
016-1C3	D	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL	
	D	L AFTERTREATMENT SYSTEM ASSEMBLY WITH RH	
	D	HORIZONTAL TAILPIPE	
239-001	D	STANDARD EXHAUST SYSTEM LENGTH	
233-998	D	NO EXHAUST BRIGHTWORK (PLAIN)	
237-052	D	RH STANDARD HORIZONTAL TAILPIPE	
23U-002	D	13 GALLON DIESEL EXHAUST FLUID TANK	F 35 R 10
43W-001	S	STANDARD DIESEL EXHAUST FLUID SYSTEM COO	
	S	LANT PLUMBING	
30N-003	D	100 PERCENT DIESEL EXHAUST FLUID FILL	
23Z-998	D	NO DIESEL EXHAUST FLUID TANK COVER	
43X-002	D	LH MEDIUM DUTY STANDARD DIESEL EXHAUST F	
	D	LUID TANK LOCATION	
23Y-001	D	STANDARD DIESEL EXHAUST FLUID PUMP MOUNT	
	D	ING	
43Y-001	D	STANDARD DIESEL EXHAUST FLUID TANK CAP	
242-998	D	NO MUFFLER/TAILPIPE SHIELD	
273-058	D	AIR POWERED ON/OFF ENGINE FAN CLUTCH	
276-001	D	AUTOMATIC FAN CONTROL WITHOUT DASH SWITC	
	D	H, NON ENGINE MOUNTED	
110-076	D	DETROIT ENGINE MOUNTED FUEL/WATER SEPARA	
	D	TOR WITH WATER-IN-FUEL SENSOR AND HAND P	
	D	RIMER	
118-001	D	FULL FLOW OIL FILTER	
120-998	D	NO COOLANT FILTER	
266-100	D	700 SQUARE INCH ALUMINUM RADIATOR	F -50
103-040	D	ANTIFREEZE TO -60F, OAT (NITRITE AND SIL	
	D	ICATE FREE) EXTENDED LIFE COOLANT	
171-007	D	GATES BLUE STRIPE COOLANT HOSES OR EQUIV	
	D	ALENT	
172-001	D	CONSTANT TENSION HOSE CLAMPS FOR COOLANT	
	D	HOSES	
270-016	D	RADIATOR DRAIN VALVE	
168-002	D	LOWER RADIATOR GUARD	

360-998	D	NO FRONT ENGINE PTO		
361-998	D	NO REAR ENGINE PTO		
138-010	D	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK H	F	4
	D	EATER		
141-998	D	NO COOLANT HEATER - GAS/DSL		
166-998	D	NO OIL PREHEATER		
140-022	D	CHROME ENGINE HEATER RECEPTACLE MOUNTED		
	D	UNDER LH DOOR		
134-001	D	ALUMINUM FLYWHEEL HOUSING		
132-998	D	NO AIR INTAKE WARMER		
155-070	D	DELCO 12V 35MT STARTER WITH INTEGRATED M	F	10
	D	AGNETIC SWITCH AND SOLENOID		
		TRANSMISSION & EQUIPMENT		
342-584	D	ALLISON 3500 RDS AUTOMATIC TRANSMISSION	F	200 R 60
	D	WITH PTO PROVISION		
352-998	D	NO AUXILIARY TRANSMISSION		
343-339	D	ALLISON VOCATIONAL PACKAGE 223 - AVAILAB		
	D	LE ON 3000/4000 PRODUCT FAMILIES WITH VO		
	D	CATIONAL MODELS RDS, HS, MH AND TRV		
84B-012	D	ALLISON VOCATIONAL RATING FOR ON/OFF HIG		
	D	HWAY APPLICATIONS AVAILABLE WITH ALL PRO		
	D	DUCT FAMILIES		
84C-023	D	PRIMARY MODE GEARS, LOWEST GEAR 1, START		
	D	GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3		
	D	000/4000 PRODUCT FAMILIES ONLY		
84D-023	D	SECONDARY MODE GEARS, LOWEST GEAR 1, STA		
	D	RT GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR		
	D	3000/4000 PRODUCT FAMILIES ONLY		
341-018	D	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSI		
	D	ON DRAIN, AXLE(S) FILL AND DRAIN		
345-003	D	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DA		
	D	SH MOUNTED		
97G-004	D	TRANSMISSION PROGNOSTICS - ENABLED 2013		
348-998	D	NO TRANSMISSION ACCESSORIES		
347-998	D	NO CLUTCH HOUSING MATERIAL		
370-015	D	WATER TO OIL TRANSMISSION COOLER, IN RAD		
	D	IATOR END TANK		
346-003	D	TRANSMISSION OIL CHECK AND FILL WITH ELE		
	D	CTRONIC OIL LEVEL CHECK		
368-998	D	NO EXTERNAL TRANSMISSION OIL FILTER	F	-2
84T-000	S	DISABLE - NEUTRAL RANGE ASSIST		
84U-000	D	DRIVER SWITCH INPUT - DEFAULT - NO SWITC		

	D	HES	
84V-998	D	TCU-DIRECTION CHNG,NOT CONFIGURED	
84W-001	S	AUXILIARY FUNCTION RANGE INHIBIT WITH MU	
	S	LTIPILEXED SERVICE BRAKES - ALLISON 5TH G	
	S	EN TRANSMISSIONS	
85D-001	S	SINGLE INPUT AUTOMATIC NEUTRAL WITH SELE	
	S	CTOR OVERRIDE WITH MULTIPLEXED PARK BRAK	
	S	E - ALLISON 5TH GEN TRANSMISSIONS	
353-038	D	MARKER LAMP CONNECTION FOR BODY BUILDERS	
34C-002	D	ELECTRONIC TRANSMISSION CUSTOMER ACCESS	
	D	CONNECTOR MOUNTED BACK OF CAB	
362-035	D	CUSTOMER INSTALLED CHELSEA 277 SERIES PT	
	D	O	
363-002	D	PTO MOUNTING, RH SIDE OF MAIN TRANSMISSI	
	D	ON	
375-998	D	NO AUXILIARY OIL COOLER	
373-998	D	NO TRANSFER CASE	
376-998	D	NO SHIFT CONTROL, TRANSFER CASE	
371-998	D	NO AUX TRANS/TRANSFER CASE MTD POWER	
	D	TAKEOFF	
35T-001	D	SYNTHETIC TRANSMISSION FLUID (TES-295 CO	
	D	MPLIANT)	
385-998	D	NO MAIN DRIVELINE HARDWARE	
		FRONT AXLE, SUSPENSION & EQUIPMENT	
400-1A6	D	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI	
	D	/3.74 DROP SINGLE FRONT AXLE	
398-998	D	NO FRONT AXLE RATIO	
389-998	D	NO FRONT AXLE DRIVESHAFT	
402-020	D	MERITOR 15X4 Q+ CAM FRONT BRAKES	
403-002	D	NON-ASBESTOS FRONT BRAKE LINING	
419-023	D	CONMET CAST IRON FRONT BRAKE DRUMS	
427-001	D	FRONT BRAKE DUST SHIELDS	F 5
409-006	D	FRONT OIL SEALS	
408-001	D	VENTED FRONT HUB CAPS WITH WINDOW, CENTE	
	D	R AND SIDE PLUGS - OIL	
416-022	D	STANDARD SPINDLE NUTS FOR ALL AXLES	
404-1B2	S	WABCO LONGSTROKE FRONT BRAKE CHAMBERS	
405-002	D	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS	
536-050	D	TRW THP-60 POWER STEERING	
537-005	S	STEEL STEERING SHAFT	
539-003	D	POWER STEERING PUMP	
534-015	D	2 QUART SEE THROUGH POWER STEERING RESER	
	D	VOIR	
533-998	D	NO POWER STEERING OIL COOLER	

40T-002	D	SYNTHETIC 75W-90 FRONT AXLE LUBE			
620-1F0	D	12,000# DUAL TAPERLEAF FRONT SUSPENSION	F	42	
619-005	D	MAINTENANCE FREE RUBBER BUSHINGS - FRONT			
	D	SUSPENSION			
62H-998	D	NO FRONT SUSPENSION SPRING BRACKET OPTIO			
	D	NS			
629-998	D	NO FRONT SWAYBAR			
410-001	D	FRONT SHOCK ABSORBERS			
		REAR AXLE, SUSPENSION & EQUIPMENT			
420-1GK	D	DETROIT DA-RS-23.0-4 23,000# R-SERIES SI			R 30
	D	NGLE REAR AXLE			
421-614	D	6.14 REAR AXLE RATIO			
424-001	D	IRON REAR AXLE CARRIER WITH STANDARD AXL			
	D	E HOUSING			
382-998	D	NO (#1) DRIVELINE			
386-073	D	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVE	F	40	R 40
	D	LINE WITH HALF ROUND YOKES			
388-998	D	NO INTERAXLE (#3) DRIVELINE			
393-998	D	NO DRIVELINE GUARD			
452-998	D	NO TRACTION EQUALIZER			
878-998	D	NO AIR PP & CONT-DIFF LKOUT,CAB			
87A-998	D	NO INTERAXLE LOCK WIRING/LOGIC			
87B-998	D	NO DIFFERENTIAL LOCK WIRING/LOGIC			
423-032	D	MERITOR 16.5X7 Q+ STAMPED SPIDER CAM REA			R -10
	D	R BRAKES, DOUBLE ANCHOR, FABRICATED SHOE			
	D	S			
433-002	D	NON-ASBESTOS REAR BRAKE LINING			
434-005	D	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE			
	D	OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT			
	D	BRACKETS			
451-023	D	CONMET CAST IRON REAR BRAKE DRUMS			
425-002	D	REAR BRAKE DUST SHIELDS			R 5
440-006	D	REAR OIL SEALS			
435-998	D	NO DRIVELINE PARKING BRAKE			
426-100	D	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE			
	D	SPRING PARKING CHAMBERS			
428-002	D	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
876-998	D	NO AIR PP/ELECT AXLE SHIFT,CAB			
87C-998	D	NO DRIVE/SHIFT AXLE WIRING/LOGIC			
898-998	D	NO AIR PP/ELECT-AXLE SHIFT,CHAS			
41T-002	D	SYNTHETIC 75W-90 REAR AXLE LUBE			
622-216	D	AIRLINER 23,000# REAR SUSPENSION WITH CH			R 180
	D	AIN CLEARANCE			
034-998	D	NO REAR SUSPENSION PACKAGE			

621-007	D	AIRLINER HIGH POSITION RIDE HEIGHT
431-007	D	STANDARD U-BOLT PAD WITH U-BOLTS EXTENDE
	D	D 1.00" LONGER THAN STANDARD
624-998	D	NO AXLE SPACING
628-998	D	NO SUSPENSION BEAMS
888-056	D	IGNITION CONTROLLED ELECTRIC DUMP SWITCH
	D	FOR AIR SUSPENSION WITH AUTOFILL OVERRI
	D	DE VALVE
87D-009	D	REAR AIR SUSPENSION DUMP VALVE WITH AUTO
	D	FILL FOR IGNITION OFF AND >5 MPH, INCLUD
	D	E OVERRIDE CONTROL AND BUZZER ON DUMP VA
	D	LVE SWITCH
910-001	D	SINGLE AIR REAR SUSPENSION LEVELING VALV
	D	E
623-002	D	TRANSVERSE CONTROL RODS
630-998	D	NO REAR SUSPENSION STABILIZER
439-004	D	REAR SHOCK ABSORBERS - ONE AXLE (AIR RID
	D	E SUSPENSION)
035-998	D	NO DEAD AXLE PACKAGE
443-998	D	NO PUSHER OR TAG AXLE
456-998	D	NO PUSHER/TAG BRAKES
457-998	D	NO BRAKE LINING-PUSHER/TAG(SCO)
448-998	D	NO REAR BRAKE DRUMS/ROTORS FOR PUSHER/TA
	D	G
429-998	D	NO PUSHER/TAG BRAKE DUST SHIELDS
442-998	D	NO PUSHER OR TAG OIL SEALS
444-998	D	NO PUSHER OR TAG HUB CAPS
445-998	D	NO PUSHER OR TAG BRAKE CHAMBERS
458-998	D	NO PUSHER/TAG SLACK ADJUSTERS
626-998	D	NO PUSHER OR TAG SUSPENSION
874-998	D	NO PUSHER/TAG AXLE LIFT
896-998	D	NO PLUMBING FOR LIFT AXLE
87F-998	D	NO LIFT AXLE WIRING/LOGIC
		BRAKE SYSTEM
018-002	D	AIR BRAKE PACKAGE
490-100	D	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001	D	REINFORCED NYLON, FABRIC BRAID AND WIRE
	D	BRAID CHASSIS AIR LINES
46E-001	S	STANDARD AIR MANAGEMENT UNIT
904-001	D	FIBER BRAID PARKING BRAKE HOSE
412-001	D	STANDARD BRAKE SYSTEM VALVES
46D-002	D	STANDARD AIR SYSTEM PRESSURE PROTECTION

	D	SYSTEM		
413-002	D	STD U.S. FRONT BRAKE VALVE		
432-003	D	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,		
	D	NO REAR PROPORTIONING VALVE		
480-086	D	BW AD-9SI BRAKE LINE AIR DRYER WITH HEAT		
	D	ER		
483-998	D	NO AIR SYSTEM OIL FILTER		
479-012	D	AIR DRYER MOUNTED UNDER HOOD		
460-001	D	STEEL AIR BRAKE RESERVOIRS		
46A-998	D	NO AUXILIARY AIR TANK		
607-998	D	CHASSIS CONFIGURATION - NONE		
477-004	D	PULL CABLES ON ALL AIR RESERVOIR(S)		
485-998	D	NO EXTERNAL CHARGING GLADHAND		
481-998	D	NO TRAILER AIR HOSE		
476-998	D	NO AIR HOSE HANGER		
914-998	D	NO PLUMBING FOR AIR TO END OF FRAME		
919-998	D	NO OPTIONAL CHASSIS AIR SYSTEM PIPING,		
	D	VALVES, OR AIR UNLOADER SYSTEM		
484-998	D	NO TRAILER CABLE AND GLAD HANDS STORAGE		
296-998	D	NO SPECIAL PRIMARY RECEPTACLE WIRING		
297-998	D	NO TRAILER CABLE RECEPTACLE		
335-004	D	UPGRADED CHASSIS MULTIPLEXING UNIT		
32A-002	D	UPGRADED BULKHEAD MULTIPLEXING UNIT		
308-998	D	NO SUPPLEMENTAL TRAILER CABLE WIRING		
331-998	D	NO SUPPLEMENTAL J560 7-WAY TRAILER ABS R		
	D	ECEPTACLE		
30K-998	D	NO HIGH CURRENT RECEPTACLE/WIRING		
30L-998	D	NO HIGH CURRENT TRAILER/BODY CABLE		
310-998	D	NO TRAILER ELECTRICAL CABLE		
		FRAME & WHEELBASE		
545-640	D	6400MM (252 INCH) WHEELBASE		
546-099	D	9/32X3-7/16X10-1/16 INCH STEEL FRAME (7.	F	300 R -10
		14MMX255.6MM/0.281X10.06 INCH) 120KSI		
547-998	D	NO INNER FRAME REINFORCEMENT		
548-998	D	NO OUTER FRAME REINFORCEMENT		
549-998	D	NO FRONT FRAME EXTENSION		
552-009	D	3050MM (120 INCH) REAR FRAME OVERHANG	F	-60 R 260
AB8-99D	S	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.484	%
553-001	D	SQUARE END OF FRAME		
554-998	D	NO BUMPER/UNDERRIDE GUARD		
550-001	D	FRONT CLOSING CROSSMEMBER		
559-001	D	STANDARD WEIGHT ENGINE CROSSMEMBER		
562-001	D	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
565-002	D	HEAVY DUTY SUSPENSION CROSSMEMBER		R 30

572-001	D	STANDARD REARMOST CROSSMEMBER		
AL5-99D	S	CALC'D BUMPER TO REAR TOWING C/M FACE	412.795	IN
587-998	D	NO REAR TOWING DEVICE		
		CHASSIS EQUIPMENT		
674-998	D	NO LH OR RH BACK OF CAB ACCESS		
592-998	D	NO DECK PLATE		
556-1AR	D	THREE-PIECE 14 INCH CHROMED STEEL BUMPER	F 30	
	D	WITH COLLAPSIBLE ENDS		
558-001	D	FRONT TOW HOOKS - FRAME MOUNTED	F 15	
574-001	D	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
642-998	D	NO BUMPER/FENDER MOUNTED SIGHT RODS		
585-998	D	NO MUDFLAP BRACKETS		
590-998	D	NO REAR MUDFLAPS		
586-024	D	FENDER AND FRONT OF HOOD MOUNTED FRONT M		
	D	UDFLAPS		
551-007	D	GRADE 8 THREADED HEX HEADED FRAME FASTEN		
	D	ERS		
583-998	D	NO REAR QUARTER FENDERS		
600-998	D	NO CAB GUARD		
604-998	D	NO TIRE CARRIER		
489-998	D	NO TIRE PRESSURE CONTROL/SENSOR		
794-998	D	NO JACK OR WHEEL WRENCH PROVISION		
795-998	D	NO TOOLS		
605-003	D	LEVEL FRAME RAILS (+/- 1%) WHEN CHASSIS		
	D	IS LOADED TO FRONT AND REAR SUSPENSION R		
	D	ATINGS		
601-998	D	NO BODY BUILDER DIAGRAMS		
970-998	D	NO BODY TYPE		
		FIFTH WHEEL & EQUIPMENT		
578-998	D	NO FIFTH WHEEL		
577-998	D	NO FIFTH WHEEL LOCATION		
580-998	D	NO ADDITIONAL FIFTH WHEEL DRILLINGS		
582-998	D	NO FIFTH WHEEL LEG HEIGHT		
570-998	D	NO FIFTH WHEEL MOUNTING		
890-998	D	NO FIFTH WHEEL PLUMBING		
579-998	D	NO FIFTH WHEEL RELEASE/INST.		
591-998	D	NO FIFTH WHEEL ADD-ONS		
		FUEL TANK(S) & EQUIPMENT		
206-998	D	NO RH FUEL TANK		
201-998	D	NO RH AUXILIARY FUEL TANK		
204-194	D	100 GALLON/378 LITER RECTANGULAR ALUMINU	F 80	R 10
	D	M FUEL TANK - LH		
200-998	D	NO LH AUXILIARY FUEL TANK		
230-998	D	NO BETWEEN RAIL FUEL TANK		

203-998	D	NO HYDRAULIC OIL TANK		
218-005	D	RECTANGULAR FUEL TANK(S)		
215-005	D	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAU		
	D	LIC TANK(S) WITH PAINTED BANDS		
212-007	D	FUEL TANK(S) FORWARD		
231-998	D	NO FUEL TANK MTG BETWEEN RAILS		
232-998	D	NO ADDITIONAL FUEL PROVIDED		
664-004	D	POLISHED STAINLESS STEEL STEP FINISH		
207-998	D	NO FUEL TANK SCREENS		
205-001	D	FUEL TANK CAP(S)		
220-998	D	NO FUEL HEATER		
122-1H1	D	DETROIT FUEL/WATER SEPARATOR WITH BYPASS	F	-5
216-020	D	EQUIFLO INBOARD FUEL SYSTEM		
20E-998	D	NO AUXILIARY FUEL SUPPLY AND RETURN PORT		
	D	S		
202-016	D	HIGH TEMPERATURE REINFORCED NYLON FUEL L		
	D	INE		
213-998	D	NO FUEL LINE INSULATION		
221-998	D	NO FUEL COOLER		
		TIRES		
093-1KJ	D	MICHELIN X LINE ENERGY Z 11R22.5 14 PLY	F	8
	D	RADIAL FRONT TIRES		
094-1UX	D	MICHELIN X MULTI D 11R22.5 14 PLY RADIAL		R 96
	D	REAR TIRES		
095-998	D	NO PUSHER/TAG TIRES		
510-998	D	NO SPARE TIRE		
		HUBS		
418-060	D	CONMET PRESET PLUS PREMIUM IRON FRONT HU		
	D	BS		
450-060	D	CONMET PRESET PLUS PREMIUM IRON REAR HUB		
	D	S		
449-998	D	NO PUSHER OR TAG HUBS		
		WHEELS		
502-1EF	D	ALCOA LVL ONE 88367X 22.5X8.25 10-HUB PI	F	-50
	D	LOT 5.79 INSET ALUMINUM DISC FRONT WHEEL		
	D	S		
505-658	D	ACCURIDE 51487 ACCU-LITE 22.5X8.25 10-HU		
	D	B PILOT 5-HAND STEEL DISC REAR WHEELS		
509-998	D	NO PUSHER/TAG DISC WHEELS		
511-998	D	NO SPARE WHEEL		
51A-998	D	NO ADDITIONAL SPARE WHEEL		
524-001	D	POLISHED FRONT WHEELS; OUTSIDE ONLY		
525-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		

	D	AN BUFF OR BRUSHED FINISH REAR WHEELS		
526-998	D	NO POLISHED, BRIGHT STANDARD POLISH, CLE		
	D	AN BUFF OR BRUSHED FINISH PUSHER/TAG WHE		
	D	ELS		
50W-998	D	NO RIM/WHEEL TIRE PRESSURE SENSOR		
496-011	D	FRONT WHEEL MOUNTING NUTS		
497-011	D	REAR WHEEL MOUNTING NUTS		
498-011	D	NYLON WHEEL GUARDS FRONT AND REAR ALL IN		
	D	TERFACES		
		CAB EXTERIOR		
829-071	D	106 INCH BBC FLAT ROOF ALUMINUM CONVENTI		
	D	ONAL CAB		
682-998	D	NO SLEEPER BOX/SLEEPERCAB		
784-998	D	NO AIR SHIELD OR BRACKETS		
783-998	D	NO SIDE EXTENDERS		
782-998	D	NO FRAME SIDE FAIRINGS		
650-008	D	AIR CAB MOUNTING		
705-998	D	NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS		
648-002	D	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR		
	D	ILLE		
754-998	D	NO FENDER EXTENSION		
678-001	D	LH AND RH GRAB HANDLES		
646-023	D	HOOD MOUNTED CHROMED PLASTIC GRILLE		
65X-003	D	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
644-004	D	FIBERGLASS HOOD		
690-016	D	CAB FLOOR, TOE BOARD AND FIREWALL HEAT S	F	5
	D	HIELD		
727-1AF	D	SINGLE 14 INCH ROUND HADLEY AIR HORN UND	F	4
	D	ER LH DECK		
726-002	D	DUAL ELECTRIC HORNS		
728-001	D	SINGLE HORN SHIELD		
657-1CV	D	DOOR LOCKS AND IGNITION SWITCH KEYED THE		
	D	SAME WITH (4) KEYS		
575-001	D	REAR LICENSE PLATE MOUNT END OF FRAME		
327-998	D	NO OTHER LIGHTS		
312-038	D	INTEGRAL HEADLIGHT/MARKER ASSEMBLY WITH		
	D	CHROME BEZEL		
302-047	D	LED AERODYNAMIC MARKER LIGHTS		
315-998	D	NO FOG LIGHTS		
311-001	D	DAYTIME RUNNING LIGHTS		
316-998	D	NO SPOTLIGHTS		
294-1AY	D	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-015	D	STANDARD FRONT TURN SIGNAL LAMPS		

318-998	D	NO UTILITY/ADVERTISING LIGHT		
744-1BM	D	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS		
	D			
797-001	D	DOOR MOUNTED MIRRORS		
796-001	D	102 INCH EQUIPMENT WIDTH		
743-204	D	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
	D			
74A-998	D	NO AUXILIARY MIRROR		
74B-998	D	NO AUXILIARY MIRROR		
713-998	D	NO PERMIT PLAQUE		
729-001	D	STANDARD SIDE/REAR REFLECTORS		
73A-998	D	NO REFLECTIVE DEVICES		
677-016	D	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES		
275-061	D	ELECTRIC HORN WARNING SYSTEM FOR PARK BRAKE NOT SET WITH DOOR OPEN AND ALL IGNITION KEY POSITIONS		
	D			
764-010	D	COMPOSITE EXTERIOR SUN VISOR	F	10
768-043	D	63X14 INCH TINTED REAR WINDOW		
661-003	D	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
	D			
654-027	D	RH AND LH ELECTRIC POWERED WINDOWS, PASS ENGER SWITCHES ON DOOR(S)	F	4
	D			
767-998	D	NO SIDE WINDOW		
769-998	D	NO LOWER DOOR WINDOW		
663-013	D	TINTED WINDSHIELD		
659-020	D	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, FRAME MOUNTED		
	D			
647-998	D	NO WINTERFRONT CAB INTERIOR		
707-1AM	D	OPAL GRAY CLOTH INTERIOR		
055-002	D	INTERIOR CONVENIENCE PACKAGE		
706-016	D	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
	D			
708-016	D	MOLDED DOOR PANEL WITH UPPER VINYL INSERTS		
	D			
772-006	D	BLACK MATS WITH SINGLE INSULATION		
785-998	D	NO DASH MOUNTED ASH TRAYS AND LIGHTER		
691-014	D	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS AND ADDITIONAL CENTER COMPARTMENT WITHOUT NETTING		
	D			
694-010	D	IN DASH STORAGE BIN		
696-012	D	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL	F	20
	D			
693-008	D	PLASTIC MANIFEST BOX - LH AND RH DOORS		

826-998	D	NO LOWER BUNK				
666-998	D	NO BUNK RESTRAINT				
738-998	D	NO CLOCK				
742-007	D	(2) CUP HOLDERS LH AND RH DASH				
680-006	D	GRAY/CHARCOAL FLAT DASH				
860-004	D	SMART SWITCH EXPANSION MODULE				
716-998	D	NO WINDSHIELD FAN				
720-002	D	2-1/2 LB. FIRE EXTINGUISHER	F	5		
71T-998	D	NO SMOKE/GAS DETECTOR				
714-001	D	FIRST AID KIT	F	2		
700-002	D	HEATER, DEFROSTER AND AIR CONDITIONER				
701-008	D	STANDARD HVAC DUCTING WITH SNOW SHIELD F				
	D	OR FRESH AIR INTAKE				
703-005	D	MAIN HVAC CONTROLS WITH RECIRCULATION SW				
	D	ITCH				
689-998	D	NO AUXILIARY HVAC UNIT				
170-015	D	STANDARD HEATER PLUMBING				
130-033	D	DENSO HEAVY DUTY AIR CONDITIONER COMPRES				
	D	SOR				
702-002	D	BINARY CONTROL, R-134A				
739-034	D	PREMIUM INSULATION				
285-013	D	SOLID-STATE CIRCUIT PROTECTION AND FUSES				
96R-002	S	STANDARD ELECTRICAL PROTECTIVE COATING,				
	S	WHITE LITHIUM GREASE ON BATTERY TERMINAL				
	S	S AND RED ENAMEL PAINT IN ENGINE COMPART				
	S	MENT AND ON CHASSIS CONNECTIONS				
280-007	D	12V NEGATIVE GROUND ELECTRICAL SYSTEM				
324-011	D	DOME DOOR ACTIVATED LH AND RH, DUAL READ				
	D	ING LIGHTS, FORWARD CAB ROOF				
655-005	D	LH AND RH ELECTRIC DOOR LOCKS				
740-998	D	NO MATTRESS				
284-023	D	(1) 12 VOLT POWER SUPPLY IN DASH				
710-998	D	NO CAB PRIVACY CURTAIN				
722-002	D	TRIANGULAR REFLECTORS WITHOUT FLARES	F	10		
756-1J3	D	BASIC HIGH BACK AIR SUSPENSION DRIVER SE	F	30		
	D	AT WITH MECHANICAL LUMBAR AND INTEGRATED				
	D	CUSHION EXTENSION				
760-1J3	D	BASIC HIGH BACK AIR SUSPENSION PASSENGER	F	25	R	10
	D	SEAT WITH MECHANICAL LUMBAR AND INTEGRA				
	D	TED CUSHION EXTENSION				
762-998	D	NO REAR PASSENGER SEAT				
757-998	D	NO SEAT SKIRT(S)				
759-009	D	INBOARD DRIVER SEAT ARMREST, NO PASSENGE	F	2		
	D	R SEAT ARMREST				

711-004	D	LH AND RH INTEGRAL DOOR PANEL ARMRESTS	
699-998	D	NO SEAT OPTIONS	
758-025	D	GRAY MORDURA CLOTH DRIVER SEAT COVER	
761-025	D	GRAY MORDURA CLOTH PASSENGER SEAT COVER	
755-998	D	NO REAR PASSENGER SEAT COVERS	
763-101	D	BLACK SEAT BELTS	
532-002	D	ADJUSTABLE TILT AND TELESCOPING STEERING	F 10
	D	COLUMN	
540-015	D	4-SPOKE 18 INCH (450MM) STEERING WHEEL	
765-002	D	DRIVER AND PASSENGER INTERIOR SUN VISORS	
		CONTROLS & INSTRUMENTS	
870-001	D	BLACK GAUGE BEZELS	
732-003	D	WOODGRAIN DRIVER INSTRUMENT PANEL	
734-003	D	WOODGRAIN CENTER INSTRUMENT PANEL	
68J-998	D	NO SWITCH BLANK - INSTRUMENT PANEL	
486-001	D	LOW AIR PRESSURE INDICATOR LIGHT AND AUD	
	D	IBLE ALARM	
838-998	D	NO AIR APPLICATION GAUGE	
840-002	D	2 INCH PRIMARY AND SECONDARY AIR PRESSUR	
	D	E GAUGES	
198-002	D	INTAKE MOUNTED AIR RESTRICTION INDICATOR	
	D	WITH GRADUATIONS	
721-001	D	97 DB BACKUP ALARM	R 3
149-013	D	ELECTRONIC CRUISE CONTROL WITH SWITCHES	
	D	IN LH SWITCH PANEL	
156-033	D	KEY OPERATED IGNITION SWITCH AND INTEGRA	
	D	L START POSITION; 4 POSITION OFF/RUN/STA	
	D	RT/ACCESSORY WITH ECM STARTER LOCKOUT	
157-998	D	NO REMOTE START	
811-042	D	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS,	
	D	28 LED WARNING LAMPS AND DATA LINKED	
160-039	D	(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTER	
	D	FACE CONNECTOR LOCATED BELOW LH DASH AND	
	D	(1) SAE J1939 DIAGNOSTIC INTERFACE CONN	
	D	ECTOR LOCATED CENTER OF DASH	
844-001	D	2 INCH ELECTRIC FUEL GAUGE	
845-998	D	NO FUEL FLOW GAUGE	
148-085	D	EMISSIONS LIMITED IDLE ADJUST	
163-998	D	NO ENGINE OPT/RPM CONTROLS WIRING	
87L-998	D	NO REMOTE ENGINE CONTROL-ENABLE	
33U-998	D	NO CUSTOMER DEFINED WIRING FUNCTION	
866-998	D	NO AXLE TEMPERATURE GAUGE	

856-001	D	ELECTRICAL ENGINE COOLANT TEMPERATURE GA	
	D	UGE	
854-998	D	NO ENGINE OIL TEMPERATURE GAUGE	
864-001	D	2 INCH TRANSMISSION OIL TEMPERATURE GAUG	
	D	E	
867-998	D	NO OUTSIDE AIR TEMPERATURE GAUGE	
830-017	D	ENGINE AND TRIP HOUR METERS INTEGRAL WIT	
	D	HIN DRIVER DISPLAY	
438-998	D	NO HUBODOMETER	
33A-998	D	NO WARNING LIGHT SWITCHES	
372-051	D	CUSTOMER FURNISHED AND INSTALLED PTO CON	
	D	TROLS	
736-998	D	NO OBSTACLE DETECTION SYSTEM	
73H-998	D	NO CAMERA/VIDEO/IMAGING SYSTEM	
49B-998	D	NO VEHICLE STABILITY ADVISOR OR CONTROL	
73B-998	D	NO LANE DEPARTURE WARNING SYSTEM	
852-002	D	ELECTRIC ENGINE OIL PRESSURE GAUGE	
679-998	D	NO OVERHEAD INSTRUMENT PANEL	
35M-998	D	NO WRG-BDY MULTIPLEX EXPNSN UNIT	
786-998	D	NO POSITIONING/LOCATING SYSTEM	
746-1B4	D	AM/FM/WB WORLD TUNER RADIO WITH CD PLAYE	F 10
	D	R, BLUETOOTH, IPOD INTERFACE, USB AND AU	
	D	XILIARY INPUTS, J1939	
747-001	D	DASH MOUNTED RADIO	
74D-998	D	NO RADIO/SPEAKER WIRING	
750-002	D	(2) RADIO SPEAKERS IN CAB	
753-001	D	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF	
748-998	D	NO CB RADIO/PROVISION	
749-998	D	NO CB RADIO MOUNTING PROVISION	
752-998	D	NO CB ANTENNA, BRACKET OR LEAD	
78C-998	D	NO DIGITAL SATELLITE AUDIO RECEIVER ANTE	
	D	NNA	
810-028	D	ELECTRONIC KPH SPEEDOMETER WITH SECONDAR	
	D	Y MPH SCALE, WITHOUT ODOMETER	
817-001	D	STANDARD VEHICLE SPEED SENSOR	
812-001	D	ELECTRONIC 3000 RPM TACHOMETER	
813-1B4	D	VT-HU CONNECTIVITY PLATFORM HARDWARE	
8D1-003	D	3 YEARS DETROIT CONNECT BASE PACKAGE (VI	
	D	RTUAL TECHNICIAN, DETROIT CONNECT PORTAL	
	D	ACCESS) FOR VT-HU CONNECTIVITY PLATFORM	
8Z1-998	D	NO ZONAR SERVICES SELECTED	
80K-998	D	NO SHUTDOWN OVERRIDE	
80L-998	D	NO REGEN SYSTEM TAILORING	
80M-998	S	NO ALTERNATE PTO SPEED	

80N-998	D	NO REDUCED ENGINE SPEED ON VSS FAILURE
80P-998	S	NO FLEET SPEC FOR PARAMETERIZATION
80Q-998	S	NO VEHICLE SPEED LIMIT - GHG
162-002	D	IGNITION SWITCH CONTROLLED ENGINE STOP
885-998	D	NO CONTROLS-FIRE PUMP
329-015	D	ONE ON/OFF ROCKER SWITCH IN THE DASH WITH INDICATOR LIGHT AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT
81Y-001	D	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH
44R-998	D	NO ON/OFF LATCHING SMARTPLEX SWITCH
44S-998	D	NO ON/OFF MOMENTARY SMARTPLEX SWITCH
44T-998	D	NO ON/OFF/ON LATCHING SMARTPLEX SWITCH
44U-998	D	NO ON/OFF/ON MOMENTARY SMARTPLEX SWITCH
44V-998	D	NO PRE-DEFINED SMARTPLEX INDICATOR LAMPS
44W-998	D	NO UNDEFINED INDICATOR LAMPS
264-998	D	NO CONTROLS-SIREN/AIR HORN
482-998	D	NO TRACTOR PROTECTION VALVE
883-998	D	NO TRAILER HAND CONTROL BRAKE VALVE
836-015	D	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-025	D	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY PROGRAMMED TO SLOWEST SPEED WITH PARK BRAKE SET
304-003	D	MARKER LIGHT/HEADLIGHT SWITCH WITH SEPARATE INTERRUPTER FOR CLEARANCE LIGHTS
27D-998	D	NO ALTERNATING FLASHING HEADLAMP SYSTEM
882-009	D	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-013	D	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE
298-039	D	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS
869-998	D	NO MISCELLANEOUS GAUGES
065-000	D	PAINT
980-5F8	D	PAINT: ONE SOLID COLOR
	D	CAB COLOR A: L0225EB
	D	WHITE ELITE BC
986-020	D	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
98K-998	D	NO FUEL TANK CABINET PAINT
962-998	D	PAINT-FRT WHEEL COLOR: NONE
966-972	D	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

96E-998	D	NO PUSHER/TAG WHEEL PAINT
96F-998	D	NO SPARE WHEEL PAINT
964-998	D	NO BUMPER PAINT
976-995	D	SUNVISOR PAINTED SAME AS CAB COLOR A
963-003	D	STANDARD E COAT/UNDERCOATING ADDITIONAL SPECIFICATIONS
998-998	D	DEALER ACCEPTS RESPONSIBILITY FOR IN-SER
	D	VICE PDI INSPECTION
958-998	D	NO INSPECTION-LABOR ONLY
99B-998	D	NO MODIFICATION CENTER SHIPPING INSTRUCT
	D	IONS
82N-998	D	NO SHIPPING PROTECTION
999-998	D	NONE
996-002	D	CANADA CMVSS CERTIFICATION, EXCEPT SALES
	D	CABS AND GLIDER KITS
RCE-00K	007	STOCK FIXED CANADIAN EXCHANGE
MWF-002	S	DETROIT FRONT AXLE COVERAGE, GENERAL SER
	S	VICE PLUS, 4 YEAR/UNLIMITED MILES/KILOME
	S	TERS
MWD-001	S	DETROIT REAR AXLE COVERAGE, GENERAL SERV
	S	ICE PLUS, 4 YEAR/UNLIMITED MILES/KILOMET
	S	ERS
WAI-5FN		EW4: DD8 SINGLE STAGE/DUAL STAGE 5 YEARS /200,000 MILES/322,000 KM FULL COVERAGE. FEX APPLIES
WAG-010		TOWING: 1 YEAR/UNLIMITED MILES/KM EXTEND ED TOWING COVERAGE \$550 CAP FEX APPLIES
PWA-135		PRICE ADJUSTMENT FOR DD8 WARRANTY
PTK-033		DD8 DEMO PROGRAM, SPECIAL LAUNCH M2 106
P28-1AC	001	AIR CONDITIONING TAX
RTA-001	001	ONTARIO TIRE STEWARDSHIP FEE
PMU-017		2016 OBD/2010 EPA/CARB/GHG17 ESCALATOR